

INDEX MAPS.

T. 29N, R. 1W. 2nd Mer.

	7	7	6	6	5	6
9	6 30	5 24	4 21	3 17	2 13	1 5
	29	29	24	20	17	13
9	7 29	8 23	9 20	10 16	11 12	12 4
	28	28	23	20	16	12
9	18 28	17 23	16 19	15 16	14 12	13 4
	27	27	23	19	15	11
8	19 27	20 22	21 19	22 15	23 11	24 3
	27	26	22	19	15	10
8	30 26	29 22	28 18	27 14	26 11	25 3
	25	25	21	18	14	10-11
7	31 25	32 21	33 18	34 14	35 10	36 3
	2	2	2	1	1	1

T. 30N, R. 1W. 2nd Mer.

	40	39	39	38	38	37
43	6 66	5 59	4 55	3 52	2 ^x 47	1 37
	65	65	59	55	51	47
43	7 65	8 58	9 55	10 51	11 47	12 37
	64	64	58	54	51	46
42	18 64	17 58	16 54	15 50 ^x	14 46	13 36
	63	63	57	54	50⁷	46^x
42	19 62	20 57	21 53	22 49	23 46	24 36
	62	61	56	53	49	45
41	30 61	29 56	28 53	27 49	26 45	25 36
	60	60	56	52	48	44
40	31 60	32 56	33 52	34 48	35 44	36 35
	35	34	34	34	33	33

Meadows 66

[] The figures on the lines refer to the page.

Township N. 29 North, Range N. 1 West 2. Mer. Indiana

C. L.

South Boundary

(var 4. 55 1/2)

- Met On the S. side of sec, 36. (var 2. Oak 18 N 85 W 139
13. Oak 17 7. 109)
- 8.00 Leave Oak land
- 8.20 To a stream 50 Yds. wide en. N.W.
- 20.00 To the Do, " " " " S.W.
- 25.00 " the Do, " " " " N.W.
- " " 2 Oak 10 in. dia. in the line
- 40.00 Set the gr. sec. cor. post from which
a Red Oak 10 in. dia. bears N 81 W 23 Yds,
& a W. Oak, 30 " " " N 27 E 20 " dia.
- 59.57 To a W. ash 12 " " in the line
- 80.00 Set a post cor. to sec. 35 & 36 from wh.
a W. Oak, 30 in. dia, bears N 35 W 78 Yds,
& a Hickory 6 " " " N 68 E 91 "
- Land level & soil good & the timber is
Oak Ash Elm, Beech, Sugar Rowwood &c
Under Growth the same &c

- Met On the S. side of sec, 35,
- 5.00 Entered a marsh
- 19.50 Leave the Do. —
- 40.00 Set the gr. sec. cor. post from which
a B. ash 20 in. dia, bears N 15 W 47 Yds,
& a W. Oak 10 " " " N 38 E 35 "
- 61.26 To an Rowwood 10 in. dia, in the line,
- 80.00 Set a post cor. to sec. 34 & 35 fr. wh.,
a Hickory 20 in. dia, bears N 34 W 37 Yds,
& a Red Oak 30 " " " N 38 E 47 "
- Land &c. is the same as on last mile,

- Met On the S. side of sec, 34
- 1.24 To a Beech 20 in. dia, in the line,
- 40.00 Set the gr. sec. cor. post from which
a Hickory 6 in. dia, bears N 35 W 28 Yds. dia,
& an Elm 10 " " " N 50 E 20 " "
- 52.00 Leave Heavy timbered land,

2

T. 29 N. R. 1 W. 2nd Mer. (Ind^{co})

6. S.

54.76 To a Gr. Oak 30 in dia, in the line,
 80.00 Set a post cor. to sec. 33 & 34 for wh,
 a Br. Oak 10 in dia, bears N 30 W 533 ths,
 & a Y. Oak 20 " " " N 89 W 5.68 "
 Land level, soil rich, & the timber is
 Sugar, Beech, Ash, Oak, Elm Lyme Hickory,

West On the S. side of sec. 33,

40.00 Set the gr. sec. cor. post from which
 a Br. Oak 8 in dia, bears N 4 W 253 ths dist,
 & a Do, 8 " " " N 39 E 328 " "
 74.78 To a W. Oak 12 " " in the line,
 80.00 Set a post cor. to sec. 32, & 33 from wh,
 a W. Oak 20 in dia, bears N 64 E 363 ths,
 & a Br. Oak 10 " " " N 63 W 68 " dist,
 Land is level rich & the timber is Oak &

West On the S. side of sec. 32

40.00 Set the gr. sec. cor. post from which
 a Br. Oak 20 in dia, bears N 61 W 30 ths dist,
 & a Do, 12 " " " N 48 E 23 " "
 65.36 To a Y. Oak 18 " " in the line,
 80.00 Set a post cor. to sec. 31 & 32 for wh,
 a W. Oak 20 in dia, bears N 59 W 270 ths,
 & a Do, 10 " " " N 33 E 521 " dist
 Land &c is same as on last mile,

West On the S. side of sec. 31.

40.00 Set the gr. sec. cor. post from which
 a W. Oak 12 in dia, bears N 34 W 257 ths,
 & a Do, 20 " " " N 41 E 109 "
 82.00 Set a post cor. to Town 29 N. Range 1 & 2 for wh,
 a Y. Oak 18 in dia, bears N 6 E 768 ths, dist &
 " Do, 18 " " " N 7 W 417 " "
 Land low & thinly timbered with Oak &
 Soil silt & etc. (Var 4:55'E.) Sec. 12th 1833.

T. 29 N. R. 1 W. 3rd Nov. (Ind.) ³

C. L. Surveyed by Sibley & Clark,

East Boundary, Var.

Bearings of cov. T. 28 & 29 N. R. 1 W. -

a W. Oak 18 in. dia. bears N 85. W 139 ths. dist,

& a Br. Oak 17 " " " West 109 " "

North On the E. side of sec. 36,

16.12 To a Br. Oak 43 in. dia. in the line,

37.41 " " Swp. Oak 23 " " " " "

40.00 Set the gr. sec. cor. post from which

a W. Oak 21 in. dia. bears S 38 W 19 ths. dist,

& a B. Oak 24 " " " N 48 W 25 " "

56.84 To an Elm 14 " " in the line,

80.00 Set a post cor. to secs. 25 & 36 from wh,

a B. Oak 28 in. dia. bears S 41 W 56 ths. dist,

& a Hickory 8 " " " N 53 W 28 " "

Land level & sec. rate & the timber is

Oak, Ash & Elm, & the mud. gth. Hazel & Hickory.

North On the E. side of sec. 25,

11.94 To a Br. Oak 36 in. dia. in the line,

37.00 Entered wet prairie

40.00 Set the gr. sec. cor. post from which

a Hickory 18 in. dia. bears S 57 E 229 ths.

& a W. Oak 15 " " " S 40 W 216 " dist,

50.50 To a Stream 38 ths. wide on S. W,

66.00 Leave the prairie,

66.32 To a B. Oak 18 in. dia. in the line,

72.00 Entered a wet prairie,

80.00 Set post corner to secs. 24 & 25, no trees

& raised a mound,

Land level & sec. rate & the timber is

Oak, &c. no mud. gth.

North On the E. side of sec. 24

35.00 Leave the prairie,

T. 29 N. R. 1 W. 2nd Mer. (Ind.)

C. L.

- 40.00 Set the gr. sec. cov. post from which
an Aspen 7 in. dia. bears $S65^{\circ}W44$ th. dia.,
& a Do. 6 " " " $S80^{\circ}W41$ " "
- 42.94 To a W. Oak 40 " " in the line
- 73.75 Entered a wet prairie
- 80.00 Set a post cov. to sec. 13 & 24 from which
a W. Oak 24 in. dia. bears $S6^{\circ}W416$ th. dia.,
& a Do. 18 " " " $N2^{\circ}W874$ " "
Land &c is same as on last mile,

North On the E. side of sec. 13,

- 8.00 Leave wet prairie,
- 22.67 To a B. Oak 15 in. dia. in the line,
- 40.00 Set gr. sec. cov. post from which
a B. Oak 18 in. dia. bears $S2^{\circ}W39$ th. dia.,
& a W. Oak 12 " " " $N70^{\circ}W43$ " "
- 45.00 Entered a wet prairie,
- 80.00 Set post cov. to sec. 12 & 13 from which,
a W. Oak 9 in. dia. bears $N2^{\circ}W405$ th. dia.,
& a Do. 16 " " " North 4.43 " "
Land &c is same as on last mile,

North On the E. side of sec. 12,

- 4.00 Leave the prairie
- 4.43 To a W. Oak, 43. in. dia. in the line,
- 20.00 Entered a wet prairie,
- 40.00 Set the gr. sec. cov. post from which
a W. Oak 20 in. dia. bears $S48^{\circ}W274$ th.,
& a Do. 24 " " " $S52^{\circ}W3.03$. dia.
- 42.00 Leave wet prairie,
- 56.54 To a W. Oak, 10 in. dia. in the line,
- 80.00 Set a post cov. to sec. 1 & 2 from which
a W. Oak. 22 in. dia. bears $S8^{\circ}W28$ th. dia.,
& a B. Oak. 10 " " " $N33^{\circ}W80$ " "
Land is rolling & 3rd rate & the timber is
Oak. & Hickory &c. no undergrowth,

T. 29 N. R. 1 W. 2nd Mer. (Ind.) ⁵

- 6.74 North On the E. side of section 1
 To a B. Oak 14 in dia. in the line,
 36.15 To a Do. 22 " " " " "
 40.00 Set the q. sec. cor. post from which
 a Hickory 15 in dia. bears S 42° W 64.0m,
 & a W. Oak 9 " " " N 40° W 40 " int,
 66.25 To a B. Oak 12 " " in the line,
 74.93 To a W. Oak, 7 " " " " "
 75.00 Enter a wet prairie,
 80.00 Set post cor. to Towns, 29 & 30 N. R. 1 W.,
 a B. Oak 20 in dia. bears S 46° 49' 0" W. 100 m. dist,
 & a W. Oak 18 " " " " S 19° W 52.6 " "
 Land &c. is same as on last mile,
 May 8th 1829 Surveyed by David Willis D. S.
 North Boundary. (Var. 5° 35' E.)

- West On the S. side of sec. 36 T. 30 N. R. 1 W.,
 37.00 To a Brook 15 lks. wide cor. S, W,
 40.00 Set the q. sec. cor. post from which
 a W. Oak, 20 in dia. bears N 37° W 7.19 lks.,
 & a Do. 14 " " " " N 1/2° W 7.25 " int,
 43.20 To a Brook 20 lks. wide cor. N, W,
 48.00 " the same " " " " S. W.,
 60.00 Leave wet prairie bottom
 60.78 To a G. Oak 18 in dia. in the line,
 62.00 To an Indian trail cor. W. S. W.,
 67.00 To wet prairie or marsh
 80.00 Set a post cor. to sec. 35 & 36 from which
 a W. Oak 36 in dia. bears N 51° 36' 89.4 m. int,
 & a Do. 20 " " " " N 43° E 8.84 " "
 Land mostly a prairie bottom with
 a heavy growth of gras. sp. land
 poor G. Oak & hickory.

- West On the S. side of sec. 35. T. 30 N. R. 1 W.
 10.00 To a Brook 15 lks. wide cor. N. W.,

T. 29 N. R. 1 W. 2nd Mer. Ind.

- 60.00 To brook 15 ths, wide on S. W,
 - 13.00 " the do, 15 " " " N. W,
 - 14.00 " the do, 15 " " " " N. W,
 - 35.00 Leave the prairie
 - 40.00 Set the gr. sec. cor. post from which
a Br. Oak, 7 in. dia, bears N 1 1/2 W 27 ths,
& a Do, 5 " " " " N 3 1/2 E 32,
 - 67.13 To a W. Oak 18 " " in the line,
 - 80.00 Set a post cor. to sec 34 & 35 from wh,
a Y. Oak, 10 in. dia, bears N 30 1/4 W 75 ths. int,
& a Do, 24 " " " " N 29 1/2 E 56 " "
- wet prairie, similar but dryer than
up land - level barren, good soil &
thinly timbered with W. & Br. Oak &c,

- West On the S. side of sec, 34 T. 30 N. R. 1 W
- 3.05 To a Y. Oak 12 in. dia, in the line,
 - 26.00 ^{into marsh}
 - 38.50 Leave the marsh with muskrat houses
 - 40.00 Set the gr. sec. cor. post from which
a Y. Oak 14 in. dia, bears N 44 E 34 ths. int,
& a Do, 18 " " " " N 34 W 41 " "
 - 51.00 To a prairie between a wet & dry
some parts covered with water
 - 80.00 Set a post cor. to sec, 33 & 34
where raised a mound
- Land ex. prairie & marsh rolling
& poor. The timber is Y & W. Oak &c,

- West On the S. side of sec. 33 T. 30 N. R. 1 W
- 28.00 Entered a marsh
 - 40.00 Set the gr. sec. cor. post from which
a W. Oak, 18 in. dia, bears N 15 E 122 ths,
& a Do, 14 " " " " N 60 1/4 W 134 "
 - 41.00 Leave the Marsh
 - 43.63 To a Y. Oak 15 in. dia, in the line,
 - 49.29 " " W. Oak, 8 " " " " " "
 - 80.00 Set a post cor. to sec, 32 & 33

T. 29 N. R. 1 W 2nd Mer. (Ind.) 7

60.61 a W. Oak 11 in dia. bears N 56 W 38 th. dist,
 & a Do. 9 " " " N 44 3/4 E 164 " "
 Land &c is same as on last mile

West On the S. side of sec. 33 T. 30 N. R. 1 W
 40.00 Set the q. res. ev. post from which
 a Br. Oak 8 in dia. bears N 56 W 124 th,
 & a Hickory 17 " " " N 55 3/4 W 148 "
 43.69 To a Br. Oak 8 " " in the line,
 80.00 Set a post ev. to res. 31 & 32,
 a G. Oak 16 in dia. bears N 69 W 395 th,
 & a W. Oak 16 " " " N 27 1/2 E 579 "

Land level, mostly a good soil, almost
 prairie, some scattering Br. & G. Oak &
 Hickory. Stony in places & some low brush,

West On the S. side of sec. 31 T. 30 N. R. 1 W

7.00 Enter a marsh
 11.50 Leave the Do, water runs to N,
 19.00 Leave scattering timb. & Enter dry prairie
 40.00 Set the q. res. ev. post from which
 in prairie & raised a mound,
 80.50 To wet prairie & marsh

82.34 To the W. boundary at end of 5.75.12 th.
 & set post ev. T. 29 & 30 N. R. 1 & 2 W,
 a W. Oak 18 in dia. bears N 5 5/8 E 977 th. dist,
 & raised a mound in the marsh

Barren same as last, prairie level & good
 soil. (Var. 5° 35' E.) No. 30th 1833.
 very warm & pleasant weather.
 Surveyed by Sibley & Clark D. As.

West Boundary. (Var. 5° 35' E.)

North On the E. side of sec. 36 T. 29 N. R. 2 W

13.50 Enter a marsh
 15.00 To a Brook 20 th. wide ev. W. S. W,

T. 29 N. R. 1 W. 2nd Mer. Ind.

C. S.

- 23.50 Leave the bank
 40.00 Set the gr. sur. cor. post from which
 a W. Oak 10 in dia. bears S 27° W 64 th. dia,
 & a Y. Oak 16 " " " N 86 ½° W 101 " "
 80.00 Set a post cor. to sec. 25 & 36 from wh,
 a W. Oak 14 in dia. bears N 34° W 27 th. dia,
 & a K. Oak 10 " " " S 50° W 47 " "
 Land level bare, very thinly timbered
 with W & Y. Oak. - many low places

- North On the E. side of sec. 35 & 39 N 162 W.
 15.70 To a W. Oak 8 in dia. in the line,
 40.00 Set the gr. sur. cor. post from which
 a Hickory 12 in dia. bears N 26° W 249 th.,
 & a B. Oak 14 " " " N 17 ½° W 204 "
 54.00 Enter a marsh
 57.00 Leave the Do. current of water W
 58.00 Enter W. end of large Dry prairie
 75.00 Leave the prairie,
 80.00 Set a post corner to sec. 34 & 35 from wh,
 a W. Oak 9 in dia. bears S 50 ½° W 90 th. dia,
 & a Hickory 8 " " " N ½° W 131 " "
 Land ex. prairie, similar good soil
 some stony level Dec. 1st 1832,

- North On the E. side of sec. 24 & 29 N 162 W
 25.00 To Dry prairie
 40.00 Set the gr. sur. cor. post from which
 a W. Oak 16 in dia. bears N 57 ½° W 591 th.,
 & a Y. Oak 18 " " " N 25 ½° W 614 " dia,
 50.00 Leave the prairie
 70.00 To dry prairie again
 80.00 Set a post cor. to sec. 13 & 24 from wh
 a K. Oak 9 in dia. bears S 60 ¼° W 609 th. dia,
 & a Br. Oak 2 " " " N 22 ¾° E 315 " "
 Land level good soil. Barren, very thinly

T. 29 N. R. 1 W. 3rd New. Ind,

9

Co. Lo. timbered with small oaks & Hickory &
the prairie is level & some stony.

North On the E. side of sec. 13. T. 29 N. R. 2 W
40.00 Set the gr. sec. cov. post where raised mound
80.00 Set a post cov. to sec. 12 & 13 from which
a Red Oak 14 in. dia. bears N 38 E 191 ths.
& a Do, 14 " " " N 68 3/4 W 324.
Land level prairie & good soil but rather
low for cultivation, some stone on the surface
of the kind called "hard heads";

North On the E. side of sec. 12 T. 29 N. R. 2 W,
4.00 Leave dry prairie & enter marsh
17.00 Leave the marsh & enter barrens, thin,
27.36 To a W. Oak 13 in. dia. in the line,
40.00 Set the gr. sec. cov. post from which
a W. Oak 28 in. dia. bears N 61 3/4 W 101 ths.
& Do, 16 " " " N 68 3/4 W 270. dia.
65.00 Entered a dry prairie,
80.00 Set a post cov. to sec. 14 & 12 from which
a Br. Oak 9 in. dia. bears N 39 1/2 W 778 ths.
& a Do, 18 " " " N 67 1/2 E 2.88. dia.
Barrens good soil. prairie a short distance
to west. very thin of timber, prairie good
soil. the E. margin of extensive prairie.

North On the E. side of sec. 13 T. 29 N. R. 2 W,
20.00 Entered a wet prairie,
40.00 Set the gr. sec. cov. post. in prairie &
Raised a mound. no trees,
75.12 To Town cov. (T. 29 N. 30. R. 2 W. W.)
This mile runs through a large prairie
about 1/2 of which is wet. the high part
elevated from 1 to 3 ft. above the wet,
Var. 5° 25' E. (Nov. 30th 1833.)

T. 29 N. R. 1 W. 2nd Mer. Ind.

C. L. Surveyed by Sibley & Clark. J. Srs.

Subdivisions.

North Between sections 35 & 36

34.50 To a Creek 50 Mts. wide en. W,

40.00 Set the gr. sec. cor. post from which
a W. Oak 24 in dia. bears N 30 E 382 Mts. Dist,
& a Do. 18 " " " N 13 1/2 W 683 " "

44.78 To a Jack Oak 36 " " in the line,

14.00 " " W. Oak 42 " " " " "

80.00 Set a post cor. to sec. 25-26, 35 & 36 from wh.,
a B. Walnut 12 in dia. bears N 12 E 36 Mts. Dist,
& a Hickory 15 " " " N 47 E 150 " "
Land on 1 1/2 mile is wet prairie & on each
1/2 sec. rate level & W. & B. Oak, N. G. as. & Hazel

East On Random between sec. 25 & 36 13

80.50 To the Range line 32 Mts. N. of post,
Land level & part sec. rate & the timber
is Oak, ash Elm &c. N. G. Hazel & Prairie &c.

North Between sections 25 & 26

7.42 To a Red Oak 42 in dia. in the line,

16.23 " " Do. 36 " " " " "

40.00 Set the gr. sec. cor. post from which
a B. Oak 18 in dia. bears N 30 W 417 Mts. Dist &
& a W. Oak 12 " " " N 7 E 4 chains.80.00 Set a post cor. to sec. 23-24-25 & 26 from wh.,
a W. Oak 8 in dia. bears N 49 W 246 Mts. Dist &
& a Do. 18 " " " N 47 E 369 " "
Prairie, mostly wet & small groves of timber,
Oak, Black White & Jack &c &c -

East On Random between sec. 24 & 25

23.00 To a B. Oak 18 in dia. in the line

80.50 To Range line 25 Mts. N. of mound in Prairie

T. 29 N. R. 1 W. 2nd Mer. Exd.,

C. L. Barnes. W & Jack Oak, & Aspen &c. —

West Correct the line between sec. 24 & 25
 40.25 Set the gr. sec. cov. post from which
 a B. Oak 18 in dia, bears N 67 E 50 th. dist &
 & a W. Oak 10 " " " S 11 W 59 " "
 57.25 To a B. Oak 18 " " in the line,
 80.50 To the sec. cov. —

note The following correction should have followed the line between 36 & 25 on page 10.

West Correct the line between sec. 36 & 25,
 6.75 To a Sycamore 25 in dia, in the line,
 30.00 To an Aspen 18 " " " " "
 40.25 Set the gr. sec. cov. post from which
 a R. Oak 25 in dia, bears S 51 W 15 th. dist &
 a W. Oak 20 " " " S 58 E 94 " "
 80.50 To the sections corner.

Norths Between sections 23 & 24
 27.79 To a W. Oak 18 in dia, in the line,
 40.00 Set the gr. sec. cov. post from which
 a W. Oak 20 in dia, bears S 9 E 68 th. dist,
 & a Do. 16 " " " S 7 W 40 " "
 45.00 Ascend a hill
 47.00 Descend the Do.
 56.62 To a B. Oak 24 in dia, in the line,
 26.50 " " Do. 24 " " " " "
 80.00 Set a post cov. to sec. 13, 14, 23 & 24
 a W. Oak 6 in dia, bears S 29 E 79 th. dist,
 & a Do. 12 " " " N 80 E 196 " "
 1st 1/2 mile is wet barrens last 1/2 is chiefly
 dry & sandy Timber Oak N. G. same
 where there is any. —

East On Randon between sec. 13 & 24

T. 29 N. R. 1 W. 2nd Mer. Ind.^{ed}

C. L.

80.80 To the Range line 39th N. of post,
Land all marshy banyan!

West Correct the line between sec. 13 & 24
40.40 Set the gr. sec. cor. post from which
a W. Oak 36 in. dia. bears N 15° W 308th,
& a Cherry 18 " " " N 10° W 450 " dia.,
80.80 To the section corner,

North Between sections 13 & 14
24.41 To a W. Oak 18 in. dia. in the line,
30.50 ascend a hill
32.00 Descend Do,
40.00 Set the gr. sec. cor. post from which
a J. Oak 4 in. dia. bears S 32° E 211th dia.,
& a Do. 4 " " " S 42° E 221 " "
57.62 To a W. Oak 18 " " in the line,
80.00 Set a post at a pile of stone corner to sec.,
11, 12, 13 & 14. Land wet banyan, grows of
B. Oak, mud, 4th. same where there is any,

East On Randon Between sections 12 & 13
80.85 To the E. line of sec. (E. boundary) 84th,
N. of post. Land same as last,

West Correct the line between sec. 12 & 13
16.00 To a W. Oak 18 in. dia. in the line,
27.50 ascend a hill
30.50 Descend the Do,
40.42½ Set the gr. sec. cor. post from which
a B. Oak 24 in. dia. bears N 47° W 11th dia. post
& a Do. 20 " " " S 18° E 40 " "
80.85 To the section corner,

North Between sections 11 & 12
40.00 Set the gr. sec. post in banyan from wh.

T. 29 N. R. 1 W. 3rd Mer. Ind. 13

6. 20 a J. Oak 12 in. dia. bears S 50° W 457 M. dia.
& a Do. 22 " " " S 16° W 576 " "
- 80.00 Set a post cor. to sec. 1, 2, 11 & 12 from which
a W. Oak, 15 in. dia. bears S 41½° W 509 M.,
& a Do. 12 " " " S 11½° E 507 "
Land wet prairie, with small groves of
Oak, &c.,
note, The groves were not on the lines
but were intended to describe the growth
on the land generally
-

- East On Randon between sec. 1 & 2
80.86 To the Range line 90 M. N. of state
Low wet prairie thinly timbered with
W. & B. Oak &c.
-

- West Correct the line between sec. 1 & 2
11.95 To a Hickory stump 12 in. dia. in line
40.43 Set the gr. sec. cor. post from which
a B. Oak 18 in. dia. bears N 31° E 89 M. dia.
& a W. Oak 18 " " " N 72° E 73 " "
- 80.86 To the corner of sections 1, 2, 11 & 12
-

North Between sections 1 & 2

- 40.00 To wet prairie & set 1/4 sec. cor. from which
a J. Oak 5 in. dia. bears N 15½° W 186 M. dia.
& a Do. 6 " " " N 29° E 232 " "
- 70.00 To a Creek 50 M. wide cor. W,
- 78.58 To the N. boundary, 15 M. West post
& set post cor. to sections 1 & 2,
a Willow 12 in. dia. bears S 35° W 495 M. dia.
& a Do. 12 " " " S 23½° E 432 " "
- 1st ½ mile low wet prairie, & 2nd ½ mile
is mostly timbered, with B & W. Oak & Hickory,
Land 3rd & etc. (March 12th 1834.)
-

T. 29 N. R. 1 W. 2nd New, Ind.

C. S.

North Between sections 34 & 35

- 6.00 To a B. Oak 30 in. dia. in the line,
 35.08 To a Red Elm 27 " " " "
 40.00 Set the gr. sec. cov. post from which
 a B. Oak 25 in. dia. bears S 34 E 46 ths,
 & a W. Oak 27 " " " S 83 E 1.24 "
 57.00 To a Creek 50 ths wide cr. W,
 57.50 To an Aspen 8 in. dia. in the line,
 80.00 Set a post cov. to sec. 26, 27, 34 & 35,
 a W. Oak 20 in. dia. bears S 81 E 4.54 ths,
 & a T. Oak 12 " " " N 87 E 4.84 " dubs,
 Land extremely wet during generally
 from 2 to 12 inches under water, except a
 small part of the first $\frac{1}{2}$ mile

East On Random between sec. 26 & 35

- 5.70 To a W. Oak 12 in. dia. in the line,
 79.50 To the E. boundy. of sec. —
 Land part timber, grove of Oak fruit bearing
 and etc., where there is any some Sassafras,

West Correct the line between sec. 26 & 35

- 20.08 To a W. Oak 8 in. dia. in the line,
 39.75 Set the gr. sec. cov. post from which
 a B. Oak 30 in. dia. bears N 20 E 40 ths,
 & a Do. 20 " " " N 21 E 57 " dubs,
 74.30 To a W. Oak 12 " " in the line,
 79.50 To the sections corner,

North Between sections 26 & 27

- 25.00 To a B. Oak 28 in. dia. in the line,
 40.00 Set the gr. sec. cov. post from which
 a W. Oak 12 in. dia. bears S 11 E 4.84 ths,
 & a Do. 18 " " " S 14 E 4.75 " dubs
 44.62 To a B. Oak 18 " " in the line,
 80.00 Set a post cov. to sec. 23, 22, 26 & 27

T. 29 N. R. 1 W. 2nd Mer (Ind. 1st) 15

C. L. a Hickory 9 in dia. bears S 30 E 457 ths,
 & a Do. 12 " " " S 37 E 455 " dit,
 Land is poor & generally wet bany

East On Random between sections 23 & 26
 79.63 To the E. line of sec. 90 ths. N. of post
 Land low & wet bany, the timber is
 same, & the timber is Hickory Oak & Aspens,

West Correct the line between sec. 23 & 26
 34.63 To a W. Oak 18 in dia. in the line,
 39.31 $\frac{1}{2}$ Set the gr. sec. cor. post from which
 an Aspen 22 in dia. bears S 12 E 60 ths,
 & a Do. 18 " " " S 55 E 83 " dit,
 79.63 To the sections corner,
 note, in fixing the $\frac{1}{2}$ mile post, there was
 a mistake in dividing the whole line,

North Between sections 22 & 23,
 4.43 To a B. Oak 20 in dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a Hickory 8 in dia. bears N 48 E 516 ths. dit,
 & a B. Oak 20 " " " N 3 E 577 " "
 64.90 To a W. Oak 20 " " in the line
 80.00 Set a post cor. to sec. 14, 15, 22 & 23,
 an Aspen 6 in dia. bears S 31 E 80 ths,
 & a Willow 14 " " " S 39 W 101 "
 Land marshy bany & poor

East On Random between sections 14 & 23
 79.50 To the E. line of sec. 12 ths. N. of post,
 March 13th 1834, Land wet bany &
 scattering oak, generally last quality.

West Correct the line between sec. 14 & 23
 27.42 To a B. Oak 20 in dia. in the line

T. 29 N. R. 1 W. 2nd New. Ind.

6. L.
 39.75 Set the gr. sur, cor, post from which
 a B. Oak 6 in. dia, bears N24°W 287 lns. dia,
 & a Do, 5 " " " N62°W 261 " "
 79.50 To corner of sur.

North Between sections 14 & 15

- 12.90 To a B. Oak 18 in. dia, in the line,
 40.00 Set the gr. sur, cor, post from which
 a B. Oak 15 in. dia, bears N33½°W 559 lns,
 & a W. Oak 25 " " " N19°W 5.25 "
 65.18 To a B. Oak 20 " " in the line,
 80.00 Set a post cor. to sur, 10. 11. 14 & 15 from wh,
 a B. Oak 20 in. dia, bears S3½°E 119 lns. dia,
 & a Do, 10 " " " S20°E 161 " "
 all wet bannus & scattering groves of B & W oak,
 Note. These groves were neither entered nor left
 but were named to afford a knowledge of
 the country generally -

East On Pleadons between sections 11 & 14

- 78.38 To the E. line of sur, 13 lns. N. of post,
 at stake on mound, The whole of this
 line runs through a low wet marshy bannus
 uninterrupted by groves & but few trees of any
 kind. -

West Correct the line between sur, 11 & 14

- 39.15 Set the gr. sur, cor, post from which
 a B. Oak 20 in. dia, bears N25°W 5.52 lns. dia,
 & a Do, 22 " " " N38°W 5.95 " "
 note. this corner was not set at w. dia. through
 mistake.
 78.38 To the sections corner,

North Between sections 10 & 11

- 40.00 Set the gr. sur, cor, in small pond

S. 29 N. R. 1 W. 2nd Mer. Ind.

6. L. no bearing trees acceptable.
 49.42 To a B. Oak 20 in. dia. in the line,
 65.00 " " W. Oak 24 " " " " "
 80.00 To a pile of stones in low wet barney
 & set post in pile of stones.
 note. I never allow myself to make
 offsets when I can pass through by wading

East On Handson between sections 2 & 11
 78.15 To the E. line of sec. 35 th. S. of post,

West Correct the line between sec. 2 & 11
 39.07 $\frac{1}{2}$ Set the gr. sec. cor. post from which
 a J. Oak 8 in. dia. bears S 26 W 93 th. dist,
 & a W. Oak 10 " " " N 19 W 76 " "
 78.15 To corner of sec. 1. Land level wet
 barney - small groves of W. & B. Oak, &c.
 note The groves are named to give a knowledge
 of the face of the country. It is believed
 that when the land is described as low
 wet barney, that the quality would be known
 of course; & when I say barneys! that of course
 a great scarcity of timber would be inferable

North Between sections 2 & 3,
 19.50 To a B. Oak 24 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a Hickory 14 in. dia. bears S 15 W 79 th. dist,
 & a Do. 8 " " " " S 19 E 63 " "
 59.93 To a B. Oak 20 " " in the line,
 79.50 Set post on N. boundary.
 Land level dry barney sec. rate & the
 timber is Hickory Oak &c. (N. G. same),
 March 14th 1834.
 note. Bearings were not taken at this corner
 because bearings had been taken by the Town line

T. 29 N. R. 1 W. 2nd Div. (Ind. 2)

C. S. surveyor, for that cov. on the opposite side of the line: but corner trees were marked

North Between sections 33 & 34

- 11.03 To a W. Oak 20 in. dia. in the line,
 40.00 Set the gr. sur. cov. post from which
 a W. Oak 6 in. dia. bears N 1 E 9 1/2 Mn. dist &
 a Do. 16 " " " " N 27 1/2 W 141 " "
 58.50 To a Creek running West. 50 Mn. wide,
 80.00 Set a post cov. to sur. 37-28, 33 & 34
 a W. Oak 20 in. dia. bears N 24 W 39 Mn. dist,
 & a Do. 24 " " " " N 44 E 33 " "
 Land sur. rate, dry barney & the timber
 is scarce of W. & B. Oak & -

East On Random between sur. 37 & 34

- 17.30 To a Hickory 12 in. dia. in the line,
 The residue of this line runs along the creek in an impassible marsh, through or along the side of marshy barney, so that its course & distance could not exactly be ascertained, further ex. by general observations. It is believed that at a low time of water the line might be run through but at present the course cannot be got at by offset or other way.

North Between sections 37 & 28,

- 40.00 Set the gr. sur. cov. post from which
 a W. Oak 15 in. dia. bears N 36 W 638 Mn,
 & a Do. 25 " " " " N 45 W 7.21 " dist,
 55.90 To a J. Oak 18 " " in the line,
 60.97 " a W. Oak 18 " " " " "
 72.20 " a Do. 40 " " " " "
 80.00 Set a post cov. to sur. 21, 22, 27 & 28,
 a J. Oak 6 in. dia. bears N 37 1/2 W 130 Mn. dist &

T. 29 N. R. 1 W. 2^d Mer. Indi.^a

Co. L. & a W. Oak 15 in. dia. bears S 76° W 107 M. dit.,
 Wet barony land, W & J Oak timber.

East On Random between sec. 23 & 24
 80.81 To the E. line of sec. 31 M. N. of post.
 Land level wet barony, flag swamp &c.

West Correct the line between sec. 22 & 27
 40.40½ Set the gr. sec. cor. post from which
 a W. Oak 35 in. dia. bears S 69° W 604 M.
 & a Hickory 20 " " " S 78° W 602 " dit.
 80.81 To the sections corner,

North Between sections 21 & 22
 40.00 Set the gr. sec. cor. post from which
 a J. Oak 27 in. dia. bears N 30° E 491 M.
 & a W. Oak 6 " " " N 50° E 183.
 69.86 To a B. Oak 20 " " in the line,
 80.00 Set a post cor. to sec. 15.16.21 & 22 fr. wh.
 a W. Oak 13 in. dia. bears N 18° E 387 M. dit.
 & a B. Oak 22 " " " N 43½° W 2.00 "
 Land level wet barony, & the timber
 where there is any is W & B. Oak &c.

East On Random between sections 15 & 22
 80.83 To the E. line of sec. 15 M. S. of post.
 Land generally low wet barony & small
 groves of W & B. Oak &c.

West Correct the line between sec. 15 & 22
 40.41½ Set the gr. sec. cor. post from which
 a B. Oak 20 in. dia. bears N 48° E 272 M.
 & a Do. 35 " " " N 23° E 332 " dit.
 80.83 To the cor. of sec. 15.16.21 & 22

North Between sections 15 & 16.

T. 29 N. R. 1 W. 2nd Sec. (Ind. $\frac{a}{4}$)

- C. L.
 9.31 To a Jack Oak 10 in. dia. in the line,
 28.94 " " B. Oak 20 " " " " "
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 15 in. dia. bears N 29 E 20 th,
 & a Do. 20 " " " N 44 W 31 " dia,
 68.40 To a W. Oak 20 " " in the line,
 80.00 Set a post cor. to sec. 9. 10. 15 & 16 ft. wh.
 a B. Oak 18 in. dia. bears N 18 E 30 th,
 & a Do. 25 " " " N 30 E 35 "
 Land part wet & part dry barney.

- East On Random between sec. 10 & 15
 30.40 To a W. Oak 25 in. dia. in the line,
 78.66 To the E. line of sec. 22 th. S. of post
 Land is mostly wet barney & groves of Oak,

- West Correct the line between sec. 10 & 15
 22.53 To a W. Oak 20 in. dia. in the line,
 39.33 Set the gr. sec. cor. post from which
 a W. Oak 15 in. dia. bears N 5 1/2 E 44 1/2 th,
 & a B. Oak 12 " " " N 36 E 45 1/2 " dia,
 61.57 To a W. Oak 8 " " in the line,
 78.66 To the section corner,

North Between sections 9 & 10

- 40.00 Set the gr. sec. cor. post from which
 a W. Oak 6 in. dia. bears N 55 1/2 E 142 th,
 & a Do. 20 " " " N 76 E 27 1/2 " dia,
 78.07 To a Bl. Oak. 20 in. dia. in the line,
 80.00 Set a post cor. to sec. 3. 4. 9 & 10,
 a W. Oak 12 in. dia. bears N 2 1/2 W 130 th. dia,
 & a B. Oak 15 " " " N 26 E 102 " "
 Land wet barney &c. & the timber is Oak &c
 where there is any timber,

East On the Random between sec. 3 & 10

T. 29 N. R. 1 W. 3rd Mer. (Tad^o)²¹

C. S.
79.45 To the E. line of sec. 56 th. et. of post,

West Correct the line between sec. 3410
39.72¹ Set the gr. sec. cor. post from which
a B. Oak 12 in. dia. bears S57°W 395 th.,
a Hickory 20 " " " S71°W 5 " dia.,
79.45 To the section corner, land wet barrens
& 3rd rate & the timber scattering B. Oak &

North Between sections 344
40.00 Set the gr. sec. cor. post from which
a W. Oak 18 in. dia. bears S88°E 640 th.,
a B. Oak 24 " " " N89°E 700 "
79.90 To the N. boundary, 64 th. E. of cor.
Set post cor. to sec. 344 from wh.,
a large Granite Rock ls. South 40°W 112 th.,
Land level & 3rd rate mostly wet barrens

North Between sections 32 & 33
34.50 To a B. Oak 20 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a W. Oak 20 in. dia. bears N40°E 190 th.,
a W. Oak 18 " " " N49°W 161 " dia.,
42.84 To a creek 50 th. wide on W
75.25 " a Hickory 20 in. dia. in the line,
80.00 Set a post cor. to sec. 28, 29, 32 & 33,
a J. Oak 10 in. dia. bears N10°W 40 th. dia.,
a Do. 12 " " " S29°W 80 " "
The timber is scarce, land level & 3rd rate
& mostly wet barrens,

East On Random between sections 28 & 33
80.34 To the E. line of sec. 146 th. et. of post
Land wet barrens, but little timber

West Correct the line between sec. 28 & 33

T. 29 N. R. 1 W. 2nd Mer. Ind^a

6. S.
 40.14 Set the gr. sec. cor. post from which
 a Hickory 20 in dia. bears S85°W 74.5 M.
 & a W. Oak 20 " " " S93°W 74.2.
 80.34 To the sec. corner,

North Between sections 28 & 29

- 17.56 To a B. Oak 20 in dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 20 in dia. bears S56°W 30 M.,
 & a Do. 30 " " " S85°E 55".
 40.60 To a B. Oak 20 " " in the line,
 60.44 " " Do. 18 " " " " "
 77.59 " " W. Oak 22 " " " " "
 80.00 Set a post cor. to sec. 20, 21, 28 & 29
 a B. Oak 30 in dia. bears S22°E 180 M.,
 & a Do. 20 " " " S85°E 235".
 The greater part of this line runs on
 high sandy land & the timber is Oak &c.,
 & the mud gets, is the same,

- East On Random between Secs. 21 & 28,
 80.37 To the E. line of sec. 170 M. N. of post,
 Land level wet barrens & the timber
 is same of Oak &c. mud gets same &c.,

- West Correct the line between sec. 21 & 28
 6.40 To a J. Oak 6 in dia. in the line,
 40.18½ Set the gr. sec. cor. post from which
 a W. Oak 20 in dia. bears S57°E 80 M. dir.,
 & a B. Oak 21 " " " N49°W 78 " "
 80.37 Set a post cor. to sec. &c. (sec. cor.)

North Between sections 20 & 21

- 40.00 Set the gr. sec. cor. post in flag marsh
 a Hickory 20 in dia. bears S89°E 280 M. dir.,
 (no other given)

T. 29 N. R. 1 W. 2nd Mer. (Ind. a.) ²³

C. L.

80.00 Set a post cor. to sec. 16, 17, 20 & 21
 a J. Oak 4 in. dia. bears N 53 E 27 1/2 1/4 mi. dist.
 & a W. Oak 60 " " " S 82 1/2 E 23 " "
 Land low wet barrens & flag swamps with
 but few trees of any kind.

East On Randon between sections 16 & 21
 80.47 To the E. line of sec 16 5 1/4 mi. N. of post

West Correct the line between sec. 16 & 21
 40.23 1/2 Set the gp. sec. cor. post from which
 there are no bearings - in flag swamp
 80.47 To the sections corner,

North Between sections 16 & 17

22.60 To a W. Oak 22 in. dia. in the line,
 40.00 Set the gp. sec. cor. post from which
 a J. Oak 12 in. dia. bears S 17 W 33 1/2 1/4 mi.
 & a Do. 8 " " " S 11 1/2 W 38 " "
 80.00 Set a post cor. to sec. 8, 9, 16 & 17 from which
 a W. Oak 23 in. dia. bears S 83 E 38 1/2 1/4 mi. dist.
 & a Do. 18 " " " S 76 E 33 " "
 Land wet barrens -

East On Randon between sections 9 & 16
 81.17 To the E. line of sec. 10 1/2 mi. N. of post,
 Land level & thin rate, wet barrens & the
 timber scarce W & B. Oak &c -

West Correct the line between sec. 9 & 16
 40.58 1/2 Set the gp. sec. cor. post from which
 a W. Oak 30 in. dia. bears S 79 W 13.36 1/4 mi. dist.
 & a B. Oak 40 " " " S 76 W 14.93 " "
 81.17 To the sections corner,

North Between sections 8 & 9 -

T. 29 N. R. 1 W 2nd Mer. (Indiana.)

- C. S.
 20.13 To a W. Oak 24 in. dia. in the line,
 40.00 Set the q. sec. cor. post from which
 a B. Oak 18 in. dia. bears S 23° W 225 M. Dist,
 & a Do. 6 " " " S 43° E 239 " "
 50.33 To a B. Oak 20 " " in the line,
 80.00 Set a post cor. to Secs. 4, 5, 8 & 9 from wh.,
 a B. Oak 18 in. dia. bears N 63° E 111 M. Dist,
 & a W. Oak 18 " " " N 56° W 200 " "
 Land level & mostly wet barrens & the
 timber is W & B. Oak & c. & s. c. & c.

- East On Raridons between Secs. 4 & 9
 81.41 To the E. line of Secs. 140 M. N. of post,
 Land level wet barrens Oak timber & c. & c.

- West Corrected the line between sec. 4 & 9
 5.17 To a B. Oak 20 in. dia. in the line,
 23.30 " " Do. 24 " " " " "
 40.60 $\frac{1}{2}$ Set the q. sec. cor. post from which
 a B. Oak 30 in. dia. bears S 80° E 779 M. Dist,
 & a Do. 10 " " " S 47° E 517 " "
 81.21 To the sec. corner, Land level wet barrens
 Timber same W. Oak B. Oak & c. -

- North Between Sections 4 & 5
 35.61 To a B. Oak 8 in. dia. in the line,
 38.05 " " Do. 8 " " " " "
 40.00 Set the q. sec. cor. post from which
 a B. Oak 18 in. dia. bears S 6° W 98 M. Dist &
 a Do. 8 " " " S 10° E 214 " "
 77.27 To the N. boundary, 92 M. W. of post,
 & Set post cor. to Secs. 4 & 5 from wh.,
 a B. Oak 24 in. dia. bears S 73° E 80 M. Dist,
 & a Do. 10 " " " S 88° W 57 " "
 March 26th 1834. (no description given)

T. 29 N. R. 1 W. 2nd New. Ind.

Co. L,
 North Between sections 31 & 32
 20.00 To a brush 30 Mts. wide cor. W
 21.00 To a B. Oak 20 in. dia. in the line,
 31.20 " " Do. 22 " " " " "
 34.50 " " Do. 22 " " " " "
 40.00 Set the gr. sur. cor. post from which
 a B. Oak 6 in. dia. bears N 41 E 26 Mts. dist,
 & a Do. 25 " " " N 63 1/2 W 78 " "
 43.94 To a W. Oak 20 " " in the line,
 50.20 " " Do. 11 " " " " "
 80.00 Set a post cor. to sec. 29, 30, 31 & 32,
 a B. Oak 20 in. dia. bears N 47 E 18 Mts. dist,
 & a Do. 20 " " " " N 75 W 35 " "
 Land generally dry sandy barrens interspersed
 with small marshes. The timber is B. & W.
 Oak &c. & the mud. Gt. same when is any.

East On Random between sections 29 & 32
 79.58 To the E. line of sec. 109 Mts. N. of post,
 Land is 3rd rate & the timber is B. & W. Oak,
 chiefly wet barrens. N. G. same when is any.

West Corridor the line between sections 29 & 32
 17.34 To a B. Oak 22 in. dia. in the line,
 39.79 Set the gr. sur. cor. post from which
 a Maple 23 in. dia. bears N 18 W 23 Mts. dist,
 & a W. Oak 25 " " " " S 58 W 35 " "
 44.24 To a W. Oak 20 " " in the line,
 79.58 To the sections corner, March 27th 1834.

West On Random between sections 30 & 31
 81.96 To the W. boundary, 67 Mts. S. of post,
 Land 3rd rate wet barrens & generally

T 29 N. R. 1 W. of 2nd Mer. (Ind.)

Co. S,

level & interspersed with groves of W & B. Oak &c

- East Correct the line between sec. 30 & 31
 8.10 To a W. Oak 10 in. dia. in the line,
 30.50 To a B. Oak 26 " " " " "
 41.96 Set the gr. sec. cor. post from which
 a W. Oak 12 in. dia. bears S 54 W 42 the dist.,
 & a Do. 8 " " " N 67 E 35 " "
 42.76 To a B. Oak 20 " " in the line,
 45.19 " " Do. 18 " " " " "
 81.96 To the sections corner,

- North Between sections 29 & 30,
 5.50 To a B. Oak 20 in. dia. in the line,
 34.30 " " Do. 30 " " " " "
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 20 in. dia. bears S 72 W 46 the dist.,
 & a B. Oak 30 " " " N 76 E 290 " "
 80.00 To a post cor. sec. 19, 20, 29 & 30 & raised nearest
 land level & wet basins & the timber
 is scarce of any kind. -

- East On Random between sec. 20 & 29
 79.10 To the Co. line of sec. 148 the N. of post
 Land level & wet basins, timber scarce
 a few scattering B. & W. Oak &c.

- West Correct the line between sec. 20 & 29
 13.35 To a W. Oak 20 in. dia. in the line,
 39.55 Set the gr. sec. cor. post from which
 a B. Oak 20 in. dia. bears S 85 E 662 the,
 & a Do. 30 " " " S 86 E 8.12 "
 79.10 To the sections corner,

T. 29 N. R. 1 W. 2nd Mer. (Ind.?) 27

C. L.
West On Random between sections 19 & 30
81.72 To the W. boundy, 112 M. S. of post,
The chief part of this line rec'd. banners
& the timber is scarce of Hickory Oak &c.

East Correct the line between sec. 19 & 30
41.72 Set the gr. sec. cor. post from which
a Hickory 15 in dia. bears S 64° W 73° M.,
& a B. Oak 15 " " " N 68° E 47° " dit,
81.72 To the sections corner,

North Between sections 19 & 20,
40.00 Set the gr. sec. cor. post from which
a B. Oak 20 in dia. bears S 84° E 70° M.,
& a W. Oak 12 " " " N 72° E 74° "
80.00 Set post at mound for cor. sec. 17, 18, 19 & 20
Land low wet banners, Limb. Oak &c. scarce,

East On Random between sec. 18 & 20
78.30 To the E. line of sec. 160 M. N. of post,
The whole of this line runs through low
wet banners - few trees of any kind,

West Correct the line between sec. 18 & 20
39.15 Set the gr. sec. cor. post in pit of stone
water 9 inches deep.
78.30 To the sections corner,

West On Random between sec. 18 & 19
81.04 To the W. boundy, 58 M. S. of post,
Land same as on the last mile,

East Correct the line between sec. 18 & 19

T. 29 N. R. 1 W. 2nd Nov. (Ind.)

C. S.

- 19.02 To a B. Oak 6 in dia, in the line,
 41.04 Set the gr. sec. cor. post from which
 a B. Oak 20 in dia, bears N 69 E 490 Mts, dia
 & a Do. 25 " " " N 47 E 700 " "
 81.04 To the sec. corner, (March 28th 1834.)
-

North Between sections 17 & 18,

- 29.34 To a B. Oak 20 in dia, in the line,
 40.00 Set the gr. sec. cor. post from which
 a Hickory 20 in dia, bears N 76 1/2 W 150 Mts,
 & a Br. Oak 18 " " " N 43 E 100 " dia,
 80.00 Set a post cor. to sec. 7, 18, 17 & 18, from which
 a W. Oak 20 in dia, bears N 78 1/2 E 409 Mts,
 & a Do. 18 " " " N 89 1/2 W 429 "
 Land is mostly wet barrens & the timber,
 is scarce of any kind W & B Oak &c.
-

East On Random between sections 8 & 19

- 79.63 To the E. line of sec. 26 Mts. S. of post.
-

West Correct the line between sec. 8 & 19

- 11.03 To a W. Oak 30 in dia, in the line,
 17.50 To a B. Oak 6 " " " " "
 29.50 " " W. Oak 25 " " " in the line,
 39.81 1/2 Set the gr. sec. cor. post from which
 a W. Oak 30 in dia, bears N 3 W 176 Mts,
 & a Do. 30 " " " N 31 1/2 W 298 "
 79.63 To the sec. corner, Land sec. rate the
 timber Br. W & B. Oak &c. part dry barrens
-

West On Random between sections 7 & 18,

- 80.76 To the W. boundary. 20 Mts. S. of post,
 Land dry barrens & grows of W & B. Oak &c.

T29 N. R. 1 W. 2nd Nov. (Ind.)

C. L.
 East Correct the line between sec. 7 & 8,
 8.76 To a B. Oak 25 in. dia. in the line,
 40.76 Set the gr. sur. cor. post from which,
 a W. Oak 18 in. dia. bears $N 46\frac{1}{2}^{\circ} E 56$ Sta. 9th,
 $S 28^{\circ} 44' 26''$
 52.62 To a B. Oak 20 " " in the line,
 80.76 To the sur. corner,

North Between sections 7 & 8,
 25.94 To a W. Oak 6 in. dia. in the line,
 40.00 Set the gr. sur. cor. post from which
 a Hickory 18 in. dia bears $N 39^{\circ} W 230$ Sta. 1st,
 & a Do. 18 " " " $N 49^{\circ} E 219$ " "
 42.20 To a Hickory 14 " " in the line,
 59.84 " " Do 12 " " " " "
 68.14 " " Do. 18 " " " " "
 80.00 Set a post cor. to sec. 5 & 7 & 8, from wh.,
 a Hickory 20 in. dia. bears $N 77^{\circ} E 81$ Sta. 1st,
 & a Do. 18 " " " $S 58^{\circ} W 69$ " "
 Land dry barren with groves of Hickory
 Oak &c. Soil 2nd rate &

East On Randon between sec. 5 & 8,
 80.25 To the E. line of sec. at post
 Land is mostly dry barrens almost
 destitute of timber Hickory Oak &c

West Correct the line between sec. 5 & 8,
 40.12 $\frac{1}{2}$ Set the gr. sur. cor. post from which
 a B. Oak 20 in. dia. bears $S 62^{\circ} E 792$ Sta.
 & a Hickory 20 " " " $N 67\frac{1}{2}^{\circ} W 10.20$ Sta.
 80.25 To the sections corner,

West On Randon between sections 6 & 7

T. 29 N. R. 1 W. 3rd Nov. (Ind.)

6. 2. 1
80.55 To the W. boundary, 25 lks. N. of post
Land level & separate of the timber oak,
W & B - & Hickory &c.

East - Correct the line between sec. 6 & 7,
40.55 Set the gr. sec. cor. post from which
a W. Oak 20 in. dia. bears N 57 E 35 lks. 2 1/2 ft.
& a Hickory 24 " " " S 89 1/2 E 30 " "
43.15 To a Br. Oak 20 in. dia. in the line,
80.55 " the section corner,

North Between sections 5 & 6,
40.00 Set the gr. sec. cor. post from which
a W. Oak 6 in. dia. bears N 64 E 226 lks. 2 ft.
& a Large Rock - " N 25 E 224 " "
75.68 To the N. boundary, 15 1/4 lks. W. of post,
& set post cor. to sec. 5 & 6, from wh.
a Br. Oak 25 in. dia. bears S 26 W 675 lks.
& a Br. Oak 40 " " " S 8 1/2 E 864 "
Land level & separate of the timber is same
of Hickory Br & Bl Oak, with ponds, &c.,
(March 29th 1834. -)

This book contains a true & correct
copy of the survey & field notes of this
township & has been compared & revised
by the original, except the closing certificate
Robert Hanna, Dep. Sur. -

T. 29 N. R. 1 W. 3rd Mer. (Ind.) ³¹

I certify that the foregoing transcript
of field notes of Township 29 North
Range 1 West of 3rd Mer. Indiana, has
been compared with the received copy of
the original in this office & found to be
correct.

W. S. Hoar Sur. Genl.

Surveyor General's office,
Cincinnati, Feby. 1st 1842.