

INDEX MAPS.

T. 29N, R. 2W. 2nd Mer.

	458	458	458	457	457	456						
461	6	484	5	477	4	473	3	469	2	465	1	456
	484		483		477		472		468		464	
460	7	483	8	476	9	472	10	468	11	464	12	
	483		482		476		471		468		464	
460	18	481	17	475	16	471	15	467	14	463	13	455
	481		481		475		471		467		463	
460	19	480	20	475	21	470	22	467	23	463	24	455
	480		479		474		470		466		462	
459	30	479	29	474	28	470	27	466	26	462	25	454
	478		478		474		469		465		461	
459	31	477	32	473	33	469	34	465	35	461	36	454
	453		453		453		452		452		452	

Meanders 483

T. R. Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

☞ The figures on the lines refer to the page.

Township 29 North Range 2 West 2nd Mer.

Indiana,

- C. S. South Boundary, (Var. $4^{\circ}55' E$)
 West On the South side of sec. 36,
 40.00 Set the gr. sec. cor. post from which
 a W Oak 3 in. dia, bears $N58^{\circ} E 29$ ths. dia,
 & a G. Oak 20 " " " $S82^{\circ} E 37$ " "
 55.00 To a stream 50 ths. wide on. S.W.,
 79.00 " the same " " " " N.W.,
 80.00 Set a post cor. to sec. 35 & 36 from which
 a G. Oak 20 in. dia, bears $N86^{\circ} W 50$ ths. dia
 no other tree near or convenient
 Land level soil good & the timber is W
 & Br. Oak &c

- West On the S. side of sec. 35
 14.50 To a stream 50 ths. wide on. S.W.,
 25.00 " the same " " " " N.W.,
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 10 in. dia, bears $N89^{\circ} E 488$ ths.,
 & no other tree near
 50.00 To a stream 60 ths. wide on. S.W.,
 68.78 " a W. Oak 14 in. dia, in the line,
 80.00 Set a post cor. to sec. 34 & 35 from wh.,
 a W. Oak 10 in. dia, bears $N58^{\circ} E 25$ ths.,
 & a G. Oak 30 " " " $N61^{\circ} W 84$ " dia,
 Land &c is same as on last mile,

- West On the S. side of sec. 34
 16.83 To a G. Oak 24 in. dia, in the line,
 24.00 To a stream 60 ths. wide on. N.W.,
 40.00 Set the gr. sec. cor. post from which
 a Hickory 10 in. dia, bears $N66^{\circ} E 199$ ths. dia,
 & a G. Oak 10 " " " $N54^{\circ} E 441$ " "

T. 29 N. R. 2 W. 2nd Mer. Ind.^a

C. L.

80.00 Set a post cor. to sec. 33 & 34 from wh.
 a W. Oak 20 in. dia. bears North 189th dir.,
 & a G. Oak 20 " " " N 88¹/₂ W 297 " "
 Land level soil good & the timber is W. O. Oak,

Post On the S. side of Sec. 33,

40.00 Set the gr. sec. cor. post from which
 a W. Oak 24 in. dia. bears N 21 W 559th dir.,
 & a Do. 12 " " " N 40 W 613 " dir.,

80.00 Set a post cor. to sec. 32 & 33, fr. wh.,
 a G. Oak 30 in. dia. bears N 18 W 93th dir.,
 & a W. Oak 10 " " " N 65 E 459 " "
 Land is low & sec. 2 rate & thin timbered
 with oak, &c.

Post On the S. side of sec. 32,

13.43 To a W. Oak 20 in. dia. in the line,

27.57 " " Do. 12 " " " " "

40.00 Set the gr. sec. cor. post from which
 a W. Oak 18 in. dia. bears N 26 E 88th dir.,

& a Do. 10 " " " N 72 E 101 " dir.,

68.14 To a W. Oak 13 " " in the line,

80.00 Set a post cor. to sec. 31 & 32 from wh.,
 a W. Oak 20 in. dia. bears N 24 W 353th dir.,
 & a Do. 20 " " " N 4¹/₂ E 272 " dir.,
 Land &c. is much the same as last mile

Post On the S. side of sec. 31,

7.17 To a W. Oak 20 in. dia. in the line,

17.47 " " Do. 28 " " " " "

40.00 Set the gr. sec. cor. post from which
 a Br. Oak 12 in. dia. bears S 35 E 262th dir.,
 & a Hickory 10 " " " N 77 E 419 " dir.

T. 29 N. R. 2 W. 2nd Mer. Ind^a,

- C. L.
 56.64 To a G. Oak 20 in dia. in the line,
 77.50 " the N. E. corner of Town 28 N. R. 3 W.,
 82.00 Set a post cor. to Town 29 N. R. 2 W.,
 a Br. Oak 8 in dia. bears N 54¹/₂ W 13¹/₂ th. dist,
 & a W. Oak 10 " " " N 62¹/₂ W 21 " "
 Land level soil good & the timber is W &
 G. Oak & Hickory. & the mud. 9th. now,
 Var. 4¹/₂ 55 E, Dev. 3¹/₂ 1833. -
 Surveyed by Sylvester Sibley J. S.

East Boundary. (V. 57 25 E.)

- North On the E. side of sec. 36
 a G. Oak 14 in dia. bears N 74¹/₂ W 263 th. dist. &
 a Do. 10 " " " S 36 269 " "
 13.50 Entered a marsh
 15.00 To a Brook 20 th. wide on. W. S. W.,
 23.50 Leave the marsh
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 10 in dia. bears S 2¹/₂ W 64 th. dist.,
 & a G. Oak 16 " " " N 86¹/₂ W 101 " "
 80.00 Set a post cor. to sec. 25 & 36 from wh.,
 a W. Oak 14 in dia. bears at 24¹/₂ W 27 th.,
 & a Red Oak 10 " " " S 50 W 47 " dist.,
 Land is level barren & very thinly
 timbered with W. & G. Oak. many low places

North On the E. side of sec. 25

- 15.70 To a W. Oak 8 in dia. in the line,
 40.00 Set a gr. sec. cor. post from which
 a Hickory 12 in dia. bears at 26¹/₂ W 249 th. dist.,
 & a Red Oak 14 " " " S 17¹/₂ W 204 " "
 54.00 Entered a marsh
 57.00 Leave the do. current of water W.

455.

T. 29 N. R. 2 W. 3rd New Ind^a

C. L.

- 58.00 Entered the W. end of large dry prairie
 75.00 Leave the same,
 80.00 Set a post cor. to sec. 24 & 25 from wh.,
 a W. Oak 9 in dia, bears S 50 $\frac{1}{2}$ W 90 $\frac{1}{2}$ in dia,
 & a Hickory 8 " " " N $\frac{1}{2}$ W 131 " "
 Land & prairie similar prairie good
 soil some stony - level to Dec. 1st 1853,

North On the E. side of sec. 24.

- 25.00 Entered dry prairie
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 10 in dia, bears at 57 $\frac{3}{4}$ W 59 $\frac{1}{2}$ in dia,
 & a G. Oak 18 " " " N 25 $\frac{1}{2}$ W 61 $\frac{1}{4}$ in dia,
 50.00 Leave the prairie
 70.00 Entered dry prairie again
 80.00 Set a post cor. to sec. 13 & 24 from wh.,
 a Red Oak 9 in dia, bears S 60 $\frac{1}{4}$ W 60 $\frac{1}{2}$ in dia,
 & a Br. Oak 3 " " " N 22 $\frac{3}{4}$ E 315 in dia,
 Land level & good soil, & Barrens very
 thinly timbered with small Oaks & Hickory
 prairie level & some stony.

North On the E. side of sec. 13,

- 40.00 Set the gr. sec. cor. post from wh.,
 no bearings - when raised a mound
 80.00 Set a post cor. to sec. 12 & 13,
 a Red Oak 14 in dia, bears at 28 $\frac{1}{2}$ E 191 in dia, -
 & a Do. 14 " " " N 68 $\frac{3}{4}$ W 324 in dia,
 Land level prairie good soil, some
 plains rather low for cultivation, & some
 stone on the surface, called "hard heads".

North On the E. side of sec. 12, -

456

T. 29 N. R. 2 W. 2^d. Nov. 3^d

6. 5. 1
 4. 0. 0 Leave dry prairie & Enter marsh
 17. 0. 0 " marsh & Ent. Camp
 27. 3. 6 To a W. Oak 13 in dia, with the line,
 40. 0. 0 Set the gr. sup. cor. post from which
 a W. Oak 28 in dia. bears N 61 3/4 W 101 0/100,
 & a Do. 16 " " " S 68 3/4 W 270 "
65. 0. 0 To a dry prairie
 80. 0. 0 Set a post cor. to sec. 1 & 12 from wh.
 a Bri Oak 9 in dia. bears S 39 1/2 W 77 8/100,
 & a Do. 18 " " " N 67 1/2 E 288 "
- Barely good soil. Prairie is a short -
 distance to the West. very thin, timber,
 Prairie is good soil. the E. margin of
 extensive prairie —

- North On the E. side of sec. 1.
 20. 0. 0 Enter a wet prairie
 40. 0. 0 Set the gr. sup. cor. post in prairie wet
 where raised a mound
 75. 1. 2 To Town cor. T. 29 & 30 N. R. 1 & 2 W,
 a Q. Oak 18 in dia. bears S 15 5/8 E 97 7/100,
 & Raised a mound in marsh,
 This mile is through a large prairie
 about half of which is wet. the dry
 part is elevated from 1 to 3 ft. higher
 than the wet, Var. S. 25 E.
 Dec. 1st 1833, Surveyed by
 Clark H. Sibley Dep. Sur.

- North Boundary. (Var. S. 25 E.)
 West On the W. side of sec. 36 T. 30 N. R. 2 W
 40. 0. 0 Set gr. sup. cor. post in prairie
 where raised a mound

T. 29 N. R. 2 W. 2nd, New Ind^a

- 6.00
56.00 Leave prairie, some dry places, generally wet
70.66 To a G. Oak 18 in dia, in the line,
80.00 Set a post cor. to secs. 35 & 36 from wh,
a W. Oak 13 in dia, bears N 50 E 48 ths, dist 4,
& a Pin Oak 5 " " " N 62 1/2 W 66 " "
West of prairie rolling, bearing poor soil
thickly timbered with Pin Oak chiefly,

- Nest On the S. side of sec. 35 T 30 N R 2 W
2.00 Enter a wet prairie
40.00 Set the gr. sec. cor. post from which
a G. Oak 18 in dia, bears N 2 1/4 W 27 1/4 ths,
& a Do, 17 " " " N 4 E 32 1/2 "
80.00 Set a post cor. to secs. 34 & 35 from wh,
a W. Oak 14 in dia, bears N 23 1/4 W 24 1/2 ths,
& a Do, 26 " " " N 85 1/2 W 27 1/2 " dist,
Land is mostly a wet prairie & some
parts covered with water, (Var. S. 25 E)
Sec. 2nd, 1833. Surveyed by
Clark & Sibley, Dep. Sur^s.

- Nest On the S. side of sec. 34 T 30 N R 2 W
23.57 To a W. Oak 18 in dia, in the line,
31.19 To a Red Oak 8 " " " " "
cor. on left bank of Tippecanoe River,
40.00 Over & set post on R. bank, & for 1/4 sec. cor,
a Spruce 6 in dia, bears S 50 E 20 ths, dist,
& a W. Oak 12 " " " N 80 W 66 " "
72.48 To a G. Oak 14 " " in the line,
80.00 Set a post cor. to secs. 33 & 34 from wh,
a W. Oak 10 in dia, bears N 67 E 43 ths, dist,
& a Do, 10 " " " N 10 W 84 " "
Land rolling soil good & the timber Oak,

T. 29 N. R. 2 W. 2nd Mer. Ind.

C. L.

- West On the S. side of sec. 33 T30 NR2W
 11.66 To a Red Oak 10 in. dia. in the line,
 40.00 Set the gr. sec. cov. post from which
 a W. Oak 10 in. dia. bears N83 E 105 1/2 M.,
 & a Br. Oak 10 " " " N77 W 250.
 58.72 To a W. Oak 14 " " in the line,
 66.10 To a Brook 10 lbs. wide on S. E.,
 80.00 Set a post cov. to sec. 32 & 33 from wh.,
 a W. Oak 10 in. dia. bears N40 E 121 1/2 M. dia.,
 & a Do. 12 " " " N76 W 71 " "
 Land &c is same as on last mile,

- West On the South side of sec. 32,
 23.20 To a G. Oak 18 in. dia. in the line,
 24.50 Entered a wet prairie
 40.00 Set the gr. sec. cov. post from which
 a W. Oak 20 in. dia. bears N89 W 15.21 M.,
 no other tree near
 53.50 Leave the wet prairie
 80.00 Set a post cov. to sec. 31 & 32 from wh.,
 a G. Oak 10 in. dia. bears N36 E 50 M. dia.,
 & a Do. 10 " " " N84 1/2 W 34 " "
 Land &c is same as on last mile,

- West On the S. side of sec. 31, T30 NR2W
 6.00 Entered a wet prairie
 40.00 Set the gr. sec. cov. post from which
 a G. Oak 20 in. dia. bears N59 W 143 M.,
 & a Do. 20 " " " N73 W 172.
 41.00 Leave the wet prairie
 50.00 Entered a wet prairie
 81.66 To the W. boundy, 13.47 M. S. of tempy.
 town corner, set post cov. T. 29 & 30 S. R.,

T. 29 N. R. 2 W. 2nd Mer. Ind.

Co. Sec. 2 & 3 W. 2nd Mer. Indiana from which
 a W. Oak 20 in dia. bears N 24 W 460 th. dist,
 & a G. Oak 12 " " " N 6 E 704 " "
 Land is mostly wet prairie. Timber, Oak,
 (Var. 5° 25' E.) By observation at this cor,
 found var. to be 5° 35' E., Dec. 7th 1833,
 Surveyed by Clark & Sibley. Dep. Sur.

West Boundary, (Var. 5° 27' E.)

North On the E. side of sec. 36. T. 29 N. R. 3 W,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 10 in dia. bears S 6½ W 52 th. dist,
 & a Hickory 10 " " " N-W 308 " "
 64.25 To Tippecanoe River & set post on left bank
 a Maple 12 in dia. bears S 40½ E 40 th. dist,
 & a G. Birch 10 " " " S 40½ W 62 " "
 68.80 Over to Right bank of River & set post fr. wh.
 a G. Oak 18 in dia. bears N 79 W 83 th. dist,
 & a Do. 20 " " " N 43 E 53 " "
 Land rolling & first rate banners & the
 timber is G. W. & Br. Oak, & M. G. same,
 80.00 Set a post cor. to secs. 25 & 36 from which
 a G. Oak 10 in dia. bears S 49 W 149 th. dist
 & a Do. 10 " " " S 82 W 256 " "

North On the E. side of sec. 25 T. 29 N. R. 3 W
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 30 in dia. bears N 27 W 388 th.,
 & a G. Oak 20 " " " S 8½ E 152 " dist
 72.50 To a G. Oak 18 " " in the line,
 80.00 Set a post cor. to secs. 24 & 25 from wh
 a G. Oak 18 in dia. bears N 72 W 24 th. dist,
 & a Do. 18 " " " S 29½ W 144 " "

460

T. 29 N. R. 2 W. 2nd, New, Ind.

C. L. Land is rolling & 2nd rate & the timber,
is W. & Y. Oak & Pine

North On the E. side of sec. 14. T. 29 N. R. 2 W

4.37 To a G. Oak 20 in dia, in the line,

31.00 To a Brook 6 th. wide on E,

40.00 Set the gr. sec, cor. post from which
a W. Oak 10 in dia, bears S 78° W 52 th.,
& a Do. 20 " " " S 39° W 114 "

45.75 To a G. Oak 18 " " in the line,

71.00 To an Indian trail on N. E,

80.00 Set a post cor. to sec, 13 & 14 from wh,
a G. Oak 20 in dia, bears N 39° W 45 th.,
& a Do. 20 " " " S 31° E 41 "

Land is same as on last mile,

North On the E. side of sec. 13. T. 29 N. R. 2 W

40.00 Set the gr. sec, cor. post from which
a G. Oak 12 in dia, bears S 15° W 144 th.,
& a W. Oak 8 " " " N 44° W 91 "

46.00 Enter a wet prairie

80.00 Set a post cor. to sec, 12 & 13 from wh,
a G. Oak 38 in dia, bears N 5½° W 76.3 th.,
& no other tree near

South part Land is rolling & 2nd rate,
& thinly timbered with G. & W. Oak & c,

North On the E. side of sec. 12. T. 29 N. R. 2 W

6.00 Leave the wet prairie

40.00 Set the gr. sec, cor. post from which
a W. Oak 18 in dia, bears S 28° W 105 th.,
& a Do. 20 " " " N 85° W 159 "

41.00 Enter a wet prairie

461

T. 29 N. R. 2 W. 2nd New, Ind.

61.50

Leaves the wet prairie

80.00 Set a post cor. to sec. 1412 from which
a W. Oak 12 in. dia. bears N 65° W 37 1/2 Mi. dia.
& a Do. 14 " " " S 44° W 22 3/4 " "
Land &c is same as on last mile,

North On the E. side of sec. 12 29 N 16 3 W

1.00 Enter a wet prairie

40.00 Set the gr. sec. cor. post from which
a W. Oak 12 in. dia. bears N 6° W 59 1/4 Mi.
& no other tree near,

70.00 Leave the wet prairie

80.00 Set a Lumpy Town corner. (13.47 South towards)
Land is mostly wet prairie & a few Oaks,
Dev. 6th, 1833, (Var. 5° 27' E.)
Surveyed by Clark & Sibby D. S.

Subdivisions,

North Between sections 35 & 36,

24.88 To a B. Oak 20 in. dia. in the line,

34.03 " " Do. 6 " " " " "

40.00 Set the gr. sec. cor. post from which
a W. Oak 24 in. dia. bears S 23 1/2° E. 440 Mi. dia.
& a Do. 6 " " " S 45° E 323 " "

80.00 Set a post cor. to sec. 25-26, 35 & 36
a B. Oak 30 in. dia. bears N 51° E 308 Mi.
& a W. Oak 24 " " " S 39° W 300 "
Land is level & 31 rods bearing & the
is scarce W. B. Oak &c,

East On Random between sec. 25 & 36

80.57 To the E. line of sec. 26 9 Mi. N. of post

T. 29 N. R. 2 W. 3rd. Nov. Ind. a.

Co. L.

- West Correct the line between sec. 25 & 26
 17.44 To a B. Oak 20 in. dia. in the line,
 40.28½ Set the gr. sec. cor. post from which
 a W. ^{oak} 25 in. dia. bears S 26° W 259 lks. dist,
 & a Do. 30 " " " S 10° W 150 " "
 59.34 To a W. Oak 15 in. dia. in the line,
 59.05 " " B. Oak 20 " " " " "
 80.57 " the sections corner, Land is level &
 third rate lanery, & the timber is scarce
 B & W. Oak, and, etc, same where is any
-

North Between sections 25 & 26,

- 6.90 To a W. Oak 30 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 20 in. dia. bears S 6½° W 50 lks.,
 & a Do. 25 " " " S 68° E 100 " dist,
 80.00 Set a post cor. to sec. 23, 24, 25 & 26,
 a B. Oak 30 in. dia. bears N 40° E 155 lks.,
 & a W. Oak 40 " " " S 81° W 106 "
 Land is mostly wet lanery, scarce of
 timber. B. & W. Oak &c
-

East On Randon between sections 24 & 25

- 80.30 To the Range line 240 lks. N. of post,
-

West Correct the line between sec. 24 & 25

- 40.15 Set the gr. sec. cor. post from which
 a Hickory 8 in. dia. bears S 6° W 105 lks.,
 & a Do. 6 " " " S 37° W 14 " dist,
 80.30 To the sections corner,
 Land level wet lanery 3rd rate & the
 timber is scattering Hickory B & W Oak
 April 2nd 1834. (no prairie.)

T. 29 N. R. 2 W. 2nd Mer. Ind.

Co. L.

North Between sections 33 & 34

- 4.24 To a W. Oak 24 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 12 in. dia. bears N 86° 17' 0" W 100 ft.,
 & a Do. 15 " " " " N 38° 45' 24" W 243 " "
- 40.34 To a W. Oak 15 " " in the line,
 42.82 " " Do. 15 " " " " " "
- 80.00 Set a post cor. to Secs. 13, 14, 23 & 24 from which,
 a B. Oak 25 in. dia. bears N 69° 45' 13" W 813 ft.,
 & a Do. 15 " " " " N 86° 40' 663 " dit
 Land surveyed bearing record of timber
 of any kind, a few Br. Hickory & W. Oak,

East On Random between sections 13 & 24

- 80.61 To the E. line of sec. 23 900 ft. N. of post,

West Correct the line between Secs. 13 & 24

- 18.25 To a W. Oak 12 in. dia. in the line,
 40.30½ Set the gr. sec. cor. post in pond,
 a W. Oak 12 in. dia. bears S 88° 6' 977 ft.,
 & a B. Oak 24 " " " " S 78° 40' 10.03 " dit
- 80.61 To the sections corner, Land level
 bearing West & but few trees

North Between sections 13 & 14

- 32.71 To a B. Oak 30 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 24 in. dia. bears S 76° 40' 25 ft.,
 & a Br. Oak 10 " " " " S 23½° 647 ft.,
- 41.20 To a B. Oak 24 " " in the line,
 80.00 Set a post cor. to secs. 11, 12, 13 & 14
 a B. Oak 24 in. dia. bears S 52½° 6' 303 ft.,
 & a Hickory 18 " " " " S 35½° 40' 156 " dit,

T. 29 N. R. 2 W. 2nd Mer, Ind.

C. L.	Land level & 3 rd rate & the timber is Br. Oak Hickory, B. Oak, W. Oak &c, Barren,
East 81.05	On Random between sections 12 & 13, To the E. line of sec. 175 th M. N. of post,
West 40.52 81.05	Correct the line between sec. 12 & 13, Set the gp. sec. cor. post from which - no bearings, & could not raise a mound on account of water - To the sections corner, The whole of this line runs through low wet barren with but few trees of any kind; perhaps in summer when the water subsides, might not appear so disagreeable. There is at this time an unusual quantity of water all over this part of the country,
North 40.00 80.00	Between sections 11 & 12 Set a gp. sec. cor. post from which a Hickory 4 in. dia. N 65° W 332 th M. N. 1 st P., & a W. Oak 6 " " " S 72° W 454 " " Set a post cor. to sec. 12 of 11 & 12, in prairie, where raised a mound, wet barren & flag swamp, no timber,
East 81.00	On Random between sections 14 & 12 To the E. line of sec. 115 th M. N. of post,
West 40.50 81.00	Correct the line between sec. 14 & 12 Set gp. sec. cor. post in a mound To the sections corner,

T. 29 N. R. 2 W. 2nd New Ind.

C. S.

North Between sections 1 & 2

- 40.00 Set the q. sec. cor. post from which
 a W. Oak 6 in. dia. bears N 50 E 606 th. dia.,
 & a B. Oak 10 " " " N 53 W 106 " "
- 62.46 To a B. Oak 20 in. dia. in the line,
- 71.14 To the N. boundy. of Township 113 th. W.
 of post, when set a post cor. sec. 1 & 2,
 a W. Oak 20 in. dia. bears S 25 E 62 th. dia.
 & a B. Oak 20 " " " S 62 W 110 " "
- The whole of this line runs through
 wet bany, a few trees such as B. &
 W. Oak &c. April 3rd 1834. —

North Between sections 34 & 35

- 11.00 To a W. Oak 20 in. dia. in the line,
- 40.00 Set the q. sec. cor. post from which
 a B. Oak 30 in. dia. bears N 33 W 125 th.,
 & a Do. 25 " " " N 28 E 262 "
- 44.92 To a Do. 20 " " in the line,
- 80.00 Set a post cor. to sec. 26 & 27, 34 & 35,
 a B. Oak 30 in. dia. bears N 12 W 684 th. dia.
 & a Do. 25 " " " N 10 E 742 " "
- The greater part of this line is wet bany
 & scattering trees of B. & W. Oak &c

East On Random between sections 26 & 35

- 44.33 To a W. Oak 24 in dia. in the line,
- 79.74 To the E. line of sec. 81 th. N. of post,

West Correct the line between sec. 26 & 35

- 6.00 ascend a hill,
- 8.50 Descend the Do,
- 11.08 To a B. Oak 15 in. dia. in the line,

S. 29 N. R. 2 W. 2nd, New Ind^a,

6. 26,
 34. 67 To a B. Oak 33 in. diam. in the line,
 39. 87 Set the q. sec. cor. post from which
 a W. Oak 18 in. diam. bears N 25 E 92 1/2 ft. dist.,
 & a B. Oak 25 " " " S 45 1/2 E 94 " "
 79. 94 To the section corner,
 The E. 1/2 of this mile is rolling hilly
 with some timber, 3rd rate & the timber is
 W. B. Oak & 1/2 mile flag swamp & 1/2

- North Between sections 26 & 27,
 19. 00 To a B. Oak 30 in. diam. in the line,
 40. 00 Set the q. sec. cor. post from which
 a W. Oak 18 in. diam. bears S 54 E 138 ft.,
 & a Do. 12 " " " S 77 W 150 " dist.,
 42. 02 To a B. Oak 25 " " in the line,
 60. 24 To a W. Oak 27 " " " "
 80. 00 Set a post cor. to sec. 22, 23, 26 & 27,
 a B. Oak 20 in. diam. bears S 26 W 477 ft.,
 & a W. Oak 15 " " " N 56 W 7.25 dist.,
 Land mainly wet hilly & scarce of
 timber of any kind,

- East On Random between sections 23 & 26
 80. 19 To the E. line of sec. 16 th. dist. of post,

- West Correct the line between sections 23 & 26
 40. 09 1/2 Set the q. sec. cor. post from which
 a B. Oak 6 in. diam. bears N 28 W 36 ft. dist.,
 & a W. Oak 20 " " " S 62 E 60 " "
 80. 19 To the Section corner,
 The whole of this line runs through
 hilly, scarce of timber, & the W. 1/2
 runs entirely through a marsh,

E. 29 N. R. 24 W. 2nd. Nov. Ind. a

- Co. L₁
 North Between sections 22 & 23,
 40.00 Set the gr. sec. cor. post from which
 a Hickory 15 in dia, bears N 57° W 256 lks,
 a B. Oak - " " " N 21° E 6 1/4 " dist,
 45.97 To a B. Oak 20 " " in the line,
 51.03 " " Do. 18 " " " " "
 70.22 " " Do. 20 " " " " "
 80.00 " " W. Oak 18 " " for. cor. tree to sec. 14, 15
 22, & 23. Do. 18 " " br. S 39° W 29 lks. dist, &
 a Do. 30 " " " S 33° E 62 " "
 Land 2nd bearing & the timber is W & B,
 Oak, hard & the same where any is found
-

- East On Random between sections 14 & 23,
 80.81 To the E. line of sec. 19 lks. S. of post,
-

- West Correct the line between sections 14 & 23,
 40.40 1/2 Set the gr. sec. cor. post from which
 a W. Oak 12 in dia, bears S 65° W 36 lks. dist,
 a B. Oak 25 " " " N 6 1/2° W 67 " "
 55.72 To a B. Oak 25 " " in the line,
 80.81 To the sections corner, E 1/2 mile is
 2nd rate bearing & W 1/2 sec. into land &
 the timber is B. W. Oak & Hickory
-

- North Between sections 14 & 15,
 46.00 To a W. Oak 30 in dia, in the line,
 37.61 To a B. Oak 30 " " " " "
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 20 in dia, bears S 82° E 62 lks. dist,
 a Do. 15 " " " S 87° W 31 " "
 75.60 To a W. Oak 15 " " in the line,
 80.00 Set a post cor. to sec. 10, 11, 14 & 15,

T. 29 N. R. 2 W. 2nd, e. 10th, Ind.

60.51 To a B. Oak 26 in. dia. bears S 25 E 40 ft.,
 & a W. Oak 30 " " " N 4 1/2 W 84 " dia.,
 Land bears & 3rd rate, scattering trees
 & the timber is W. & B. Oak. & the wood, etc.,
 same where there's any

East On Random between sections 11 & 14
 80.93 To the E. line of sec. 175 ft. South of post

West Correct the line between sec. 11 & 14
 40.46^{1/2} Set the gr. rec. cor. post from which
 a W. Oak 25 in. dia. bears at 24 W 350 ft.,
 & a Do. 18 " " " S 82 E 588 " dia.,
 69.42 To a B. Oak 18 " " in the line,
 80.93 To the section corner, the W. 1/2 mile is entirely
 low marshy bearing. E 1/2 mile is separated
 & the timber is B. W. Oak &c.

North Between sections 10 & 11.

7.97 To a B. Oak 20 in. dia. in the line,
 40.00 Set the gr. rec. cor. post from which
 a W. Oak 20 in. dia. bears at 70 W 650 ft.,
 a large rock — bears S 85 W 207 "
 6.59 To a creek 15 ft. wide cor. S. W.,
 60.90 To a B. Oak 18 in. dia. in the line,
 75.70 " " B. Oak 40 " " " " "
 80.00 To the section corner, set post for 23.10 & 11
 a W. Oak 40 in. dia. bears S 17 E 560 ft. dia.,
 & a Do. 30 " " " S 53 W 170 " "
 Land is separated level B. Oak. B. Oak &c.

East On Random between sections 20 & 11
 80.82 To the E. line of sec. 145 ft. N. of post,

T. 29 N. R. 2 W. 2nd Mer. Ind.^aC. S.
West

- Correct the line between Secs. 27 & 11
 40.41 Set the gr. sur. cor. post from which
 a W. Oak 15 in dia, bears S 11 W 95 th. dia,
 & a B. Oak 20 " " " S 24 W 168 " "
 80.82 To the sections corner,
 The whole of this line runs through
 open barrens, without a tree immediately
 on the line, a few scattering groves of
 W. & B. Oak & Land 3rd rate &c

North Between sections 27 & 3,

- 40.00 Set the gr. sur. cor. post from which
 a W. Oak 30 in dia, bears S 60 E 203 th.,
 & a Do. 25 " " " S 89 E 318 " dia;
 69.60 To the st. boundy, 314 th. W. of post,
 & when set post cor. to Secs. 27 & 3, fr. wh.,
 a W. Oak 20 in dia, bears S 74 W 50 th. dia,
 & a Do. 20 " " " S 74 E 55 " "
 Land is extremely wet barrens scattering
 W & B. Oak &c. April 5th 1834.

North Between sections 33 & 34

- 36.77 To a W. Oak 17 in dia, with the line,
 39.90 To a Creek 50 th. wide on W,
 40.00 Set a gr. sur. cor. post from which
 a B. Oak 40 in dia, bears S 36 E 54 th. dia,
 & a Do. 14 " " " S 21 E 57 " "
 80.00 Set a post cor. to Secs. 27, 28, 33 & 34 -
 a B. Oak 36 in dia, bears S 84 W 730 th. dia,
 & a Do. 24 " " " N 1 E 556 " "
 Barrens wet & timbered seams, of W. & B. Oak,

East On Random between sections 27 & 34

T. 29 N. R. 2 W 2nd. New Ind, a

C. L.
79.88 To the E. line of sec. 118 th. et. of post

West Correct the line between sec. 27 & 34
39.94 Set the gr. sec. cor. post from which
a W. Oak 18 in. dia. bears S 69° W 465 th. dia.,
Va Do. 18 " " " N 76° W 594 " "
79.88 To the sections corner. Land level & wet
barreny. & but little timber of any kind

North Between sections 27 & 28,
17.13 To a W. Oak 18 in. dia. in the line,
30.67 " " B. Oak 20 " " " " "
40.00 Set the gr. sec. cor. post from which
a B. Oak 24 in. dia. bears N 23° W 409 th.,
Va W. Oak 6 " " " N 22° E 108 " dia.
80.00 Set a post cor. to sec. 21, 22, 27 & 28,
a B. Oak 24 in. dia. bears S 86° W 724 th. dia.,
Va W. Oak 20 " " " N 73½° W 724 " "
Land level wet barreny & but little
timber of any kind

East On Randon between sections 22 & 27
80.02 To the E. line of sec. 138 th. et. of post

West Correct the line between sec. 22 & 27
40.01 Set the gr. sec. cor. post from which
a W. Oak 20 in. dia. bears N 50° E 9 th.,
Va Do. 20 " " " S 22° E 52 " dia.,
80.02 To the sections corner,
Land level & wet barreny with some
small groves of W & B. Oak &c.

North Between sections 21 & 22,

Corner²

E. 29th, R. 2nd W. 2nd, e. 1st Sec. 22

Co. L ₁	
29.18	To a W. Oak 36 in. dia. in the line,
40.00	Set the gr. sec., cov. post from which a W. Oak 14 in. dia. bears S 37° W 89 lks. dist., & a Do. 12 " " " S 57½° E 132 " "
80.00	Set a post cov. to sec., 15, 16, 21 & 22, from a B. Oak 20 in. dia. bears N 27° W 6.50 lks. dist., & a P. Oak 6 " " " N 36° W 4.55 " "
	Land is level & wet barrens & scarce of timber of any kind,
East	On Random between sections 15 & 22
79.60	To the E. line of sec., 136 lks. N. of post,
West	Correct the line between sections 15 & 22
39.80	Set the gr. sec., cov. post in mound
79.60	To the section's corner, Land is level wet barrens some small groves W. & B. Oak &c
North	Between sections 15 & 16
40.00	Set the gr. sec., cov. post from which a Hickory 12 in. dia. bears S 15° W 107 lks. dist., & a Do. 10 " " " N 61° E 148 " "
54.18	To a W. Oak 30 " " in the line,
80.00	Set a post cov. to sec., 9, 10, 15 & 16 a B. Oak 18 in. dia. bears N 68½° W 296 lks. dist., & a Do. 20 " " " S 86½° E 488 " "
	Land level wet barrens, interspersed, with groups of timber - W. Oak & B. Oak &c,
East	On Random between sections 10 & 15
79.10	To the E. line of sec., 232 lks. N. of post,
West	Correct the line between sec., 10 & 15

E. 29 N. R. 2 W. 2nd Mer. Ind.^a

- 6 S,
 39.76 Set the gr. sec. cor. post from which
 a Hickory 18 in dia, bears S 41 E 33 1/2 ths,
 & a Do. 16 " " " S 32 W 52 " "
 39.85 To a Hickory 16 " " in the line,
 59.06 " " Do. 18 " " " " "
 79.40 To the section corner, Land level &
 sec. rate, & the timber is W. Oak, Hickory & 100 ft
 & the mud lth is same as on last line,

North Between sections 9 & 10

- 16.56 To a W. Oak 20 in dia, in the line,
 40.00 Set the gr. sec. cor. post from which
 a Hickory 13 in dia, bears S 56 E 15 1/2 ths,
 & a W. Oak 6 " " " N 76 W 21 1/2 " "
 46.31 To a Hickory 18 " " in the line,
 52.82 " " Creek 20 ft wide on. S. W.,
 64.83 " " W. Oak 20 in dia, in the line,
 80.00 Set a post cor. to sec. 3, 4, 9, & 10 -
 a W. Oak 20 in dia, bears N 55 E 95 ths,
 & a Do. 24 " " " N 53 W 33 " "
 Land dry barrens, 2nd rate & the timber
 is W. Oak & Hickory &

East On Random between section 3 & 10

- 80.22 To the E. line of sec. 100 ths, N. of post,

West Correct the line between sec. 3 & 10

- 3.89 To an Aspen 20 in dia, in the line
 10.30 " " Red Oak 20 " " " " "
 40.11 Set the gr. sec. cor. post from which
 a Hickory 12 in dia, bears N 43 E 31 ths,
 & a Do. 18 " " " N 40 W 33 "
 52.00 To a W. Oak 36 " " in the line,

S. 29 N. R. 2 W. 2nd New Ind.^a

61.61
76.60 To a B. Oak 24 in dia, in the line,
80.22 To the Section corner. Land level & B,
& Probak Hickory & generally dry prairie,

North Between sections 31 & 32
20.55 To a W. Oak 30 in dia, in the line,
37.16 To Left bank of Tappanaw River on S,
a B. Oak 20 in dia, bears S 35° E 55th dist,
& a Br. Oak 30 " " " S 20° W 64 " "
41.41 Over river to Right bank. Set post a B. Oak 6 in,
& a B. Oak 30 in dia, bears S 26° W 99th dist,
& a W. Oak 20 " " " S 21° E 109 " "
58.33 To a B. Oak 25 " " in the line,
65.95 To the North boundary, of township,
& Set post cor. to Sec. 30 & from wh,
a B. Oak 25 in dia, bears S 50° E 66th dist,
& a Br. 25 " " " S 33° W 62 " dist,
Land is s. w. rate & the timber is Hickory
B. & W. Oak & Ash &c

North Between sections 32 & 33,
8.54 To a W. Oak 30 in dia, in the line
40.00 Set the gr. sec. cor. post from which
a Br. Oak 25 in dia, bears N 7° W 230th dist,
& a Hickory 20 " " " N 22° E 85 " "
42.66 To a Br. Oak 20 " " in the line,
53.00 To a Creek 50th wide on S. W.
73.93 " " B. Oak 20 in dia, in the line,
80.00 Set a post cor. to Sec. 28, 29, 32 & 33,
a B. Oak 30 in dia, bears S 61° W 162th dist,
& a W. Oak 30 " " " S 28° E 116 " "
2nd rate prairie & some places, marshy
Br & W. Oak timber, & some

T. L. J. N. R. 2 W. 2nd New Ind^a

Co. Li.

East On Random between sec, 28 & 33,
79.04 To the Co line of sec, 160 ths. S. of post

West Correct the line between sections 28 & 33

39.52 Set the gr. sec. cor. post from which
a B. Oak 20 in. dia. bears N 21 $\frac{1}{2}$ E 259 ths,
& a Do. 30 " " " N 18 $\frac{1}{2}$ W 232 "

79.04 To the section cor. Land wet barren
& timber when there is any, Oak & ~

North Between sections 28 & 29

2.69 To a Hickory 20 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which
a W. Oak 14 in. dia. bears N 45 E 236 ths. dia.,
& a B. Oak 20 " " " N 30 W 350 " "

42.40 To a W. Oak 20 in. dia. in the line,

64.87 " a Do. 36 " " " " "

76.24 " a Do. 18 " " " " "

80.00 Set a post cor. to sec, 20, 21, 28 & 29

a B. Oak 20 in. dia. bears N 76 E 57 ths,

& a W. Oak 24 " " " S 41 W 120 " "

Land is 3. rate manky barren & the
timber is B & W Oak & ~

East On Random between sections 21 & 28,

79.00 To the Co line of sec, 91 ths. S. of post,

West Correct the line between sec, 21 & 28,

14.26 To a B. Oak 24 in. dia. in the line,

39.50 Set the gr. sec. cor. post from which
a Granite Rock - bears S 32 W 250 ths,
& a B. Oak 20 in. dia. " N 83 W 650 "

54.10 To a Hickory 14 " " in the line,

475

T. 29 N. R. 2 W. 2nd New. Ind.

C. S.
79.50 To the section's corner, land 3rd rate
& the timber is hickory & oak etc.

North Between sections 20 & 21

40.00 Set the gr. sec. cor. post from which
a Br. Oak 8 in. dia. bears N60W 194 ft.,
& a W. Oak 18 " " " S32 E 224 "
50.81 To a Hickory 20 " " in the line,
77.84 " " W. Oak 24 " " " " "
80.00 Set a post cor. to run, 16.17.20 & 21,
a W. Oak 30 in. dia. bears S52 E W 100 ft.,
& a Do. 24 " " " S53 E 117 " ft.,
Dry hickory 2nd rate & with grass, W. Oaks,

East On Random between sections 16 & 21
79.19 To the E. line of sec. 69 ft. S. of post,

West Correct the line between sections 16 & 21
17.15 To a Br. Oak 18 in. dia. in the line,
39.59 1/2 Set the gr. sec. cor. post from which
a W. Oak 24 in. dia. bears N47 - 118 1/2 ft.,
& a Br. Oak 20 " " " S40 E 176 " ft.,
79.19 To the section's corner, land level &
dry hickory & the timber is W & Br. Oak etc.

North Between sections 16 & 17,

40.00 Set the gr. sec. cor. post from which
a Hickory 15 in. dia. bears N11W 300 ft.,
& a Do. 12 " " " N40 E 176 " ft.,
45.99 To a W. Oak 18 " " in the line,
70.90 " " Do. 20 " " " " "
80.00 " the section's corner, set post. cor. 16.17.8 & 9
a Hickory 6 in. dia. bears N68 W 34 ft.,

T. 29 N. R. 2 W. 2nd, Mer. Ind. "

Co. L. 4 a Br. Oak 36 in. dia, bears S 38 E 116 ths,
Land is level & 3rd rate barney, & the
timber, Hickory, & Oak N. G. and
April 8th 1834. R. Hannan D. I.

East On Random between sections 9 & 10
79.15 To the E. boundy, of sec. 31 ths, supports

West Correct the line between sec. 9 & 10
39.54 Set the gr. sec. cor. post from which
a Br. Oak 18 in. dia, bears at 64 W 52 1/2 ths,
& a Do. 20 " " " N 38 1/2 W 6.39"
40.70 To a W. Oak 20 " " in the line,
79.15 To the section's corner,

North Between sections 8 & 9,

7.00 To left bank of Rippecaunod River at post,
a W. Oak 15 in. dia, bears S 31 E 350 ths,
& a Br. Oak 25 " " " S 50 E 390 "
12.22 To Right bank at a small Br. Oak post,
a Br. Oak 4 in. dia, bears N 55 E 16 ths. dia,
& a W. Oak 4 " " " S 73 W 14 " "
~~40.02~~ Set the gr. sec. cor. post from which
a W. Oak 20 in. dia, bears S 46 E 34 ths,
& a W. Oak 6 " " " S 73 W 14 " "
40.00 Set the gr. sec. cor. post from which
a W. Oak 20 in. dia, bears S 26 1/2 E 34 ths,
& a Br. Oak 24 " " " N 28 W 53 " dia,
64.61 To a Br. Oak 18 " " in the line
80.00 Set a post cor. to sec. 4, 5, 8 & 9 from wh.,
a Br. Oak 24 in. dia, bears S 11 W 55 ths,
& a Do. 24 " " " N 22 1/2 E 18 "
Land is level & W. Oak Br. Oak Hickory,
(U. G. same.)

477

T. 29 N. R. 12 W. 2nd Mer. Ind.

E. L. S.
 East Over Randon between sections 44 & 9
 45.00 To Right bank of Tippecanoe River,
 50.50 Over to Left bank
 79.24 To the E. line of Sec. 67th A. of post,

West Correct the line between Sec. 44 & 9
 29.00 To Left bank of Tippecanoe River, set post
 w. B. Oak 25 in. dia. bears S 30 E 24th dist,
 & a Do. 33 " " " N 49 E 33 " "
 33.05 Over to Right bank & set post from wh.
 a W. Oak - - - bears N 55 W 43rd dist,
 & a Do. - " " S 86 W 390 " "
 39.62 Set the p. sec. cor. post from which
 a W. Oak - in dia. bears S 69 W 62th dist,
 & a B. Oak - " " " N 36 E 62 " "
 79.24 To the sections corner, Land 3rd rate &
 the timber is W. B. Oak & Hickory &

North Between sections 44 & 5,
 3.28 To a B. Oak 36 in. dia. in the line,
 40.00 Set the p. sec. cor. post from which
 a B. Oak 20 in. dia. bears S 58 E 32th dist,
 & a Do. 24 " " " S 66 W 59 " dist,
 67.42 To the N. boundy. of Town 352th W.
 of post, & set post cor. to Sec. 44 & 5
 a B. Oak 20 in. dia. bears S 58 E 32th dist,
 & a Do. 24 " " " S 66 W 51 " dist
 3rd rate land generally dry barrens & the
 timber is W. Oak & B. Oak & Hickory in grass

North Between sections 31 & 32,
 7.47 To a W. Oak 20 in. dia. in the line,
 33.90 To a B. Oak 30 " " " " "

T 29 N. R. 24 W. 2nd New, Ind. a

C. L.

- 33.90 To a B. Oak 30 in dia, in the line,
 38.20 " " Do, 25 " " " " "
 40.00 Set the gr. sec, cor. post from which
 a W. Oak 30 in dia, bears S 12 E 112 ths,
 & a Do. 25 " " " S 40 W 96 in dia,
 48.50 To a Creek 58 ths wide on W,
 54.36 " " W. Oak 30 in dia, in the line,
 62.60 " " Creek 58 ths wide on S E,
 70.00 " " Do, 58 " " " W
 71.07 " " B. Oak 25 in dia, in the line,
 80.00 Set the post cor. to sec, 29, 30, 31 & 32
 at B. Oak 8 in dia, bears S 15 W 25 ths dia,
 & a Do. 6 " " " S 64 E 38 " "
 Land is 2nd rate barney & the timber
 is W. Oak, B. Oak & Hickory &

West On Random between sections 29 & 32
 80.09 To the E. line of sec. 6 ths S. of post,

- West Correct the line between sec, 29 & 32
 14.84 To a B. Oak 25 in dia, in the line,
 17.15 " " Br. Oak 20 " " " " "
 40.84 1/2 Set the gr. sec, cor. post from which
 a W. Oak 20 in dia, bears S 42 W 200 ths dia,
 & a Do, 18 " " " S 1 E 186 " "
 80.09 To the sections corner, Land is 2nd rate
 barney, B. Oak, Br. Oak, Hickory &

- West On Random between sections 30 & 31
 67.80 To Left bank of Tippecanoe river,
 71.30 To the Right bank of Do, "
 80.85 To the W. line of sec, & Town, 30 ths S. of post.

S. 29 N. R. 2 W. 2nd New Ind.

6126

- East Correct the line between Secs. 30 & 31
 9.40 To the Right bank of Tippecanoe River -
 a Br. Oak 6 in dia, bears S 86° 67' W 67' 1/2
 a Br. Oak 8 " " " N 3 1/2° E 62 1/2 "
- 12.90 To Left bank of River & set post,
 a Lyrus 20 in dia, bears S 41° E 33' 1/2
 a an Elm 30 " " " N 42° W 33' 1/2
- 40.47 1/2 Set the gr. sec. cor. post from which
 a W. Oak 24 in dia, bears S 46° W 39' 1/2
 a a Do. 36 " " " N 88° E 37' 1/2
- 80.85 To the section corner, Land level &
 2nd rate & the timber. 4' W. & Br. Oak -
 Lyrus & Lyrus, Walnut & Hickory
 N. E. is covered with vines near river,

North Between sections 29 & 30

- 22.96 To a Br. Oak 10 in dia, in the line,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 20 in dia, bears S 88 1/2° E 88' 1/2
 a a Br. Oak 36 " " " S 62° W 80' 1/2
- 80.00 Set a post cor. to secs. 19, 20, 29 & 30,
 a W. Oak 24 in dia, bears S 41 1/2° E 314' 1/2
 a a W. Oak 18 " " " S 15° E 280 "
- Land is level, marshy barrens & thinly
 timbered with W. Br. Oak & Hickory,

East On Random between sections 20 & 29

- 79.71 To the E. line of secs. 12 th. N. of post,

- West Correct the line between Secs. 20 & 29
 39.85 Set the gr. sec. cor. post from which
 a Br. Oak 24 in dia, bears S 22 1/2° W 172' 1/2
 a a Do. 20 " " " - 88 1/2° W 303 "

T. 29 N. R. 2 W. 2nd, New York

61.67
79.71 To the section corner,
Land level muddy, bearing the
tomb is across of W. B. Oak & Hickory

West On Random between sec. 19 & 30
58.85 To the left bank of Tippecanoe
63.25 To the Right bank of Do,
80.55 To the W. line of sec. 21 N. Do. of post

East Correct the line between sec. 19 & 30
14.55 To a W. Oak 36 in. dia. in the line
17.32 To Right bank of Tippecanoe cr. sp.,
a W. Oak 30 in dia. bearing N 1/4 W 13 1/4 lbs,
a B. Oak 27 " " " N 33 W 75 " dia,
21.72 To Left bank of Tippecanoe at a
" " " a Bl. Oak 8 in dia. in the line, cov. tree
25.50 " " a Bl. Oak 8 1/2 in dia. - 4 or 5 1/2 ft 7 W 6 lbs. dia,
" " a Bl. Oak 24 " " " " " " " " "
40.55 Set the 2nd sec. cor. post from wh,
a W. Oak 24 in dia, bearing S 56 1/2 E 31 lbs,
a Do. 24 " " " " N 35 W 120 " dia,
80.55 To the section corner,

North Between sections 19 & 20,
8.88 To a W. Oak 24 in dia. in the line,
40.00 Set the 2nd sec. cor. post from which
a W. Oak 24 in. dia, bearing S 57 E 44 lbs,
a Do. 24 " " " " N 77 W 32 " dia,
59.53 To a Creek 10 lbs. wide on. W,
67.14 " " W. Oak 20 in dia. in the line,
80.00 Set a post cor. to sec. 17, 18, 19 & 20,
a W. Oak 14 in dia, bearing S 18 E 47 lbs, dia,
a Do. 20 " " " " S 20 W 53 " " "
Land will rate dry bearing W. B. Oak & Hickory,

T. 29 N. R. 2 W. 2. Now, Ind?

C. S. P.

East On Random between sections 17 & 20
79.40 To the E. line of sec. 59 lks. et. of post,

West Correct the line between sections 17 & 20
39.70 Set the gr. sec. cor. post from which
a W. Oak 34 in. dia. bears N 57 E 30 lks. dist.
& a Do. 30 " " " N 98 W 125 " "
42.19 To a W. Oak 30 " " in the line,
45.69 " " Do. 12 " " " " "
79.40 " the sections corner,
Land level & dry barney & few trees of
W. & B. Oak. & wood, etc. same, when in any

West On Random between sections 18 & 19
18.64 To the Left bank of Tippecanoe River,
22.92 To the Right bank " Do. "
79.94 To the W. boundary, 30 lks. et. of post,

East Correct the line between sections 18 & 19
2.97 To a B. Oak 30 in. dia. in the line,
39.94 Set the gr. sec. cor. post from which
a Hickory 18 in. dia. bears S 62 W 44 2 lks.
& a W. Oak 18 " " " N 48 E 4 36 "
57.02 To the Right bank of Tippecanoe River set p.
a B. Oak 35 in. dia. bears S 29 W 38 lks. dist.
& a Do. 35 " " " N 29 E 20 100 " "
61.30 To Left bank of Tippecanoe at a
Black Oak 10 in. dia. cor. tree,
79.94 To the sections. Land dry barney & 2nd rate
& the timber is Hickory W & B. Oak & the wood,
etc. is Hazel, Oak & Hickory.

North Between sections 17 & 18,

E. 29 N. R. 2 W. 2^d. New, Ind^a.

- 6.50 To a B. Oak 24 in. dia. in the line,
 20.45 " " W. Oak 12 " " " " "
 39.10 " " W. Oak 12 " " " " "
 40.50 Set the gr. sec. cor. post from which
 a W. Oak 24 in. dia. bears S 31 E 8 1/2 Mn. dist,
 & a Do. 24 " " " " S 43 W 31 " "
 66.21 To a W. Oak 20 " " in the line,
 70.30 To the Left bank of Tippecanoe & set post,
 a W. Oak 20 in. dia. bears N 78 E 45 Mn. dist &
 a Do. 15 " " " " S 31 E 54 " "
 74.93 To the Right bank of Tippecanoe at a
 Sycamore tree for corner,
 a B. Oak 5 in. dia. bears - 57 E 27 Mn. dist,
 & a Hickory 15 " " " " N 44 W 31 " "
 79.30 To a Creek 20 Mn. wide on. S. E.,
 80.00 Set a post cor. to sec. 7. 18. 17 & 18 -
 a B. Oak 30 in. dia. bears N 57 1/2 W 112 Mn. dist,
 & a Do. 24 " " " " N 33 1/2 E 70 " "
 Land is level & dry barrens from wh.,
 a B. & W. Oak, Hickory, Sycamore &c. & the
 mud, etc. is the same where there is any

-
- East On Random between sec. 8 & 19
 9.31 To a Creek 20 Mn. wide on. S. W.,
 10.75 To the Right bank of Tippecanoe
 79.22 To the E. line of sec. 72 Mn. N. of post,
-
- West Correct the line between sec. 8 & 17
 5.88 To a Br. Oak 36 in. dia. in the line,
 20.25 To Left bank of Tippecanoe & set post,
 a B. Oak 20 in. dia. bears N 11 W 45 Mn. dist,
 & a Do. 36 " " " " S 60 E 80 " "
 39.61 Dr. sec. cor. is in the River,
 68.47 Over the River to Right bank.

T. 29 N. R. 2 W. 2nd New Ind.

6. 51 a B. Oak 24 in dia, bears N 68 $\frac{1}{2}$ E 119 $\frac{1}{2}$ M. dist,
 & a Do. 30 " " " N 53 $\frac{1}{2}$ E 144 " "
- 69.91 To a Creek 20 M. wide on S.W.,
- 79.22 To the sections corner, a great part of this
 line is in Lippemoo river. Land on
 each side is 2nd rate. Dry barney & the timber
 is B. W. & Br. Oak &c &c,

- West On Random between sections 7 & 8
 78.85 To the W. boundary, 43 M. N. of post,

- East Correct the line between sections 7 & 8,
 38.85 set the gr. sec. cor. post from which
 a B. Oak 12 in dia, bears N 6 $\frac{1}{2}$ E 154 $\frac{1}{2}$ M. dist,
 & a Do. 6 " " " S 84 $\frac{1}{2}$ E 147 " "
- 78.85 To the sections corner,
 Land level & wet barney, & B & W. oak &c
 April 11th 1834,

- North Between sections 7 & 8,
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 24 in dia, bears S 55 $\frac{1}{2}$ E 90 $\frac{1}{2}$ M. dist,
 & a Do. 18 " " " S 49 $\frac{1}{2}$ W 113 " "
- 47.55 To a B. Oak 20 " " in the line,
- 62.62 To a Creek 24 M. wide on S.E.
- 72.72 " " W. Oak 18 in dia, in the line,
- 80.00 Set a post cor. to sec. 5, 6, 7 & 8, from wh.,
 a W. Oak 20 in dia, bears S 29 $\frac{1}{2}$ E 72 $\frac{1}{2}$ M. dist &
 & a Do. 12 " " " S 67 $\frac{1}{2}$ W 134 " "
- Land level & dry barney, W & B Oak &c,

- East On Random between sections 5 & 8,
 79.82 To the E. line of sec. 9, 97 M. N. of post.

T. 29 N. R. 2 W. 2nd NW, Twp. 2^a

6. L.
West Correct the line between sec. 548,
39.91 Set the q. sec. cor. post. from which
a W. Oak 20 in dia. bears at $54^{\circ} W 232$ ths,
& a Dr. 20 " " " $279^{\circ} W 336$ ditto
79.82 To the section corner, Land dry barren
& scarce of timber a few Bl. & W. Oaks,

West On Random between sec. 647,
78.50 To the W. boundy, 5 ths. N. of post.

East Correct the line between sec. 647,
38.50 Set the q. sec. cor. post. from which
a Bl. Oak 20 in dia. bears at $54^{\circ} W 106$ ths,
& a W. Oak 24 " " " $281^{\circ} E 324$ "
78.50 To the section corner,
Land is 3 or 4 to level & scarce of timber
a few W. & Bl. Oaks, on the line,

North Between sections 546,
9.77 To a Bl. Oak 12 in dia. in the line
36.45 " a Bl. Oak 20 " " " " "
40.00 Set the q. sec. cor. post. from wh,
a Bl. Oak 10 in dia. bears at $35^{\circ} W 27$ ths,
& a Dr. 8 " " " at $57^{\circ} W 35$ "
65.83 To the N. boundy. of Town 3.52 ths. W.
of post. set post. cor. to sec. 546,
a Bl. Oak 24 in dia. bears at $46^{\circ} E 142$ ths,
& a W. Oak 20 " " " at $65^{\circ} E 310$ ditto,
Land level wet barren with groves of
Y. Oak, Bl. Oak & W. Oak & but little mud, etc.,
of any kind. April 12th 1834.

This book is a true copy of original file

T. 29 N. R. 2 W. 2nd. New, Ind.^a.

of Town T. 29 N. R. 2 West 2nd, New, Indiana
 except the certificates of the chain men,
 Robert Hanna, Dep. Sur.

Meanders of Tippecanoe River,
 (Supposed to) Begin in N. boundy, on
 Left bank, & Down stream. thence
 To sec. 3,

Comm. C. L.

S 65 $\frac{1}{2}$ W	2.69
N 42W	8.48
S 30W	6.26
S 32W	4.26
S 36W	5.23
S 55W	10.72
S 68 $\frac{1}{2}$ W	4.90
S 85 $\frac{1}{2}$ W	5.50
N 68W	7.21
N 85W	2.90
S 66W	5.50
S 55W	3.00
S 72W	77

To post between sec. 3 & 4

S 59 $\frac{1}{2}$ W	3.89
S 61 $\frac{1}{2}$ W	3.69
S 65 $\frac{1}{2}$ W	8.06
S 67W	7.71
S 35 $\frac{1}{2}$ W	5.14
S 10W	4.41
S 7W	10.98
S 22 $\frac{1}{2}$ W	6.45
S 19 $\frac{1}{2}$ W	1.76

To sec. 4

To post on line between sec. 4 & 9

S 20W 9.63

To section 9

T. 29 N. R. 2 W. 3rd Mer. Ind.

Course to L.	Meanders continued,
S 23 $\frac{1}{2}$ W 14.07	In section 9,
S 42W 13.25	
S 27W 12.00	
S 26 $\frac{1}{2}$ W 14.00	
S 52 $\frac{1}{2}$ W 25.50	
S 61 $\frac{1}{2}$ W 2.98	To post between sections 8 & 9

S 66W 7.66	In sec. 8,
S 74W 9.17	To an island
S 73W 4.17	To post on line between 8 & 17

S 55W 8.11	In sec. 17
N 80 $\frac{1}{2}$ W 9.00	
N 74W 8.26	
S 84W 12.20	
S 52W 4.50	
S 50W 4.50	To an island
S 65W 5.60	
N 76W 5.30	
N 61W 2.20	
S 68 $\frac{1}{2}$ W 8.74	To post between sec. 17 & 18,

S 71W 6.30	In sec. 18,
S 74 $\frac{1}{2}$ W 8.46	
S 78W 8.57	
S 71W 2.94	
S 8 $\frac{1}{2}$ W 6.74	
S 28 E 7.54	
S 21 E 10.60	
S 13 E 6.94	
S 8 $\frac{1}{2}$ W 4.68,	
S 16W 14.67	

T. 29 N. R. 2 W. 2nd Mer. Ind^a

Course to L. Meanders continued,
 S14 E 13.20 In sec. 18,
 S20 1/2 W 1.47 To post on line between sec,
 18 & 19,

S15 E 2.09 - In sec. 19

S10 W 1.93,

S9 1/2 W 3.17

S21 W 8.44

S53 1/2 W 3.99

S58 1/2 W 15.15

S52 W 17.25

S45 1/2 W 7.44

S32 W 2.69

S36 1/2 E 3.41

To an island

S48 1/2 E 10.61

S6 E 8.24

S32 W 9.54

S52 W 6.11

S12 W 5.76

S21 E 1.21

To post between sec, 19 & 30

S59 1/2 E 12.21

In sec. 30,

S26 1/2 E 4.13

To an island

S19 E 4.50

S10 E 6.20

S9 W 4.58

S21 W 5.75

S27 1/2 W 10.49

S39 W 10.71

S39 1/2 W 5.60

S25 W 3.68

S9 1/2 W 11.04

S8 1/2 W 7.50

S. 29. N. R. 2 W. 2nd. Mer. Ind.

Course	Co. 21	Meanders continued,
S 15° W	2.98	In section 30
S 4½° E	3.44	To post in line between Secs 30 & 31
S ½° W	2.40	In Sec. 31
S 17½° W	4.15	
S 34° W	3.91	
S 53° W	4.65	To mouth of Indian creek 2 chains wide
S 62° W	7.31	To post in Range line between Ranges 2 & 3 W.
S 25° W	8.28	Meanders of Tippecanoe River
S 48° W	3.37½	Begin on N. boundary, on Right
S 38½° W	12.50	bank, down stream
S 62° W	9.34	In Sec. 3,
S 73½° W	4.50	
N 58° W	7.15	
S 89½° W	3.50	
S 67° W	6.74	
S 57½° W	2.62	To Oak cor. between Secs 3 & 4
S 56° W	8.04	In Sec. 4
S 70° W	15.12	To a creek 1 chain wide
S 43° W	9.40	
S 12° W	6.11	
S 6° W	11.85	
S 23° W	9.46	To post between Secs. 4 & 9
S 38° W	9.74	In Sec. 9
S 1° W	5.61	

Course	Distance	Remarks
Course	6.16	Meander continued,
S 92° W	5.18	
S 40 1/2° W	7.88	
S 58° W	5.76	
S 35° W	7.36	
S 11° W	10.85	
S 28° W	9.58	
S 49° W	4.25	
S 44 1/2° W	6.16	
Do.	7.12	
S 48° W	6.23	To Oak cor, between sec. 8 & 9,

S 76° W	2.86	In sec. 8,
S 69 1/2° W	12.93	
S 74 1/2° W	5.44	
S 69° W	7.10	
S 81° W	10.31	
S 84° W	14.50	
S 82° W	10.25	
S 74° W	5.34	
S 57 1/2° W	2.83	To post between sections 8 & 9

S 70° W	6.97	In sec. 14,
S 53° W	3.15	
S 65 1/2° W	1.87	To a Spruce cor. between sec. 14 & 8,

S 81° W	5.44	In sec. 18,
S 71° W	8.00	To a Creek 12 ft. wide,
S 72° W	14.50	
S 47 1/2° W	6.58	
S 25° W	9.17	
S 38° E	12.30	
S 16 1/2° E	10.99	

T. 29 N. R. 2 W. 2nd Meri Ind^a

Course	Li. L.	Meanders continued,
S 1 W	6.60	In sec, 18,
S 27 W	5.50	
S 22 W	5.16	In sec, 18,
S 11 E	2.55	
S 12 E	12.30	
S 10 E	2.71	To post between sec, 18 & 19

S 2 W	3.62	In sec, 19
S 21 1/2 W	6.09	
S 57 W	15.32	
S 47 1/2 W	8.82	
S 50 W	7.47	
S 51 1/2 W	15.14	
S 4 1/2 W	8.74	
S 20 E	4.33	
S 52 1/2 E	7.64	
S 4 1/2 E	5.30	
S 15 1/2 W	4.35	
S 47 W	3.83	
S 20 W	5.22	
S 14 E	4.66	To post between sec, 19 & 30,

S 20 E	3.57	In sec, 30,
S 36 E	11.97	
S 46 E	6.88	
S 8 E	5.50	
S 29 1/2 W	10.17	
S 27 1/2 W	7.67	
S 32 W	6.20	
S 37 W	6.80	
S 20 W	8.81	
S 13 1/2 W	7.89	

491

T. 29 N., R. 24 W., 3rd Mer. Ind.^o

Course C. L. Meanders Continued,

S 11 $\frac{1}{2}$ E W 6.80

S 6 W 4.70

S 6 E 4.10

To post in line between sec, 30 & 31

S 23 W 5.35

In sec, 31

S 42 W 5.97

S 64 W 3.83

To post in Range line,
between sec, 28 & 31,Surveyed in April 1834 by
Robert Hanna, Dep. Sur,

T. 29 N. R. 2 W. 2^d. Nev. Ind^a.

Certify that the foregoing transcript
of field notes of Township 29 North
Range 2 West 2^d. Nev. Indiana, has
been compared with the original in
this office & found to be correct,

C. S. Haines Sur. Genl,
Surveyor General's office,
Cincinnati, March 10th 1842, 3