

INDEX MAPS.
T. 38 N, R. 2 W. 2nd Mer.

Meanders 360

	6	5	4	3	2	1
	<i>N. Bound^y of Indiana</i>					
	7	8	9	10	11	12
341	359	354	351	348	344	339
	359	359	354	351	347	344
341	18 358	17 354	16 350	15 347	14 344	13 338
	358	357	353	350	347	343
340	19 357	20 353	21 349	22 346	23 343	24 338
	357	356	352	349	346	343
339	30 356	29 352	28 349	27 345	26 342	25 337
	355	355	352	348	345	342
339	31 353	32 351	33 348	34 345	35 342	36 337
	336	336	335	335	334	334

T. 29 N, R. 3 W. 2nd Mer.

Meanders 396

	370	370	370	369	369	368
373	6 395	5 389	4 385	3 381	2 377	1 368
	395	394	389	385	381	377
372	7 394	8 389	9 385	10 381	11 376	12 368
	394	393	388	384	380	376
372	18 393	17 388	16 384	15 380	14 375	13 367
	393	392	388	384	379	375
372	19 392	20 387	21 383	22 379	23 375	24 367
	392	391	387	383	379	374
371	30 391	29 387	28 383	27 378	26 374	25 367
	390	390	386	382	378	374
371	31 390	32 386	33 382	34 377	35 373	36 366
	366	365	365	364	364	364

(P) The figures on the lines refer to the page.

Township 29 North Range 3 West, 2nd Mer.

State of Indiana,

South Boundary. (Var. 5^o 30' E)

- West On the S. side of sec. 36 ^{500 yds. Oak 8' N 52° W 13}
 14.13 To a G. Oak 20 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 20 in. dia. bears N 78° E 162 lks,
 & a Do. 12 " " " N 82° W 162 "
 46.38 To old meand. post on left bank of
 the Tippecanoe River on South,
 51.10 Leave the river,
 53.50 Leave the bottom of river,
 54.34 To old post on the right bank of river
 67.25 To a G. Oak 20 in. dia. in the line,
 79.50 To an Indian trail on S. W
 80.00 Set a post cor. to sec. 35 & 36 from wh,
 a G. Oak 18 in. dia. bears N 60° W 164 lks,
 & a Do. 24 " " " N 63° E 119 " dit;
 Land is rolling & pt. rate & the timber is W. Oak,

-
- West On the S. side of sec 35. T 29 N R 3 W
 16.42 To a G. Oak 10 in. dia. in the line,
 28.18 " " G. Oak 20 " " " " "
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 18 in. dia. bears N 74° E 37 lks,
 & a Do. 20 " " " N 57° W 24 1/2 dit,
 45.35 To a G. Oak 10 " " in the line,
 50.00 Enter level & thinly timbered land
 80.00 Set a post cor. to sec. 34 & 35 from which
 a G. Oak 25 in. dia. bears N 49° E 66 1/2 lks. dit,
 & no other near. E 1/2 of this mile
 is rolling, W 1/2 level, soil good, Timber Oak,

West On the S. side of sec. 34. T 29 N R 3 W.

T. 29 N. R. 3 W. 2. NW. Ind. a.

6. L.
 18.00 Entered a wet prairie.
 30.00 Leave the same
 35.00 Entered a Do. - note. The old line is
 to be seen here, after which, it is not to be
 found, at any place on Remains of line &
 the reason why it could not be found is
 that it was never run -
 59.00 Leave the wet prairie
 80.00 Set a post cor. to sec. 33 & 34 from which
 a G. Oak 12 in dia, bears N 69 E 83 th. dist,
 & a Do, 20 " " " N 29 E 96 " "
 Land is flat & scattered Oak &c.

- Wet On the S. side of sec. 33, T. 29 N. R. 3 W
 18.00 Entered a wet prairie
 29.00 Leave the same,
 39.50. Entered a Do,
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 20 in dia, bears N 19 1/2 W 250 th.,
 & a W. Oak 10 " " " N 61 E 347 " dist.
 58.00 Leave the wet prairie
 70.00 Entered a wet prairie
 80.00 set a post cor. to sec. 32 & 33 from which
 a W. Oak 20 in dia, bears N 84 1/2 W 776 th. dist,
 no other. - Land. low wet soil then G. W. Oak

- Wet On the S. side of sec. 32 T. 29 N. R. 3 W
 8.00 Leave the wet prairie
 23.00 Entered a wet prairie
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 10 in dia bears West 805 th. dist,
 no other tree.
 46.00 Leave the wet prairie

T. 29 N. R. 3 W. 2nd Mer. Ind.^a

6. S.

78.00 Enter a wet prairie

80.00 Set a post cor. to sec. 31 & 32 from wh.
 a W. Oak 30 in dia. bears $N 4^{\circ} W 5.57$ lbs,
 & a Do, 28 " " " $N 63^{\circ} E 337$ - " lbs,
 Land &c. is much the same as before

West On the S. side of sec 31. T. 29 N. R. 3 W

22.00 Leave the wet prairie

40.00 Set the gr. sec. cor. post from which
 a B. Oak 20 in dia. bears $N 5^{\circ} W 133$ lbs,
 & a Do, 12 " " " $N 14^{\circ} E 214$ "

60.00 Enter a wet prairie

82.00 Set a post cor. Town 29 N. R. 3 W.

a B. Oak 10 in dia. bears $N 4^{\circ} E 255$ lbs. dia,
 & a G. Oak 18 " " " $N 4^{\circ} E 300$ " dia.
 Land level soil good & thinly timbered
 with Oak &c. Sec. 5th 1833. Note Var. $5^{\circ} 30' E$,
 on the last 3 $\frac{1}{2}$ miles. On the old line the corner
 varied as much as 2 $\frac{1}{2}$ in places, & consequently is
 any thing else but a straight line, (Sec. 5th 1833.)
 Surveyed by - Sylvester Sibley, D. S.

East Boundary. (Var. $5^{\circ} 37' E$.)

North On the E. side of Sec. 36 T. 29 N. R. 3 W

40.00 Set the gr. sec. cor. post from which
 a W. Oak 10 in dia. bears $S 6^{\circ} W 52$ lbs. dia,
 & a Hickory 10 " " " $N - W 308$ " "

64.25 To the left bank of Lippencand river cor. N. W.
 a Maple 12 in dia. bears $S 40^{\circ} E 40$ lbs. dia &
 a G. Birch 10 " " " $S 40^{\circ} W 62$ " "

68.80 Set post on the right bank of the river,
 a G. Oak 18 in dia. bears $N 79^{\circ} W 83$ lbs. dia,
 & a Do, 20 " " " $N 43^{\circ} E 53$ " "

T. 29 N. R. 3 W. 2nd Mer. Ind^a,

Co. B,

80.00 Set a post cor. to sec. 35 & 36 from which
 a L. Oak 10 in. dia. bears S 49 W 149 the dist
 & a Do. 10 " " " S 82 W 256 " "
 Land rolling & first rate timber 7. W. W. Oak &c,

North On the E. side of sec. 35. T. 29 N. R. 3 W
 40.00 Set the grassy cor. post from which
 a W. Oak 30 in. dia. bears N 27 W 388 the dist
 & a G. Oak 20 " " " S 8 1/2 E 152 " "
 72.56 To a G. Oak 18 " " in the line,
 80.00 Set a post cor. to sec. 24 & 25 from wh.
 a L. Oak 18 in. dia. bears N 72 W 34 the dist,
 & a Do. 18 " " " S 29 1/2 W 144 " "
 Land is rolling & 2nd rate & the timber
 is White & Yellow Oak &c

North On the E. side of sec. 24 T. 29 R. 3
 4.37 To a G. Oak 20 in. dia. in the line,
 31.00 " a Birch @ the wide cor. E,
 40.00 Set the grassy cor. post from which
 a W. Oak 10 in. dia. bears S 78 W 52 the dist,
 & a Do. 20 " " " N 59 W 114 "
 45.75 To a G. Oak 18 " " in the line,
 71.00 To an Indian trail cor. N, E,
 80.00 Set a post cor. to sec. 13 & 14 from which
 a G. Oak 20 in. dia. bears N 39 W 45 the dist,
 & a Do. 20 " " " S 31 E 44 " "
 Land &c is same as on last mile,

North On the E. side of sec. 13. T. 29 R. 3
 40.00 Set the grassy cor. post from which
 a G. Oak 12 in. dia. bears N 15 W 44 the dist &
 & a W. Oak 8 " " " N 44 W 71 " "

T. 29 N. R. 3 W. 2nd Mer. (Ind. 1)

- 6.6
 46.00 Entered a wet prairie
 80.00 Set a post cor. to sec. 12 & 13 from wh. a Y. Oak 28 in dia, leans N 5² W 7.63th dia, no other, thinly timbered with Oak &c.

- North On the E. side of sec. 12 T. 29 R. 3
 6.00 Leave the wet prairie
 40.00 Set the gr. sec. cor. post from which a W. Oak 18 in dia, leans S 28^W 105th dia, & a Do. 20 " " " N 85^W 159 " "
 44.00 Entered a wet prairie
 59.00 Leave the same,
 80.00 Set a post cor. to sec. 1 & 2 from wh. a W. Oak 12 in dia, leans N 65^W 37th dia, & a Do. 14 " " " S 44^W 223 " "
 Land &c is same as on last mile,

- North On the E. side of sec. 12 T. 29 R. 3 W
 1.00 Entered a wet prairie
 40.00 Set the gr. sec. cor. post from which a W. Oak 12 in dia, leans N 6^W 59th dia, no other tree near
 70.00 Leave the wet prairie
 80.00 Set a tumpy town corner,
 Land mostly wet prairie a few oaks,
 Dec. 6th 1833, — (Var. 5² 27^E.)
 Surveyed by Sylvester Sibley D. S.

- North Boundary, (Var. 5² 20^E.)
 West On the S. side of sec. 30 T. 30 N. R. 3 W
 a W. Oak 20 in dia, leans N 24^W 460th dia,
 a Y. Oak 12 " " " N 6^E 704 " "
 39.00 Leave the wet prairie

T. 29 N. R. 3 W. 2nd Nov. Ind.^a

Co. 5,

- 40.00 Set the gr. sec., cov. post from which
a W. Oak 10 in. dia. bears N 28 E 65 the. dist,
La G. Oak 12 " " " N 80 W 49 " "
- 60.00 Entered a wet prairie
- 80.00 Set a post cov. sec. 35 & 36. from wh.,
a W. Oak 8 in. dia. bears N 75 E 85 the. dist,
La Do. 12 " " " N 88 E 72 " "
- Land is mostly wet prairie, soil poor
& the timber is Oak & very scattering

Nest On the S. side of sec. 35. T 30 N R 3 W

- 24.00 Leave the wet prairie
- 40.00 Set the gr. sec., cov. post from which
a W. Oak 12 in. dia. bears N 11 W 32 the. dist,
La Do. 10 " " " N 23 W 59 " "
- 52.83 To a G. Oak 28 " " in the line,
- 54.00 Entered a wet prairie
- 80.00 Set a post cov. to sec. 34 & 35 from wh.,
a W. Oak 12 in. dia. bears N 77 E 153 the. dist,
La G. Oak 6 " " " N 52 E 78 " "
- Land is same as on last mile,

Nest On the S. side of sec. 36. T 30 N R 3 W

- 28.00 Leave the wet prairie
- 40.00 Set the gr. sec., cov. post from which
a W. Oak 6 in. dia. bears N 68 E 37 the. dist,
Do. 12 " " " N 81 E 113 " "
- 46.00 Entered a wet prairie
- 79.00 Leave the same,
- 80.00 Set a post cov. to sec. 33 & 34 from wh.,
a G. Oak 6 in. dia. bears N 29 E 59 the. dist,
La Do. 8 " " " N 64 W 96 " "
- Land is same as on last mile,

T. 29 N. R. 3 W. 2nd Mer. Ind.

- C. S.
 West On the S. side of sec. 33 T 30 N R 3 W
 15.00 Enter a wet prairie
 39.00 Leave the same,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 14 in diam, leans at $N 47^{\circ} 51'$ the dir.,
 & a G. Oak 20 " " " at $N 66^{\circ} 14'$ " "
 43.00 Enter a wet prairie
 80.00 Set a post cor. to sec. 32 & 33 from wh.,
 a G. Oak 18 in diam, leans at $N 47^{\circ} 51'$ the dir.,
 & a Do. 14 " " " at $N 85^{\circ} 19'$ " "
 Sand &c. is same as on last mile,

- West On the S. side of sec. 32, T 30 N R 3 W
 1.00 Leave the wet prairie
 8.00 Enter a wet prairie
 40.00 Set the gr. sec. cor. post, & Rainier mound
 80.00 Set a post cor. to sec. 31 & 32 from wh.,
 a G. Oak 10 in diam, leans at $N 39^{\circ} 56'$ the dir.,
 & a Do. 12 " " " at $N 87^{\circ} 56'$ " "
 Sand is wet prairie & soil sev. rate,

- West On the S. side of sec. 31 T 30 N R 3 W
 5.00 Leave the wet prairie
 12.11 To a G. Oak 18 in diam in the line
 15.00 Enter a wet prairie
 40.00 Set the Tr. sec. cor. post from which
 a W. Oak 8 in diam, leans at $N 69^{\circ} 13'$ the dir.
 & a G. Oak 12 " " " at $N 74^{\circ} 26'$ " "
 44.00 Leave the wet prairie
 52.00 Enter a " Do,
 81.72 To the W. boundary, 1030 ths. South of
 tempy. post, & set post. cor. of Survey -
 29 T 30 N. Range 3 & 4 W. from which

T. 29 N. R. 3 W. 2nd Mer. Ind.^a

C. L. An Aspen 9 in dia, bears N 65 E 186 lbs dia
 & a G. Oak 12 " " " S 31 W 379 " "
 Land's level & how the timber is Oak & c
 Variations of needle found by observation
 at this corner, — (Var. 5° 35' E.)
 Dec. 8th 1833. — Surveyed by
 Sester Sibley. Dep. Sur.

West Boundary. (Var. 5° 30' E.)

North On the E. side of sec. 36, T. 29 N. R. 4 W
 15.00 To a bend of creek 70 lbs wide on. S. W
 27.82 To a W. Oak 22 in dia, in the line,
 40.00 Set the q. sec. cor. post from which
 a Br. Oak 9 in dia, bears N 27 W 78 lbs dia,
 & a Do. 9 " " " S 37 E 134 " "
 44.50 To a Creek 70 lbs wide on. S. W,
 55.00 " the same do, " " " S. E,
 71.00 Entered a wet prairie
 80.00 Set a post cor. to sec. 25 & 36 from wh
 a W. Oak 10 in dia, bears N 27 W 245 lbs,
 & a Do. 20 " " " S 82 E W 386 "
 Land level, soil good & the timber is
 W. G. & Br. Oak & c

North On the E. side of sec. 25, T. 29 N. R. 4 W
 2.00 Leave the wet prairie
 6.30 To a G. Oak 28 in dia, in the line,
 33.00 Entered a wet prairie
 40.00 Set the q. sec. cor. post from which
 a G. Oak 20 in dia, bears N 31 E 522 lbs,
 & a Do. 10 " " " N 65 E 568 "
 62.00 Leave the wet prairie
 74.00 To a G. Oak 18 in dia, in the line,

T. 29 N. R. 3 W. 2nd Mer. 1st 2nd

C. S.

- 75.50 Entered a wet prairie,
 80.00 Set a post cor. to Secs. 24 & 25 from wh.,
 a W. Oak 28 in. dia. beam at $27^{\circ} W$ 592 ft. dist.,
 & a Y. Oak 18 " " " South 498 " "
 Land & timber is much as before,

- North On the E. side of sec. 24 T. 29 N. R. 4 W
 40.00 Set the gr. sec. cor. post from which
 a Y. Oak 18 in. dia. beam at $38^{\circ} E$ 463 ft.,
 & a Do. 14 " " " NE 538 " dist.
 45.00 Leave the wet prairie
 50.00 Entered the same prairie
 60.00 Leave the same Do.
 68.00 Entered the same Do.
 80.00 Set a post cor. to secs. 13 & 24 from wh.,
 a W. Oak 10 in. dia. beam at $82^{\circ} E$ 466 ft.,
 & Do. 28 " " " $N 38^{\circ} W$ 593 "
 Land is mostly wet prairie, on the
 E. side Grand prairie. Timber some Oak,

- North On the E. side of sec. 13 T. 29 N. R. 4 W
 31.00 Leave the wet prairie
 39.00 Entered a " " Do.
 40.00 Set the gr. sec. cor. post from which
 a Y. Oak 18 in. dia. beam at $80^{\circ} E$ 412 ft.,
 & a Do. 6 " " " $S 37^{\circ} W$ 155 "
 59.00 Leave the wet prairie
 80.00 Set a post cor. to secs. 12 & 13 from wh.,
 a Y. Oak 18 in. dia. beam at $44^{\circ} W$ 42 ft. dist.,
 & a Do. 16 " " " $S 28^{\circ} W$ 16 " "
 Land &c. is same as on last mile,

North On the E. side of sec. 12 T. 29 N. R. 4 W

T. 29 N. R. 3 W. 2^d Mer. Ind.

6. 51
 22.31 To a W. Oak 10 in. dia, in the line,
 40.00 Set the Dr. sec., cor. post from which
 a Y. Oak 20 in. dia, bears S 66° W 30' E 1/2 M. dia,
 & a W. Oak 10 " " " S 11° W 10' " "
 49.02 To a W. Oak 10 " " in the line,
 55.00 Enter a wet prairie
 80.00 Set a post cor. to sec. 1 & 12 from which
 a Y. Oak 10 in. dia, bears at 39° E 58' 9" M.,
 & a Do. 8 " " " N 54° E 64' 5" "
 Land &c, is same as on last mile,

North On the E. side of sec. 1. T. 29 N. R. 4 W

- 21.00 Leave the wet prairie
 36.00 Enter a " Do,
 40.00 Set the gr. sec., cor. post from which
 a W. Oak 20 in. dia, bears S 89° W 27' 3" M.,
 & a Do. 10 " " " S 63° W 30' 6" "
 80.00 Let empty, town corner,
 Land is mostly wet prairie,
 (Var. 5° 30' E,) December 9th 1833. —
 Surveyed by - Sylvester Sibley, Dep. Sur.

Subdivisions, (Var. 5° 27' E.)

- North Between sections 35 & 36
 24.69 To a Br. Oak 20 in. dia, in the line
 40.00 Set the gr. sec., cor. post from which
 a Br. Oak 30 in. dia, bears at 65° E 25' 0" M.,
 & a Do. 20 " " " S 59° E 26' 0" M. dia,
 54.77 To a Hickory 20 " " in the line,
 79.30 To a Creek 10 M. wide cor. E,
 80.00 Set a post cor. to sec. 25. 26. 35 & 36,
 a Br. Oak 20 in. dia, bears S 56° E 22' 7" M. dia,
 & a Br. Oak 18 " " " N 63° E 57' " "

374

T. 29 N. R. 3 W. 2nd, New Ind^a,

6th Sec Land; second rate bearing Oak Hickory &c.

East On Random between sections 25 & 26
81.50 To the E. boundary, 144th M. S. of post,

West Correct the line between sec, 25 & 26
38.16 To a B. Oak 20 in. diam. in the line,
40.75 Set the gr. sec. cor. post from which
a B. Oak 20 in. diam. bears N 37th W 5.25 M.,
& a Do. 20 " " " " S 46th W 47 "
44.01 To a B. Oak 20 " " in the line,
44.32 " " Do. 30 " " " " " "
81.50 To the section's corner,
Land 3rd rate bearing timber scarce
Br. B. & W. Oak &c.

North Between sections 25 & 26,
25.62 To a B. Oak 18 in. diam. in the line,
38.88 " " W. Oak 15 " " " " "
40.00 Set the gr. sec. cor. post from which
a W. Oak 15 in. diam. bears S 70th W 163 M.,
& a B. Oak 25 " " " " S 52th E 140 "
72.18 To a Hickory 20 " " in the line,
80.00 Set a post cor. to sec. 23, 24, 25 & 26,
a W. Oak 18 in. diam. bears S 73th W 79 M. dist.,
& a B. Oak 20 " " " " S 42th E 70 " "
Land with bearing, 19 May 1834

East On Random between sections 24 & 25
81.17 To the E. boundary, 125th M. S. of post

West Correct the line between sections 24 & 25
15.08 To a B. Oak 36 in. diam. in the line,

375

S. 29 N. R. 3 W. 2nd. New, Ind.

6. 6. To a W. Oak 20 in. dia. in the line,
 18.92
 40.58 $\frac{1}{2}$ Set the gr. sec. cov. post from which a
 W. Oak 12 in. dia. bears S $\frac{1}{2}$ W 94 $\frac{1}{2}$ ths. dist.,
 & a Do. 12 " " " S 14 $\frac{1}{2}$ E 93 " "
- 76.40 To a W. Oak 18 " " in the line,
 81.17 To the sections corner, Land
 level dry bearing same W. & B. Oak &c.

North Between sections 23 & 24

- 17.87 To a W. Oak 18 in. dia. in the line,
 40.00 Set the gr. sec. cov. post in pond
 a W. Oak 20 in. dia. bears N 9 $\frac{1}{2}$ E 63 $\frac{1}{2}$ ths.,
 & a Hickory 18 " " " N 11 $\frac{1}{2}$ E 65 " "
- 66.15 To a B. Oak 30 " " in the line,
 80.00 Set a post cov. to sec. 13, 14, 23 & 24
 a W. Oak 18 in. dia. bears S 27 $\frac{1}{2}$ E 42 ths. dist.,
 & a Do. 12 " " " S 4 $\frac{1}{2}$ W 32 " "
 Land level with bearing & the timber
 is W. & B. Oak &c.

East On Random between sec. 13 & 24

- 80.47 To the E. line of sec. 67 ths. S. of post,

West Correct the line between sections 13 & 24

- 40.23 $\frac{1}{2}$ Set the gr. sec. cov. post from which
 a W. Oak 24 in. dia. bears S 5 $\frac{1}{2}$ E 114 ths. dist.,
 & a Do. 10 " " " S 4 $\frac{1}{2}$ E 139 " "
- 80.47 To the sections corner,
 Land is level with bearing & groves
 of W. & B. Oak &c.

North Between sections 13 & 14

- 8.10 To a B. Oak 30 in. dia. in the line,

T. 29 N., R. 3 W., 2nd, New, Ind.:

- 6.5, 21.74 To a B. Oak 18 in. dia. in the line,
 40.00 Set the q. sec. cor. post from which
 a B. Oak 18 in. dia. bears at 80° W 54' 1/2",
 & a Do. 20 " " " at 53° W 76' 1/2",
 58.66 To a B. Oak 20 " " in the line,
 80.00 Set a post cor. to sec. 11, 12, 13 & 14 from which,
 a W. Oak 24 in. dia. bears N 66° W 96' 1/2",
 & a B. Oak 24 " " " S 6 E 20 1/2 " dit,
 Land level dry, bearing & the timber
 is B. & W. Oak &c

East On Random between sec. 12 & 13,
 80.60 To the E. line of sec. 53 1/2 mi. S. of post,

- West Correct the line between sec. 12 & 13,
 40.30 Set the q. sec. cor. post from which
 a B. Oak 18 in. dia. bears S 38 E 23' 1/2",
 & a Do. 20 " " " at 20° W 40' 1/2" dit,
 65.30 To a B. Oak 18 " " in the line,
 80.60 To the section corner,
 Land level wet bearing & the
 timber is same B & W, Oak &c

North Between sections 11 & 12

- 6.40 To a B. Oak 24 in. dia. in the line,
 9.67 " " Do. 18 " " " " "
 15.74 " " W. Oak 12 " " " " "
 40.00 Set the q. sec. cor. post from which
 an Aspen 12 in. dia. bears S 70° W 94' 1/2",
 & a Do. 10 " " " S 76 E 70 95"
 58.30 To a B. Oak 12 " " in the line,
 79.89 " " W. Oak 18 " " " " "

T. 29 N. R. 3 W. 2nd. New. Ind.

Co. S,

80.00 Set a post cor. to sec. 1, 2, 11 & 12 from wh.
 a W. Oak 10 in. dia. bearing N 30° E 40 ths. dist.
 & a Do. " " " " N 81° W 30 " "
 Land level part wet part dry bearing &
 3. rate timber since of any kind,

East On Random between sec. 2 & 11
 80.00 To the E. line of sec. 11 5 ths. S. of post,

West Correct the line between sec. 2 & 11
 40.00 Set the q. sec. cor. post from which
 a B. Oak 18 in. dia. bearing N 45° E 11 ths. dist.
 & a Do. 12 " " " N 88° E 30 " "
 80.00 To the section corner,
 Land level with bearing & the timber
 is seen some 3/4 W. Oak, May 20. 1834

North Between sections 1 & 2
 39.59 To a B. Oak 8 in. dia. in the line
 40.00 Set the q. sec. cor. post from which
 a B. Oak 8 in. dia. bearing N 86° E 315 ths. dist.
 & a Do. 6 " " " N 12° E 200 " "
 71.59 To the N. boundary, 85 ths. E. of post,
 where set post cor. to sec. 1 & 2 from wh.
 a W. Oak 25 in. dia. bearing S 22° E 13 1/4 ths.
 no other bearings near,
 45 ths. of this line runs through a flag
 & ball runn marsh or swamp a few
 groves of W. & B. Oak &c

North Between sections 34 & 35
 36.82 To a B. Oak 30 in. dia. in the line
 40.00 Set the q. sec. cor. post from which

T. 29 N. R. 3 W. 2nd. Nov. Ind^a,

- 68.45 To a B. Oak 20 in. dia. bearing N40°W 15th dist.,
 La Do. 30 " " " " S21°W 15th " "
 80.00 To a W. Oak 25 in. dia. in the line
 set a post cor. to sec., 26, 27, 34 & 35 -
 a W. Oak - in. dia., bearing N5thW 47th dist.,
 and no other near
 The greater part of this line is 3rd
 rate bearing & the timber is cleared
 W. & B. Oak & the wood of the Hazel etc.,

East Oak Random between sections 26 & 35
 80.00 To the E. line of sec., 130th dist. N. of post,

- West corner of the line between sections 26 & 35
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 18 in. dia., bearing S3thE 18th dist.,
 La W. Oak 20 " " " " N8thW 20th " dist.,
 42.40 To a W. Oak 18 " " in the line,
 80.00 To the section corner,
 several outc. of this line run through
 water mid thro' deep ballance is
 dry bearing, 3rd rate land & the
 timber is B & W. Oak. & wood, etc.,
 same when there is any,

- North Between sections 26 & 27,
 34 & 38 To a B. Oak 25 in. dia. in the line
 40.00 Set the gr. sec. cor. post from wh.,
 a W. Oak 10 in. dia., bearing S57°W 72th dist.,
 La B. Oak 18 " " " " N73°W 88th "
 45.26 To a W. Oak 20 " " in the line,
 63.78 " " W. Oak 25 " " " " "
 69.00 " " Do. 8 " " " " "

T. 29 N. R. 3 W. 2nd. New, Ind.

E. L.

80.00 Set a post cor. to sec. 22, 23, 26 & 27,
 a W. Oak 40 in. dia. bearing N 27 E 421 lbs,
 Do. 20 " " " N 3 E 540 " dit,
 Land 3/4 rate & part wet flag swampy
 part dry bearing W. & N. B. Oak &c

East On Random between sec. 23 & 26

80.10 To the E. line of sec. 48 lbs. N. & part

West Correct the line between sections 23 & 26

40.05 Set the grass, cor. post, from which
 a B. Oak 30 in. dia. bears N 70 E 26 lbs,
 & a Do. 18 " " " N 49 W 50 " dit,

44.48 To a B. Oak 20 " " in the line,

80.10 To the section corner,
 Land wet bearing flag & bullrush
 swampy & a few W. Oaks, & B. Oaks, &c,

North Between sections 22 & 23,

32.63 To a W. Oak 20 in. dia. in the line,

40.00 Set the grass, cor. post, from which
 a B. Oak 30 in. dia. bears N 7 E 48 lbs,
 & a W. Oak 8 " " " N 4 E 79 "

80.00 Set a post cor. to sec. 14, 15, 20 & 22,
 a Hickory 30 in. dia. bears N 89 E W 124 lbs,
 & a W. Oak 25 " " " S 57 W 157 " dit,
 Land is mostly wet pasture & a few
 trees of B. & N. Oak &c

East On Random between sec. 14 & 23,

80.25 To the E. line of sec. 20 lbs. N. & part,

West Correct the line between sec. 14 & 23,

T. 29 N. R. 3 W. 2nd, New, Ind.

- C. L.
 36.35 To a W. Oak 20 in. dia. in the line,
 40.12 $\frac{1}{2}$ Set the q. sec. cor. post from which
 a W. Oak 20 in. dia. bears N 75 E 1460 ft.,
 56.09 To a Do. 30 " " (no other
 80.25 To the section corner,
 Land level last rate mostly flag
 & bull rush swamp, & the timber where
 there is any is Oak & Hickory (n. S. Do. Sec.)

North Between sections 14 & 15

- 40.00 Set the q. sec. cor. post from which
 a B. Oak 18 in. dia. bears S 67 E 9 ft. dist.,
 & a Do. 20 " " " N 45 E 111 " "
 31.32 To a W. Oak 20 in. dia. in the line,
 80.00 Set a post cor. to sec. 10 N. 14 & 15 from which,
 a B. Oak 20 in. dia. bears S 14 E 24 ft. dist.,
 & a Hickory 6 " " " N 82 W 26 " "
 Land is mostly level & wet barrens &
 flag & bull rush swamp, & the timber
 where there is any is Oak & Hickory

East On Random between sec. 11 & 14

79.58 To the E. line of sec. 10 N. of post,

West Connect the line between sec. 11 & 14

- 4.92 To a B. Oak 30 in. dia. in the line,
 39.79 Set the 2nd sec. cor. post from which
 no bearing - raised mound for cor.,
 79.58 To the section corner,
 E $\frac{1}{2}$ mile wet barrens & a few trees of
 W & B Oak W $\frac{1}{2}$ is flag & bull rush
 swamp, mid thigh deep most of the way

T. 29 N. R. 3 W. 2nd, Nov. Ind.,

C. S.

North Between sections 10 & 11

- 1.72 To a B. Oak 18 in. dia. in the line,
 21.00 To a W. Oak 25 " " " "
 40.00 Set the q. sec. cor. post from which
 a W. Oak 18 in. dia. bears S59°W263 M.,
 & a Do. 30 " " " S16°W225 " dist;
 80.00 Set a post cor. to sec. 3. 3. 10 & 11
 a B. Oak 20 in. dia. bears S25°W218,
 & a Do. 30 " " " S15°W271 M.,
 The most of this line runs through
 wet lanes & some grove of Oak & Hickory

East On Random between sec. 2 & 11

- 79.54 To the E. line of sec. 69 M. N.
 of post.

West Correct the line between sec. 2 & 11

- 6.80 To a B. Oak 6 in. dia. in the line,
 28.39 " " Do. 20 " " " "
 39.77 Set the q. sec. cor. post from which
 a B. Oak 25 in. dia. bears N60°E285 M.,
 & a Do. 30 " " " S28°E69 "
 79.54 To the section's corner, The
 greater part of this line is wet
 lanes, & the timber is W. B. Oak
 W. G. white & Oak &

North Between sections 20 & 3,

- 19.08 To a W. Oak 35 in. dia. in the line
 28.48 " " B. Oak 20 " " " "
 38.35 " " Do. 18 " " " "
 40.00 Set the q. sec. cor. post from wh.,
 a B. Oak 20 in. dia. bears S30°W42 M.,

T. 29 N. R. 3 W. 2nd Mer. Ind. &

Co. Lr

70.00 To a Bl. Gum 10 in dia. near S 72 E 29th Mer. dist,
to the N. corner, 125th Mer. E. of post,
& set a post cor. to sec. 2 & 3 from which
a B. Oak 25 in dia. near S 69 E 21st Mer. dist
& a Dr. 23 " " " S 14 W 3 1/2 " "
Land here last rate bearing Oak & Dr,
N. E. Oak & Whortlemery. May 21st 1834

North Between sections 33 & 34
17.82 To a Hickory 20 in dia. in the line,
29.16 " " W. Oak 25 " " " " "
40.00 set the general cor. post from which
a W. Oak 20 in dia. near S 1 E 4 25th Mer,
& a Dr. 25 " " " S 17 E 40th "
69.69 To a B. Oak 20 " " in the line,
80.00 set a post cor. sec. 27, 28, 33 & 34
a B. Oak 25 in dia. near S 5 E 1 1/2th Mer,
& a W. Oak 20 " " " S 71 W 76 "
Land here mostly dry bearing 3. rate
& the timber is W. & B. Oak N. E. same,

East on Random between sec. 27 & 34
80.00 To the E. line of sec. 50 Mer. dist of post

West Connect the line between sec. 27 & 34
40.00 set the general cor. post from which
a W. Oak 8 in dia. near S 42 E 100th Mer,
& a B. Oak 20 " " " N 28 E 75 " dist,
80.00 To the sections corner,
the greater part of this line runs
through a marshy bottom bearing
water in places mid thigh deep
& small groves of W. B. Oak & aspen &c.,

T. 29 N. R. 3 W. 3rd Mer. Ind.,

to Sec. 20, 21, 22, 27 & 28, Whortlebury & Massapas

North Between sections 27 & 28,
 40:00 Set the q. sec. cor. post from which
 a W. Oak 25 in. dia. bears S 58° W 59' 1/2" 1/2"
 to Sec. 20 " " " " S 84° W 65' " "
 59:41 To a W. Oak 20 " " with line,
 70:15 " " Do. 18 " " " " "
 80:00 Set a post cor. to Sec. 21, 22, 27 & 28,
 a W. Oak 10 in. dia. bears N 29° E 73' 1/2" 1/2"
 to Sec. 6 " " " " N 28° W 93' " "
 Land level all barney & bull rush
 swamps w/ places & a few trees of W & B,
 Oak, N. S. Oak & Whortlebury &

East On Random between sections 22 & 27
 79:65 To the E. line of sec. 20 Mer. S. of post

West Connect the line between sec. 22 & 27
 39:82 1/2 Set the q. sec. cor. post from which
 a W. Oak 20 in. dia. bears N 73 1/2° W 5' 16"
 to Sec. 30 " " " " N 78° W 5' 25"
 79:65 To the sections corner,
 The whole of this line runs through
 a flag & bull rush swamp except
 a few chains at the W. end thereof
 which is dry barney & almost destitute
 of trees of any kind of timber,

North Between sections 21 & 22
 40:00 Set the q. sec. cor. post from which
 a B. Oak 20 in. dia. bears N 48° E 40' "
 no other near,

T. 29 N. R. 3 W. 2nd Mer. Ind.

- C. L.
 50.70 To a B. Oak 18 in. dia. in the line,
 66.51 " " Do. 25 " " " "
 80.07 Set a post cor. to sec. 15. 16. 21 & 22
 a W. Oak 18 in. dia. bearing N 53° W 272 ft.,
 & a Do. 20 " " " N 32½° W 241 ft.
 Land greater part wet canopy &
 scattering trees of W. & B. Oak &

- East On Random between sec. 15 & 22
 80.10 To the E. line of sec. 125 th. N. of post,

- West Connect the line between sec. 15 & 22
 40.05 To a W. Oak 30 in. dia. for ¼ sec. cor.,
 80.10 To the section corner, Land level
 & most part wet canopy & a few
 groves of W. & B. Oak &

- North Between sections 15 & 16
 14.74 To a B. Oak 25 in. dia. in the line
 31.17 " " Do. 20 " " " "
 40.00 Set the gr. sec. cor. post from wh.,
 a W. Oak 30 in. dia. bearing N 58° W 22 ft.,
 & a Do. 20 " " " N 24° W 70 "
 47.50 To a B. Oak 25 " " in the line,
 80.00 Set a post cor. to sec. 9. 10. 15 & 16
 a B. Oak 25 in. dia. bearing S 54° E 210 ft.,
 & a W. Oak 18 " " " N 10° W 134 ft.
 Land level & mostly wet canopy
 & a few trees of B & W Oak &

- East On Random between section 10 & 15
 79.87 To the E. line of sec. 10 th. S. of post

T. 29 N. R. 3 W. 2nd. Mer. Ind. "

6. L₁
West Correct the line between sec. 10 & 15
5.60 To a W. Oak 20 in. dia. in the line,
39.93 $\frac{1}{2}$ Set the gr. sec. cor. post from which
a B. Oak 12 in. dia. bears $N 25^{\circ} E$ 6.64 ch.,
79.87 To the section corner, (= no other
land greater part marshy barrens &
few trees of W. B. Oak & aspen &c

North Between sections 9 & 10

17.23 To a B. Oak 15 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a W. Oak 20 in. dia. bears $S 12^{\circ} E$ 6.00 ch.,
& no other near that
80.00 Set a post cor. to sec. 3. 4. 9 & 10
a B. Oak 25 in. dia. bears $S 36^{\circ} E$ 3.54 ch.,
& a Do. 20 " " " $S 63^{\circ} E$ 4.24 " dit,
The whole of this line passes through
marshy barrens & a few trees of Oak & aspen

East On Random between sections 3 & 10

80.00 To the E. line of sec. at post

West Correct the line between sec. 3 & 10

35.04 To a W. Oak 8 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a W. Oak 8 in. dia. bears $S 75^{\circ} E$ 3.4 ch. dit,
& a B. Oak 15 " " " $N 1^{\circ} W$ 3.5 " "
80.00 To the section corner,
Two thirds of this line runs through
marshy barrens, & flag & shell rock around
the residue is dry barrens Oak & B. oak

North Between sections 3 & 4, T. 29 N. R. 3 W.

T. 29 N. R. 3 W. 2nd, New, Ind^a,

C. S.

40.00 Set a gr. sec. cor. in pond mid thigh deep in water & no bearings,

48.83 To an aspen 10 in. dia. in the line,

64.06 To the S. boundary, 106 M. E. of post, where set a post cor. to Secs. 3 & 4 an aspen 9 in. dia. bears S 10° W 89 M. dia. & a B. Oak 10 " " " S 21° W 140 " " the whole of this line runs through a flag & hull rush swamp & groves of aspens,
May 22nd, 1834. R. Hanna D. S.

North Between sections 32 & 33,

15.87 To a Hickory 20 in. dia. in the line,

22.71 " " B. Oak 30 " " " " " "

40.00 Set the gr. sec. cor. post from which a B. Oak 20 in. dia. bears S 55¹/₂° E 221 M. dia. & a Do. 25 " " " N 35° E 309 " "

52.15 To a B. Oak 25 " " in the line,

80.00 Set a post cor. to Secs. 28, 29, 32 & 33, a B. Oak 20 in. dia. bears S 7¹/₂° W 425 M. dia. & a Do. 25 " " " S 58° W 580 " "

Land is mostly wet banyons & a few groves of W. V. B. Oak & flag & hull rush swampy

East On Random between sections 33 & 38

80.43 To the E. line of Secs. 10 M. N. of post,

West Correct the line between Secs. 28 & 33

22.05 To a B. Oak 25 in. dia. in the line

40.21¹/₂ Set the gr. sec. cor. post from which a B. Oak 23 in. dia. bears S 80¹/₂° W 329 M. & a Do. 30 " " " S 83° W 333 "

80.43 To the sections corner,

T. 29 N. R. 3 W. 2nd. Mer. Ind^a.

Sec. 2. East $\frac{1}{2}$ mile dry barrens 3rd rate land
 $\frac{1}{2}$ flag mark a swamp & W. Oak timber,

North Between sections 28 & 29

- 40.00 Set the gr. sec. cor. post from which
 a W. Oak 30 in. dia. bears S 28° W 203 M. dia.,
 & a S. 20 " " " N 80 $\frac{1}{2}$ E 107 " "
- 55.75 To a B. Oak 20 " " in the line,
- 80.00 Set a post cor. to sec., 20, 21, 28 & 29
 a W. Oak 18 in. dia. bears S 89° W 350 M. dia.,
 no other near as that. Land mostly
 swamp waist deep in water & the timber
 a few B. Gum & Oak in groves,

East On Random between sections 21 & 28
 80.30 To the E. line of sec., 36 M. S. of post,

- West corner the line between sec., 21 & 28,
 28.80 To a B. Oak 20 in. dia. in the line,
 40.15 Set the gr. sec. cor. post from which
 no bearings were taken, in pond
 46.15 To a B. Oak 25 in. dia. in the line,
 80.30 To the sections corner,
 This line is on the margin of a large
 pond, water waist deep in places a few
 groves of aspen Oak &c.

North Between sections 20 & 21. T. 29 N. R. 3 W.

- 32.12 To a W. Oak 20 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 20 in. dia. bears S 4 $\frac{1}{2}$ E 788 M.,
 & no other as near as that,
 80.00 Set a post cor. to sec., 16, 17, 20 & 21,

Comp^d

T. 29 N. R. 3 W. 2^d Mer. Ind.

6. L. a W. Oak 12 in. dia. bears S 75° W 93 ths. dia.
 & a Do. 18 " " " S 43½° W 46 " "
 Land level wet leaning timber scarce
 of B. Oak & W. Oak &c

East On Random between sections 16 & 21
 80.00 To the E. line of sec. 56 ths. S. of post

West Correct the line between sections 16 & 21
 40.00 Set the q. sec. cor. post from which
 a W. Oak 12 in. dia. bears S 65½° W 2 ths,
 & a B. Oak 12 " " " S 62° E 18 "
 80.00 To the section's corner, Land level
 bare, the timber is scarce & B. & W. Oak &c

North Between sections 16 & 17,
 40.00 Set the q. sec. cor. post from which
 a W. Oak 12 in. dia. bears S 63½° W 177 ths. dia.,
 & a Do. 10 " " " S 30½° W 179 " "
 48.83 To a B. Oak 24 " " in the line,
 80.00 Set a post cor. to sec. 8, 9, 16 & 17,
 an aspen 6 in. dia. bears N 11½° W 583 ths. dia.,
 & a Do. 12 " " " N 5° W 580 " "
 Land level wet leaning timber scarce oak,
 Bl. & White, &c. May 26th 1834.

East On Random between sections 9 & 16
 80.11 To the E. line of sec. 12 ths. S. of post,

West Correct the line between sec. 9 & 16
 5.13 To a B. Oak 30 in. dia. in the line,
 40.05½ Set the q. sec. cor. post from which
 a W. Oak 18 in. dia. bears S 30° W 73 ths. dia.

T. 29 N., R. 3 W., 2nd Mer., Ind.,

E. L. & B. Oak 24 in. dia., bears S 4 W 94 ths. dist.,
80.11 To the section corner, Land level banner,
& the timber same Bl. & W. Oak &

North Between sections 8 & 9 T 29 N R 3 W
7.20 To a W. Oak 12 in. dia. in the line,
40.00 Set the q. sec. cor. post from which
an aspen 10 in. dia. bears N 22 E 100 ths. dist.,
& a Do. 12 " " " N 4 1/2 W 71 " "
80.00 Set a post cor. to sec. 4, 5, 8 & 9 from wh.,
a W. Oak 18 in. dia. bears N 60 1/2 E 11.81 ths.,
no other. Land level marshy prairie
& groves of W. & B. Oak &

East On Random between sections 4 & 9
80.00 To the E. line of sec. 50 ths. S. of post

West Correct the line between sec. 4 & 9
40.00 Set the q. sec. cor. post from which
a B. Oak 18 in. dia. bears N 87 E 515 ths. dist.,
& a Do. 16 " " " N 76 E 500 " "
80.00 To the section corner,
Land level small groves Oak & aspen &

North Between sections 4 & 5 T 29 N R 3 W
40.00 Set the q. sec. cor. post from which
a B. Oak 20 in. dia. bears N 9 W 384 ths. dist.,
& a Do. 20 " " " N 1 E 390 " "
70.11 To the N. boundary .52 ths. E. of post,
& set a post cor. to sec. 4 & 5 from which
a B. Oak 18 in. dia. bears S 33 W 168 ths. dist.,
no other near as that
Land level wet prairie & small groves of

T. 29 N. R. 3 W. 2^d, New Ind^a,

Co. L.

W. Oak Co. May 27th 1834. —

North Between sections 31 & 32, T. 29 N. R. 3 W
 17.48 To a Hickory 18 in. diam. in the line,
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 36 in. diam. bears N 52 $\frac{1}{2}$ W 207 $\frac{1}{2}$ ft.,
 & a Do. 24 " " " " N 91 W 193 "
 13.97 To a Hickory 18 " " in the line,
 71.10 " " W. Oak 20 " " " " "
 80.00 Set a post cor. to Secs. 29, 30, 31 & 32,
 a B. Oak 30 in. diam. bears S 61 $\frac{1}{2}$ W 614 ft. diam.
 & a Do. 24 " " " " N 58 W. 31 " "
 Land level & dry barrens & the timber;
 B. Oak W Oak & Hickory &c

East On Random between sections 29 & 32
 80.68 To the E. line of Secs. 29 & 32, S. of post,

West Correct the line between Secs. 29 & 32
 5.78 To a W. Oak 20 in. diam. bears in the line,
 19.35 " " Do. 20 " " " " "
 40.34 Set the gr. sec. cor. post from which
 a W. Oak 20 in. diam. bears S 21 $\frac{1}{2}$ E 51 ft. diam.
 a Do. 24 " " " " N 87 $\frac{1}{2}$ W 143 " "
 46.64 To a B. Oak 20 " " in the line,
 49.43 " " Do. 20 " " " " "
 54.01 " " Do. 24 " " " " "
 80.68 To the sections corner,
 Land level dry barrens 2^d rate & covered
 of timber & B & W. Oak &c where there is any

West On Random between Secs. 30 & 31
 81.86 To the W. boundary 74 ft. S. of post,

T. 29 N. R. 3 W. 2nd. Mer. Ind^a.Co. 2^d.

- East Correct the line between sections 30 & 31
 41.02 To a W. Oak 18 in. dia. in the line,
 41.86 Set the q. sec. cor. post from which
 a B. Oak 10 in. dia. bears S 80 E 170 th. dist.,
 & a Do. 6 " " " S 45 E 173 " "
 80.89 To a B. Oak 18 " " in the line,
 81.86 To the sections corner, Land level dry
 barrens & the timber is scarce groves of oaks,

North Between sections 29 & 30

- 10.80 To a W. Oak 10 in. dia. in the line,
 29.65 " " B. Oak 24 " " " " "
 40.00 Set the q. sec. cor. post from which
 a W. Oak 24 in. dia. bears N 15 E 183 th.,
 & a B. Oak 10 " " " N 16 E 173 " "
 44.85 To a B. Oak 24 " " in the line,
 80.00 Set a post cor. to sections 19. 20. 29 & 30,
 a B. Oak 24 in. dia. bears S 73 E 138 th. dist.,
 & a Do. 20 " " " S 73 E 176 " "
 Land level generally dry barrens & the
 timber is Bl. & W. Oak &c

- East On Random between sections 20 & 29
 80.70 To the E. line of sec. at the post,

- West Correct the line between sec. 20 & 29
 40.35 Set the q. sec. cor. post from which
 a W. Oak 18 in. dia. bears N 65 E 57 th. dist.,
 & a B. Oak 20 " " " S 75 E 50 " "
 44.22 To a B. Oak 24 " " in the line,
 73.77 " " Do. 30 " " " " "
 80.70 To the sections corner,
 Land level dry barrens & the timber

392

T. 29 N. R. 3 W. 2nd Mer. Ind^a

E. L.

is Black & White Oak &

West On Random between sections 19 & 20
81.99 To the W. boundary, 71 Ms. S. of post,

East Corner the line between sec. 19 & 20
41.99 Set the gr. sec. cor. post for which
a Bl. Oak 24 in. dia. is corner tree

42.09 To a Bl. Oak 2 " " in the line,

69.35 " " Do. 36 " " " " "

81.99 To the section corner,

Land principally dry barney & the
timber is Bl. Oak & W. Oak & the mud, etc.,
is Bl & White Oak where there is any,

North Between sections 19 & 20, T 29 N R 3

26.12 To a W. Oak 20 in. dia. in the line,

40.07 Set the gr. sec. cor. post from which
a W. Oak 20 in. dia. bears N 74° W 41 Ms. dist.
& a Bl Oak 40 " " " N 2° W 33 " "

80.07 Set the post cor. to sec. 17, 18, 19 & 20
a Bl Oak 15 in. dia. bears S 76° E 4 Ms. dist.,
& a W. Oak 12 " " " S 63 1/2° W 16 " "

Land level & dry barney & the timber
is scarce of W. & Bl. Oak &

East On Random between sections 17 & 20
49.95 To the E. line of sec. 30 Ms. S. of post

West Corner the line between sec. 17 & 20

3.65 To a Bl. Oak 24 in. dia. in the line,

39.97 1/2 Set the gr. sec. cor. post from which
a Bl. Oak 24 in. dia. bears S 26° W 4 Ms. dist.,

T. 29 N. R. 3 W. 2^d, Nev. Ind. a

6. L. Va B. Oak 6 in. dia. bears N 49° W 25th M.,
 79.95 To the section's corner. Land level &
 wet during the timber is scarce & small
 groves of W Oak &c

West On Random between sections 18 & 19
 82.58 To the West boundary, 74 M. S. of post,

East Correct the line between sec. 18 & 19
 42.58 Set the q. sec. cor. post from which
 a B. Oak 12 in. dia. bears S 77° E 361 M.,
 Va Do. 6 " " " 185° E 86 "
 82.58 To the section's corner,
 Land level N² will wet & the E² is
 dry prairie. small groves of W. Oak
 & B. Oak &c. May 28th 1834.

North Between sections 17 & 18, T. 29 N. R. 3 W.
 2.00 To a B. Oak 24 in. dia. in the line,
 29.75 " " W. Oak 20 " " " " "
 40.00 Set the q. sec. cor. post from wh.,
 a W. Oak 2.0 in. dia. bears S 7° E 660 M.,
 Va Do. 20 " " " 11½° E 6.00 a 9th,
 80.00 Set a post cor. to Secs. 7, 8, 17 & 18,
 a B. Oak 18 in. dia. bears N 50½° W 39 M.,
 Va Do. 12 " " " 151½° E 67 "
 Land level that wet dry during the
 timber is scarce of any kind,

East On Random between sec. 8 & 17
 80.44 To the E. line of sec. 3 M. N. of post,
 West Correct the line between sec. 8 & 17

T 29 N. R. 3 W. 2nd Mer. Ind. ^e

C. L.

- 40.22 Set the sec. cor. post from which
a B. Oak 10 in. dia. bears N 1 E 5 11 1/2 W. 1/2 mi.
& a W. Oak 6 " " " S 82 W 4 1/2 " "
- 80.44 To the section's corner,
Land level wet heavy & groves of W
Oak Black Oak & ~

- West Between sections 7 & 18, (Random,)
83.58 To the ~~W~~ line of sec. & West Boundary,
22 1/2 mi. S. of post,

- East On correction line between sec. 7 & 18
43.58 Set the gr. sec. cor. post from which
a W. Oak 24 in. dia. bears S 8 1/2 W 38 1/2 mi.,
& a Do. 36 " " " N 76 E 17 1/4 " 1/2 mi.,
- 82.73 To a B. Oak 20 " " in the line,
83.58 To the section's corner,
Land level wet heavy & scarce of timber,
small groves of B & W Oak & ~

- North Between sections 7 & 8, T 29 R 3
3.08 To a B. Oak 18 in. dia. in the line,
22.11 " " Do. 12 " " " " " "
40.00 Set the gr. sec. cor. post from which
a B. Oak 36 in. dia. bears S 70 W 235 mi.,
& a Do. 20 " " " S 47 W 287 "
- 80.00 Set a post cor. to sec. 5, 6, 7 & 8, from which,
an Aspen 12 in. dia. bears N 45 E 730 mi.,
no other near. Land generally wet
prairie small groves of W. & B. Oak & ~

- East On Random between sec. 8 & 5
80.34 To the line of sec. at post,

T. 29 N. R. 3 W. 2nd, Mer. Ind.

C. L.
 West Correct the line between sec. 5 & 8,
 40.17 Set the gr. sec. cor. post from which
 a W. Oak 18 in dia. bears S 9 W 14 1/2 W. 2 1/4
 & a B. Oak 12 " " " N 53 E 13 " "
 80.34 To the section corner, Land level &
 marshy prairie & small Oak & aspen groves

West On Random between sections 6 & 7
 84.58 To the W. boundy. of sec 73 1/2 W. S. of post

East Correct the line between sec. 6 & 7
 24.34 To a B. Oak 24 in dia. in the line,
 44.58 Set the gr. sec. cor. post from which
 a B. Oak 12 in dia. bears N 11 E 14 1/2 W. 2 1/4
 & a W Oak - " " " N 1/2 E 15 1/2 " "
 84.58 To the section corner,
 Land level & wet baneus small groves
 of W & B. Oak &

North Between sections 5 & 6 T. 29 N. R. 3
 40.00 Set the gr. sec. cor. post from wh.
 a B. Oak 24 in dia. bears N 87 W 7 1/2 W.
 & a B. 20 " " " S 89 W 7 1/2 "
 73.06 To the N. boundy, 67 W. E. of post,
 where set a post cor. to sec. 5 & 6,
 a B. Oak 12 in dia. bears S 50 W 8 1/2 W.
 & no other tree near,
 Land level wet prairie small groves
 B. & W. Oak & May 29th 1834.

General Description
 This township has not one acre of
 good land in it & very few that derive

T. 29 N. R. 3 W. 2nd Mer. Ind. ³⁹⁶

C. L. denotes the name of third rate,

A true copy from the original
except the closing certificate.

Robert Hanna Dep. Sur,

Meanders of Tappan River,
on Left bank & down stream,

Course	C. L.	Remarks,
S 54 $\frac{1}{2}$ W	5.50	In sec. 36
S 62 $\frac{1}{2}$ W	5.00	
S 55 W	11.13	
S 45 W	6.71	
S 58 $\frac{1}{2}$ W	5.62	
S 41 $\frac{1}{2}$ W	6.54	
S 35 W	4.53	
South	4.94	To an island
S 2 W	3.86	
S 14 W	6.25	
S 19 $\frac{1}{2}$ W	2.97	
S 42 W	5.65	
S 21 $\frac{1}{2}$ W	16.09	To town line between 28 & 29 N. Range 3, W,

Meanders of Tappan River
on Right bank, down stream

S 66 $\frac{1}{2}$ W	7.48	In sec. 36
S 55 W	9.74	
S 54 W	12.70	To a creek 1 ch. wide,
S 43 W	11.81	
S 57 W	5.10	
S 29 W	10.30	
S 13 W	5.29	

397

T. 29 N. R. 3 W. 2nd, New, Ind.

Course	C. L.	Meanders Continued of
S 3 1/2 W	5.57	Lippecanon River,
S 30 1/2 W	6.53	January 11 th 1835,
S 19 1/2 W	7.57	
S 10 1/2 W	9.45	To town line betw ⁿ Lowry
		28 & 29, T. R. 3 W. -
		Meanders finished.

398

T. 29 N. R. 3 W. 2nd, New Ind^a,

I certify that the foregoing
transcript of field notes of Town-
ship 29 North Range 3 West, of 2nd
Meridian in Indiana, has been
compared with the original in this
office, & found to be correct.

C. S. Haines
Sur. Gen.

Surveyor General's office,
Cincinnati. March 31st 1842.