

INDEX MAPS.

T. 30N, R. 2W. 2nd Mer.

	8	8	7	7	7	7						
10	6	32	5	27	4	25	3	19	2	15	1	6
	32	32		27		23		19		15		
10	7	31	8	26	9	22	10	18	11	14	12	5
	31	31		26		22		18		14		
10	18	31	17	26	16	22	15	18	14	13	13	4
	31	31		25		21		17		13		
9	19	30	20	25	21	21	22	17	23	13	24	4
	29	29		25		21		17		12		
9	30	28	29	24	28	20	27	16	26	12	25	3
	28	28		24		20		16		11		
9	31	27	32	24	33	20	34	15	35	11	36	3
	2	2		2		1		1		1		

Meanders 33

T. 31N, R. 2W. 2nd Mer.

	50	50	50	49	49	48						
53	6	90	5	80	4	73	3	66	2	60	1	48
	89	89		79		72		65		59		
52	7	88	8	78	9	71	10	65	11	58	12	47
	87	87		78		71		64		57		
52	18	86	17	77	16	70	15	64	14	57	13	46
	85	85		77		70		63		56		
51	19	84	20	76	21	69	22	63	23	55	24	46
	84	83		75		68		62		55		
51	30	82	29	75	28	68	27	62	26	54	25	45
	81	81		74		67		61		54		
51	31	80	32	73	33	67	34	60	35	53	36	45
	44	44		43		43		43		43		

Meanders 91

The figures on the lines refer to the page.

Township 30 North Range 2 West 3rd Mer, 3rd 4th

6. Li. South Boundary. (Var. 5° 35' E.)
 West On the South side of sec, 30,
 40.00 Set the gr. sec. cor. post in prairie
 where raised a mound,
 50.00 Leave prairie - some dry places but
 mostly too wet for cultivation
 70.66 To a Y. Oak 18 in dia, in the line,
 80.00 Set a post cor. to sec. 35 & 36 from wh.
 a W Oak 13 in dia, bears N 56° E 48 ths,
 & a Pin or Red Oak 5 " N 62 1/2° W 66 "
 Wet prairie rolling basins poor soil
 & thinly timbered with Oak &c
 (Found by observation Var. to be 5° 35' E.)

West On the S. side of sec, 35,
 2.00 To a wet prairie
 40.00 Set the gr. sec. cor. post from which
 a Pin or Red Oak 18 in dia, bears N 2 1/4° W,
 2 1/4 ths. dist. & a S. 17 " " N 46° 32' W,
 Land is mostly a wet prairie,
 some parts covered with water Dec. 3rd,
 80.00 Red post cor. sec. 34 & 35, W Oak 14 N 23 1/4° W 249 ths,

West On the S. side of sec, 34 -
 23.57 To a W Oak 18 in dia, in the line
 31.19 To a Red Oak 8 " " cor. tree on
 Left bank of Tippecanoe River cor. SW,
 40.00 Set gr. sec. cor. post on Right bank of River
 a Sycamore 6 in dia, bears S 50° E 20 ths. dist,
 & a W Oak 12 " " " S 80° W 66 " "
 72.48 To a Y. Oak 14 " " in the line,
 80.00 Set a post cor. to sec. 33 & 34 from wh.
 a W Oak 10 in dia, bears N 67° E 43 ths,
 & a S. 10 " " " N 10° W 84 " dist.

T. 30 N. R. 2 W. 2nd Mer. Ind.^a

C. L. Land is rolling soil is good, & the
timber is W. Dy. oak &c.

West On the S. side of sec. 33,
11.66 To a W. Oak 10 in. dia. in the line,
40.00 Set the gr. sec. cov. post from which
a W. Oak 10 in. dia. bears N 83 E 105 ft.,
& a Br. Oak 10 " " " N 74 W 256 "
58.92 To a W. Oak 14 " " in the line,
66.10 " " Brook 10 ft. wide cr. S. E.,
80.00 Set the post cov. to sec. 32 & 33 from wh.,
a W. Oak 10 in. dia. bears N 40 E 121 ft.,
& a Do. 12 " " " N 76 W 71 " dist.
Land &c is same as on last mile

West On the S. side of sec. 32,
23.20 To a Y. Oak 18 in. dia. in the line,
24.50 Entered a wet prairie
40.00 Set the gr. sec. cov. post from which
a W. Oak 20 in. dia. bears N 89 W 152 ft.,
& no other tree convenient,
53.50 Leave the wet prairie
80.00 Set a post cov. to sec. 31 & 32 from wh.,
a Y. Oak 10 in. dia. bears N 36 E 50 ft. dist.,
& a Do. 10 " " " N 84 1/2 W 34 "
Land &c is same as on last mile -

West On the S. side of sec. 31,
6.00 Entered a wet prairie
40.00 Set the gr. sec. cov. post from which
a Y. Oak 20 in. dia. bears N 59 W 143 ft. dist.,
& a Do. 20 " " " N 73 W 172 " "
44.00 Leave a wet prairie,

T. 30 N. R. 2 W, 2nd Mer. Ind^a

6.00 Entered a wet prairie
 50.00 To the W. corner, 1344¹/₂ M., South of
 temporary post. Set post cor. to Towns
 29 & 30 N. Ranges 2 & 3 W, 2nd Mer. Ind^a
 a W. Oak 20 in. dia. bears N 24 W 460 M. dist,
 & a Y. Oak 12 " " " N 66 70 1/4 " "
 Land is mostly wet prairie Oak timber,
 Variation by observation 5° 35' East,
 Dec. 7th 1833. Surveyed by
 Sibley & Clark, Dep. Sur.

East Boundary, (V. 57 35 E.)

North On the E. side of Section 36.
 corner in a mound. W. Oak 18 215 1/2 E 977 M.,
 1.00 Enter a dry prairie & leave the mark
 40.00 Set the gr. sec. cor. post & raise a mound
 80.00 Set a post cor. to sec. 25 & 36 in edge prairie
 a W. Oak 12 in. dia. bears N 41 7/8 W 51 M. dist,
 & a Y. Oak 19 " " " 389 1/2 W 70 " "
 Land very level prairie, mostly dry &
 good soil &

North On the E. side of sec. 25.
 4.12 To a W. Oak 16 in. dia. in the line,
 5.00 Descend a bank 20 ft. to creek bottom
 10.50 To a Brook 25 M. wide on S. W,
 13.00 Leave bottom & rise a bank about
 20 ft. to level Oak land
 22.00 To Leppearno River. High bluff shown
 & set post on left bank from which
 a W. Oak 12 in. dia. bears N 40 W 66 M. dist,
 & a Do. 16 " " " N 61 E 27 " "
 31.22 Leave the river on N. W. & set post left bank,

T. 30 N. R. 2 W. 2nd Mer. Ind.

6. L. a Sycamore 36 in. dia. bears S 27 3/4 E 236 ft.,
 & a Do, 30 " " " N 45 W 34 "
- 38.00 Pass a bank 25 ft. high & leave bottom
- 40.00 Set the gr. sec. cor. post from which
 a W. Oak 20 in. dia. bears S 88 W 77 ft. dia.,
 & a Do, 16 " " " N 12 W 30 " "
- 46.71 To a W. Oak 14 " " in the line,
- 68.31 " Left bank of Tippecanoe river on SW,
 at a W. Oak 16 in. dia. cor. tree,
- 75.81 Over the river & set post from which
 a W. Oak 26 in. dia. bears N 79 1/2 W 232 ft. dia.,
 & a Do, 36 " " " N 9 E 408 " "
- 80.00 Set a post cor. to sec. 24 & 25 from wh.,
 a W. Oak 36 in. dia. bears N 40 1/2 W 141 ft.,
 & a Do, 14 " " " S 76 3/4 W 241 "
- Land. heavy, good soil & well timbered

- North On the E. side of sw. 24,
- 4.46 To a Y. Oak 30 in. dia. in the line,
- 11.13 " " W. Oak 17 " " " " "
- 40.00 Set the gr. sec. cor. post from which
 a W. Oak 12 in. dia. bears N 36 1/2 W 147 ft. dia.,
 & a Do, 19 " " " S 4 1/2 W 370 " "
- To a Y. Oak — in the line,
- 48.00 Enter a marsh
- 80.00 Set a post cor. to sec. 13 & 24 fr. wh.,
 a W. Oak 20 in. dia. bears N 49 W 8.33 ft.,
 & a Do, 16 " " " N 3 1/2 W 7.80 " dia.,
- Land is rolling heavy, thin soil &
 thinly timbered with W. Y. Oak & Hickory

- North On the E. side of sw. 13,
- 5.50 Leave the marsh

T. 30 N. R. 2 W. 2nd New Ind.

- 6.26
- 22.71 To a W. Oak 14 in. dia. in the line,
- 27.95 " " G. Oak 16 " " " " "
- 29.00 " River bottoms dry main
- 40.00 Set the gr. sec. cor. post from which
a Hickory 11 in. dia. bears S 32° W 245 lks,
& a Br. Oak 15 " " " N 73 1/2° W 192 "
- 43.10 To the Right bank of Tippecanoe River
a Br. Oak 17 in. dia. bears S 82 1/2° E 81 lks. dia.,
& a Do. 16 " " " S 71 1/2° W 68 " "
- 46.44 Over the River cr. from W. to S. E. set post
at a Sycamore 14 in. dia. cor. tree,
- 51.50 Leave bottom at an Indian trail, S E,
- 76.16 To a W. Oak 14 in. dia. in the line,
- 80.00 Set a post cor. to sec. 12 & 13, from wh.
a W. Oak 11 in. dia. bears S 75° W 114 lks. dia. &
& a Do. 10 " " " N 59 3/4° W 162 lks. dia.
Land on S. side of river same as last &
on N. side some bushy prairie with Poplar
& Oak &c. but mostly poor & sandy,

- North On the E side of sec. 12,
- 9.50 Enter a marsh,
- 13.00 Leave the Do,
- 18.40 To an Indian trail cr. N E,
- 32.33 To a W. Oak 16 in. dia. in the line,
- 40.00 Set the gr. sec. cor. post, from which
a Pin Oak 8 in. dia. bears N 30° W 13 lks,
& a W. Oak 8 " " " S 73° W 45 "
- 42.00 To River bottoms timbered,
- 45.72 To a Maple 10 in. dia. in the line,
- 51.42 To left bank of Tippecanoe River,
a Syc 12 in. dia. bears N 78° W 18 lks. dia.,
& a Hickory 6 " " " S 34° E 18 " "

T. 30 N, R. 2 W, 2nd. Nov. Ind^a

6. 55.62 Over the River Tippecanoe. en. S.W. set post,
 a Pin Oak 9 in. dia. bears N 48 E 200 ths. dist,
 & a Sycamore 18 " " " S 35 W 53 " "
- 58.50 Leave bottom land
- 62.39 To a W. Oak 12 in. dia. in the line,
- 80.00 Set a post cor. to sec. 1 & 12 from wh,
 a Pin Oak 24 in. dia. bears S 55 W 46 ths. dist,
 & a B. Gum 14 " " " N 70 1/2 W 80 " "
- My land rolling good soil some low places
 & the timber is W. Oak &c

- North On the E. side of sec. 1,
 a W. Oak 10 in. dia. in the line,
- 21.83 To Right bank of Tippecanoe River,
 a W. Oak 16 in. dia. bears S 3 3/4 E 550 ths. dist,
 & a Do. 18 " " " S 19 1/2 W 346 " "
- 33.87 Over River course S. E. set a post,
 a W. Oak 14 in. dia. bears N 84 E 31 ths. dist,
 & a Spruce 8 " " " N 60 W 8 " "
- 40.00 Set the g. sec. cor. post from which
 a Y. Oak 24 in. dia. bears N 26 W 33 ths. dist,
 & a Red Oak 10 " " " S 26 1/4 W 64 " "
- 44.64 To Left bank of Tippecanoe river at a
 Y. Oak 8 in. dia. in line, cor. tree,
- 55.00 Over the River en. S. R. W. set post,
 a B. Oak 16 in. dia. bears S 32 W 180 ths. dist,
 & a W. Oak 17 " " " N 61 3/4 W 131 " "
- 79.54 To the Town. corner, T. 30 & 31 N. R. 1 & 2 W.
 a W. Oak 14 in. dia. bears N 12 W 39 ths. dist &
 " Do. 9 " " " S 21 W 53 " "
- Land is same as on last mile,
 Twp. 5 1/2 S. E. Dec. 3rd 1833. Surveyed by
 Clark & Sibley. Dep. Sur^s.

7

T. 30 N. R. 2 W. 2nd. Nov, Ind^o.

C. L. North Boundary. (Cav, 5th 25th E.)
 Meet On the South side of sec. 36 & 31 N 2 W
 23.28 To a W. Oak 14 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 10 in. dia. bears N 74^o E 342th,
 & a G. Oak 6 " " " N 89^o W 487 " dia.,
 63.16 To a W. Oak 10 " " in the line,
 75.00 Entered a wet prairie
 80.00 Set a post cor. to sec. 35 & 36 from wh.,
 a W. Oak 12 in. dia. bears S 55^o W 60th dia.,
 & a Do. 10 " " " S 13^o W 301 " "
 Land is level & soil is ^{sw?} rate & the timber is
 N & W. Oak & c

Meet On the S. side of sec 35, & 31 N 2 W
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 12 in. dia. bears N 38^o W 240th,
 & a G. Oak 12 " " " N 16^o E 279 " dia.,
 80.00 Set a post cor. to sec. 34 & 35, from wh.,
 a G. Oak 12 in. dia. bears S 44^o E 246th,
 & a Do. 6 " " " S 1^o E 218 " dia.
 Land is mostly wet prairie with some,
 scattering timber & soil is ^{sw?} rate,

Meet On the S. side of sec. 34 & 31 N 2 W,
 40.00 Set the gr. sec. cor. post from which
 no bearings - & water too deep to raise mound
 80.00 Set post cor. to sec. 33 & 34 from which
 a W. Oak 9 in. dia. bears N 69^o E 597th dia.,
 no other near. Land is same as last,

Meet On the S. side of sec. 33 & 31 N 2 W
 24.00 Leave the wet prairie

T. 30 N. R. 2 W. 2nd, New Ind.^a

- C. S.
 34.00 Entered another wet prairie
 40.00 Set the gr. sec. cov. post from which
 a G. Oak 6 in. dia. bears East 690 M. dia.,
 & no other tree near or convenient
 70.00 Leave the wet prairie
 80.00 Set a post cov. to sec. 32 & 33 & Entered
 a wet prairie. Land &c. same as last
 a W. Oak 10 in. dia. bears N 22 E 51 M. dia.
 & a Do. 8 " " " N 84 E 157 " "

- Next On the S. side of sec. 32 T. 31 N. R. 2 W.,
 40.00 Set the gr. sec. cov. post from which
 a G. Oak 6 in. dia. bears at 51 E 43 M. dia.,
 & a W. Oak 14 " " " N 6 W 35 " "
 50 00 Leave the wet prairie
 80.00 Set a post cov. to sec. 31 & 32 from which
 a W. Oak 8 in. dia. bears at 59 1/2 W 53 M. dia.
 & a G. Oak 10 " " " N 17 1/2 E 63 " "
 Land &c. is much the same as last.

- Next On the S. side of sec. 31 T. 31 N. R. 2 W.
 10.00 Entered a wet prairie
 40.00 Set the gr. sec. cov. post from which
 a W. Oak 10 in. dia. bears S 7 W 389 M. dia.,
 & a Do. 12 " " " S 52 W 342 " "
 80.79 To the W. boundary, 72 M. N. of temporary post,
 & set post cov. Towns 30 & 31 N. Range 2 & 3 W -
 a W. Oak 10 in. dia. bears N 46 E 181 M. dia.,
 & a Do. 12 " " " S 52 W 136 " "
 Land &c. is same as on last mile,
 Var. 5th 25 E. December 17th 1833. Surveyed by
 Sibley & Clark. Dep. sur. -

9

T. 30 N. R. 27 W. 2nd New. Ind.

C. G. West Boundary. (Var. 67.16' E.)
 North On the E. side of section 36 T. 30 N. R. 27 W
 5:00 Leave the wet prairie in which commenced,
 12:00 Enter a " Do,
 40:00 Set the gr. sec. cor. post from which
 a C. Oak 20 in dia, bears S 44 W 335 M.,
 & a W. Oak 12 " " " S 89 1/2 W 224 " dia,
 68:00 Leave the wet prairie
 80:00 Set a post cor. to sec. 25 & 36 from wh.,
 a W. Oak 12 in dia, bears S 70 W 46 M. dia,
 & a Do. 12 " " " S 79 W 45 " "
 Land is mostly wet prairie

North On the E. side of sec. 25. T. 30 N. R. 27 W
 24:00 To a W. Oak 12 in dia, in the line,
 40:00 Set the gr. sec. cor. post from which
 a W. Oak 10 in dia, bears S 75 1/2 W 57 M.,
 & a Do. 10 " " " S 75 W 46 " dia,
 52:23 To a W. Oak 10 " " in the line,
 80:00 Set a post cor. to sec. 24 & 25 from wh.,
 a W. Oak 9 in dia, bears S 84 W 87 M. dia &
 & a Do. 6 " " " S 81 W 125 " "
 Land level & fertile & the timber is
 W. & H. Oak &c

North On the E. side of sec. 24. T. 30 N. R. 27 W
 40:00 Set the gr. sec. cor. post from which
 a W. Oak 9 in dia, bears S 41 W 206 M. dia,
 & a G. Oak 6 " " " S 30 W 259 " "
 74:42 To a C. Oak 12 " " in the line,
 80:00 Set a post cor. to sec. 13 & 24 from wh.,
 a W. Oak 10 in dia, bears S 37 W 153 M. dia,
 & a Do. 10 " " " S 62 W 178 " "

T. 30 N. R. 2 W. 3rd Mer. Ind.

E. L. Land & is same as on last mile,

North On the E. side of sec. 13, 30 N 30 W
 9.96 To a G. Oak 24 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 12 in. dia. bears at 81 $\frac{1}{2}$ W 77 ths,
 & a G. Oak 6 " " " at 49 W 44 " dia.,
 80.00 Set a post cor. to sec. 12 & 13 from which
 a W. Oak 12 in. dia. bears S 89 $\frac{1}{2}$ E 572 ths,
 no other near. Land 2nd rate &
 rather wet & the timber is Oak &

North On the E. side of sec. 12,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 10 in. dia. bears S 69 W 56 ths. dia.,
 & a G. Oak 18 " " " N 69 W 88 " "
 61.29 To a W. Oak 12 " " in the line,
 80.00 Set a post cor. to sec. 1 & 12 from which
 a W. Oak 10 in. dia. bears at 10 W 13 ths. dia.,
 & a D. 10 " " " N 48 W 19 " "
 Land & is same as on last mile,

North On the E. side of sec. 1,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 12 in. dia. bears at 18 E 174 ths. dia.,
 & a G. Oak 12 " " " N 6 $\frac{1}{2}$ W 162 " "
 79.00 Entered a wet prairie
 80.00 Set a tempy. town corner,
 Land level & 2nd rate & timbered thinly
 with Oak. December 16th 1833. -
 Surveyed by Sibley & Clark Dep. Sur.
 Observed var. to be 6 $\frac{1}{2}$ W E. & 5 miles south
 57 30' E. Local attraction on this line,

T. 30 N. R. 2 W. 2nd, New, Ind.^a 11.

C. L. Subdivisions. -
 North Between sections 35 & 36
 10.39 To a B. Oak 20 in. dia, in the line,
 35.50 " " Do. 8 " " " " "
 40.00 Set the g. pins, cor. post in water,
 a B. Oak 6 in. dia, bears S 57 E 138 th. dist
 & a Do. 6 " " " S 79 E 167 " "
 50.29 To a B. Oak 8 " " in the line,
 cor. tree on Left bank of Tippecanoe R.,
 a W. Oak 30 in. dia, bears S 70 E 85 th. dist,
 & a B. Oak 35 " " " S 73 W 98 " "
 54.42 Over to Right bank of River,
 a Maple 15 in. dia, bears S 64 E 26 th. dist,
 & a Spruce 4 " " " S 59 W 38 " "
 80.00 Set a post cor. to sec, 25, 26, 35 & 36,
 a W. Oak 20 in. dia, bears S 42 W 259 th.,
 & a Do. 30 " " " S 19 E 292 " dist,
 Land separates & the timber is scarce,
 & scattering W. B. Oak & A. N. G. same.

East On Random between sections 25 & 36
 30.73 To Right bank of Tippecanoe River,
 38.62 Over to Left bank of Do. do,
 79.71 To the E. line of sec, 60 th. dist of post,

West Correct the line between sec, 25 & 36
 3.34 To a creek cor. W. S. W. 50 th. wide,
 7.10 To a Hoop ash 18 in. dia, in the line,
 9.58 To a B. Oak 30 " " " " "
 39.85 Set the g. pins, cor. post from which
 Red Bud 4 in. dia, bears S 43 W 6 th. dist,
 & a Spruce 18 " " " S 8 W 21 " "
 42.10 To a W. Oak 5 " " in the line,

T. 30 N. R. 2 W. 2nd New, Ind.6. L₁

- 42.55 To Left bank of Tippecanoe at Red Hawk,
a Hickory 20 in dia, bears N 58 $\frac{1}{2}$ E 21 th. dia,
& a Do. 20 " " " S 34 W 28 " "
- 50.44 Over River to Right bank set post,
a Hickory 20 in dia, bears N 17 W 91 th. dia,
& a Sycamore 30 " " " S 55 W 22 " "
- 79.71 To the section corner,
Land is ricinate & the timber is Poplar
Cherry, B. Oak & Mulberry Hickory Sycamore
& the mud, etc, is Hazel, Oak, Spice woods,

North Between sections 25 & 26,

- 22.80 To a Br. Oak 30 in dia, in the line,
40.00 set 1/4 sec, cor. post in the mound,
80.00 set a post cor. to sec, 25, 26, 23, & 24
where raised a mound
Land level with canopy & some flag
& Bull rush swamps a few B. W. Oaks,

East On Random between sec, 24 & 25

- 81.40 To the E. line of sec, 80 th. et. of post,

West Correct the line between sec, 24 & 25

- 13.57 To a B. Oak 20 in dia, in the line,
29.50 " " Do. 30 " " " " " "
40.70 set the q. sec, cor. post from which
a W. Oak 20 in dia, bears N 43 E 53 th. dia,
& a Do. 8 " " " N 31 W 56 " "
41.82 To a W. Oak 25 " " in the line,
81.40 To the section corner,
Land level & post flag & Bull rush
swamps, almost destitute of timber,

T. 30 N. R. 2 W. 2nd. New Ind,

- 62.8,
 North Between sections 23 & 24
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 30 in dia, bears S 86° 10' W 100 ft,
 & a Do. - " " " East 19 "
 69.70 To a B. Oak 25 " " in the line,
 77.40 " " Do. 25 " " " " "
 80.00 Set a post cor. to sec. 13, 14 & 23 & 24
 a W. Oak 20 in dia, bears S 12° W 27 ft,
 & a Do. 20 " " " S 1° E 24 " 2 ft,
 Land is sev. rate, some flag & oak rock
 swamp, nearly destitute of timber,

- East On Random between sec. 13 & 24
 82.00 To the E. line of sec. 14 1/2 mi. N. of post,

- West Connect the line between sec. 13 & 24
 44.00 Set the gr. sec. cor. post from which
 a Hickory 4 in dia, bears N 47° E 80 ft,
 & a Do. 12 " " " S 62° W 238 ft,
 80.00 To the section corner, Land is
 mostly dry barrens & part flag swamp
 & scattering B. Oak Hickory & W. Oak &c,

- North Between sections 13 & 14
 13.10 To a B. Oak 18 in dia, in the line,
 40.00 Set the gr. sec. cor. post from which
 a Hickory 20 in dia, bears N 76° E 11 ft,
 & a Do. 18 " " " N 59° W 26 "
 5.17 To a B. Oak 30 " " in the line,
 12.46 " " Do. 20 " " " " "
 80.00 Set post cor. to sec. 11, 12, 13 & 14 on bank
 of Lippicanos River from which
 a B. Oak 8 in dia, bears S 35° E 22 ft,

T. 30 N. R. 2 W. 2nd Mer. Md.

Co. L. & a B. Oak 6 in. dia bears N 75 W 100 M. dia.
Land is level & generally 3rd rate & the timber
is B. W. Oak & Hickory. & the mud, etc., same,

East On Random between sections 12 & 13,
82.00 To the Co. line of sec. 9 M. N. of post,

West Correct the line between sections 12 & 13,
26.34 To left bank of Tippecanoe River, set post,
an Elm 8 in. dia. bears S 57 E 192 M. dia.,
& a Sycamore 30 in. dia. bears N 44 W 181 M. dia.,
35.14 Over River through island to Right bank
a Sycamore 18 in. dia. bears N 7 W 47 M. dia.,
& a W. Oak 30 " " " S 15 E W 69 " "
44.00 Set gr. sec. cor. post from which
a W. Oak 18 in. dia. bears S 48 W 5 M. dia.,
& a Do. 18 " " " N 9 W 36 " "
59.54 To a B. Oak 20 " " in the line,
61.16 To the Right bank of Tippecanoe River
a W. Oak 12 in. dia. bears N 31 E 24 M. dia.,
& a B. Oak 30 " " " S 31 E 42 " "
64.60 Over River to Left bank & set post,
a Maple 10 in. dia. bears N 63 E W 13 M.,
& a Do. 18 " " " S 62 E 30 " dia.,
79.35 To Left bank of River at a Maple 18 in. dia.,
a Maple 20 in. dia. bears S 15 E 18 M. dia. &
& a Do. 18 " " " N 56 E 25 " "
82.00 Over River to cor. sec.
Land 3rd rate, B & W. Oak & etc.

North Between sections 11 & 12
17.18 To a Hickory 20 in. dia. in the line,
32.00 To a creek 10 M. wide cor. sec.

T. 30 N. R. 2 W. 2nd New, Ind.

- C. E.
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 20 in dia, bears S48 E 17 1/2 Mn. dist,
 & a W. Oak 18 " " " S 76 W 53 " "
 44.70 To a B. Oak 25 " " in the line,
 55.47 " " B. Oak 25 " " " " "
 80.00 Set a post cor. to sec. 1, 2, 11 & 12 from which
 a B. Oak 20 in dia, bears S 54 W 40 Mn. dist,
 & a W. Oak 18 " " " S 15 E 30 " "
 Land is 3rd rate & the timber is B. Oak W.
 Oak & Hickory hard, 2nd the Bark Red Post &

East On Random between sections 1 & 12

- 82.95 To the E. line of sec. 22 1/2 Mn. S. of post,

West Correct the line between sections 1 & 12

- 41.46 1/2 Set the gr. sec. cor. post. Placed a mound
 82.93 To the sections corner, Land level & wet
 barrens & flag & Bull rush marshing
 & the timber is scarce of any kind,

North Between sections 1 & 2

- 40.00 Set the gr. sec. cor. post from which
 a B. Oak 10 in dia, bears S 50 W 27 1/2 Mn,
 & a W. Oak 6 " " " S 62 W 35 1/2 " dist,
 80.72 To the N. boundy, of Township 29 1/2 Mn,
 West of post. Set post cor. to sec. 1 & 2,
 a B. Oak 20 in dia, bears S 38 E 20 1/2 Mn. dist,
 & a Do. 20 " " " S 10 E 27 1/2 " "
 Land level & wet barrens & almost destitute
 of any timber,

North Between sections 34 & 35

- 12.70 To a B. Oak 20 in dia, in the line,

T. 30 N. R. 2 W. 2nd New. Ind.

6. L,
18.33 To Left bank of Tippecanoe River at a
Wormbeam 8 in. dia. cov. tree W. Oak 12 555608
B. Oak 20 378528
- 23.83 Over to Right bank of River & set post
a Hickory 25 in. dia. heavy N40 E 50 1/2 1/2 in. dia,
+ a B. Oak 20 " " " S88 W 64 " "
- 40.00 Set the gr. sur. cov. post from which
a B. Oak 30 in. dia, heavy N70 W 35 1/2 1/2 in.,
+ a Do. 25 " " " N70 E 248 1/2 in.,
- 65.76 To a W. Oak 10 " " in. the line,
- 80.00 Set a post cov. to sur. 27, 28, 34 & 35,
a B. Oak 8 in. dia, heavy N56 E 55 1/2 1/2 in. dia,
+ a Do. 10 " " " S48 1/2 W 330 " "
- Land 3/4 rate part wet & part dry bearing
& the timber is B & W Oak & Hickory & c

East On Randon between sections 35 & 26
80.40 To the E. line of sur. 96 1/2 in. S. of post,

- West Correct the line between sur. 35 & 26
40.20 Set the gr. sur. cov. post from which
a W. Oak 20 in. dia, heavy S24 1/2 W 59 1/2 1/2 in. dia,
+ a B. Oak 20 " " " N30 1/2 W 25 " "
- 42.43 To a Hickory 20 " " in the line,
- 80.40 To the sections corner, Land 3/4 rate
& part 3/4 rate timbered with B. Oak & c

- North Between sections 26 & 27,
40.00 Set the gr. sur. cov. post from which
a Large Rock — heavy N47 1/2 W 103 1/2 1/2 in. dia,
+ a Do. — " " S54 E 91 " "
- 65.87 To a B. Oak 25 in. dia, in the line
- 80.00 Set a post cov. to sur. 23, 24, 26 & 27,
a B. Oak 30 in. dia, heavy N16 E 116 1/2 1/2 in. dia

T. 30 N. R. 2 W. 2nd, New, Ind.

E. L. To a B. Oak 20 in. dia. bears S47 E 448 th. dia,
Land is level & mostly wet flag & Bull rush
swamp & a few B & W Oak &c

East On Random between sections 23 & 24
80.50 To the E. line of sec. at the post,

West Correct the line between sections 23 & 24
160.25 Set the gr. sec. cor. post from which
a B. Oak 20 in. dia. bears N8 W 133 th. dia,
& a W. Oak 22 " " " N56 1/2 W 631 " "
80.50 To the sections corner,
Land level & B. Oak & the timber is B & W -
Oak &c, & some flag swampy &c

North Between sections 22 & 23,
32.98 To a W. Oak 20 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a W. Oak 30 in. dia. bears S40 E 283 th. dia,
& a Do. 20 " " " S9 E 283 " "
59.82 To a B. Oak 25 " " in the line,
59.71 " " W. Oak 20 " " " " "
80.00 Set a post cor. to sec. 14, 15, 22 & 23 -
a W. Oak - in. dia. bears S39 W 355 th.,
& a Do. - " " " N64 E 685 " dia,
Land level same of timber, Flag & Bull
rush swamps & few trees of W & B Oak &c.

East On Random between sec. 14 & 23,
80.52 To the E. line of sec. 23 th. N. of post,

West Correct the line between sec. 14 & 23,
15.05 To a B. Oak 20 in. dia. in the line,

T. 30 N., R. 2 W., 3rd New Ind.

- C. L.,
40.26 Set the gr. sec. cor. post from which
w W. Oak 25 in dia, bears S42 E 47 1/2 Mn. dia,
& a Do, 18 " " " S64 W 107 " "
- 80.62 To the corner of section,
Land is last ratd part wet & part dry,
bearing a few B & W. Oak. mud. brush is
whortleberry, where there is any.

North Between sections 14 & 15

- 13.45 To a Hickory 18 in dia, in the line,
40.07 Set the gr. sec. cor. post from which
w B. Oak 20 in dia, bears N28 1/2 W 24 Mn,
& w Do, 18 " " " N53 E 87 " dia,
- 80.07 Set post cor. to sec. 10, 11, 14 & 15 from wh,
w W. Oak 24 in dia, bears S46 E 43 Mn. dia,
& a Do, 12 " " " N41 W 33 " "
- Land part dry & part wet bearing & the
timber is B & W. Oak & Br Oak & Hickory

East On Random between sec. 11 & 14

- 81.32 To the E. line of sec. 20 Mn. S. of post,

West Correct the line between sec. 11 & 14

- 17.82 To a B. Oak 30 in dia, in the line,
40.66 Set the gr. sec. cor. post from which
w B. Oak 24 in dia, bears S57 E 22 Mn. dia,
& a W. Oak 18 " " " N59 W 11 " "
- 50.17 To a B. Oak 36 " " in the line,
81.32 To the section corner,
Land is all dry bearing & the timber
is B & W. Oak & Hickory

North Between sections 10 & 11.

T. 30 N. R. 2 W. 2nd Mer. Ind.

- 61.82 To a B. Oak 18 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a Hickory 6 in. dia. bears N 66 $\frac{1}{2}$ W 107 $\frac{1}{2}$ M,
a W. Oak 18 " " " N 25 E 102 "
- 60.13 To a B. Oak 24 " " in the line,
80.00 Set a post cor. to sec. 2, 3, 10 & 11 from wh.
a W. Oak 18 in. dia. bears N 45 $\frac{1}{2}$ W 45 $\frac{1}{2}$ M,
a B. Oak 20 " " " N 64 E 39 " dia,
Land level & wet during & the timber is
B. & W. Oak, & W. G. same where is any,

- East On Random between sec. 2 & 11
10.60 To a Creek 10 M. wide on. S. E.,
81.30 To the E. line of sec. 60 M. S. of post,

- West Correct the line between sec. 2 & 11
40.65 Set the gr. sec. cor. post from which
a W. Oak 20 in. dia. bears N 2 $\frac{1}{2}$ E 47 $\frac{1}{2}$ M. dia,
a Do. 12 " " " N 29 W 40 " "
- 70.70 To a Creek 10 M. wide on. S. E.,
78.47 " " B. Oak 24 in. dia. in the line,
81.30 " the section corner,
Land level, W $\frac{1}{2}$ is dry & the E $\frac{1}{2}$ is
chiefly flag & bull-rush swamp & the
timber is B. & W. Oak &

- North Between sections 2 & 3,
5.11 To a W. Oak 20 in. dia. in the line,
12.62 " " Creek 10 M. wide on. S. E.,
40.00 Set the gr. sec. cor. post from which
a W. Oak 12 in. dia. bears N 11 W 339 $\frac{1}{2}$ M. dia,
a Do. 18 " " " N 49 E 161 " "
- 75.26 To a B. Oak 20 " " in the line,

T. 30 N. R. 2 W. 2nd New, Ind.

6. S.
82.60 To the N. boundary, 38th m. W. of post,
& set post cor. to sec. 27 & 3, from which
a W. Oak 12 in dia. bears S 21° E 350 m. dist.
a B. Oak 18 " " " S 43° E 292 " "
Land level wet baring & the timber Oak &

North Between sections 33 & 34

11.85 To a W. Oak 18 in dia. in the line
37.99 " " Do. 25 " " " " "
40.00 Set the gr. sec. cor. post from which
a W. Oak - in dia. bears S 27° W 30 m. dist.
& a B. Oak 18 " " " N 45° E 19 " "
62.17 To a W. Oak 25 " " in the line,
80.00 Set a post cor. to sec. 27, 28, 33 & 34 from
a B. Oak 23 in dia. bears N 67° E 371 m. dist.
& a W. Oak 18 " " " S 70° E 261 " "
mostly wet baring, bullrush & flag swamp
a few trees of W. & B. Oak &

East On Random between sections 27 & 34

80.42 To the E. line of sec. 100 m. N. of post,

West Correct the line between sec. 27 & 34

40.21 Set the gr. sec. cor. post from which
a W. Oak 15 in dia. bears S 28° E 148 m.
& a Do. 20 " " " S 62° E 175 " dist.
80.42 To the sections corner, Land is almost
entirely wet & mostly flag & bullrush
swamp, &

North Between sections 27 & 28,

9.95 To a W. Oak 15 in dia. in the line,
40.00 Set the gr. sec. cor. post from which

T. 30 N. R. 2 W. 2^d, New, Ind^a,

C. S.

- a W. Oak 8 in. dia. bears S 13 E 118 1/2 M. dist.
 & a Do. - " " " S 65 E 73 " "
 80.00 Set a post cor. to sec. 21, 22, 27 & 28.
 & a B. Oak 6 in. dia. bears S 74 E 335 M.
 & a Do. 6 " " " S 13 E 341 "
 Land generally wet barrens & the timber
 is B. Oak & W. Oak &c

East On Random between sec. 22 & 27
 79.43 To the E. line of sec. 56 M. N. of post,

- West Correct the line between sec. 22 & 27
 39.71 1/2 Set the gr. sec. cor. post from which
 a B. Oak 18 in. dia. bears S 59 1/2 E 295 M.
 & a Do. 6 " " " N 75 W 495 "
 79.43 To the sections corner,
 Land generally wet barrens & the timber
 is B. Oak & W. Oak. &c.

- North Between sections 21 & 22,
 21.55 To a W. Oak 18 in. dia. in the line,
 35.12 " " Do. 20 " " " " "
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 20 in. dia. bears S 18 W 344 M.
 & a Do. 20 " " " S 17 E 443 "
 57.35 To a W. Oak 18 " " in the line,
 80.00 Set the post cor. to sec. 15, 16, 21 & 22,
 a W. Oak 24 in. dia. bears N 77 W 59 M.
 & a Do. 30 " " " S 61 1/2 E 50 " dist.
 Land level dry barrens & the timber
 is B. Oak & W. Oak &c

East On Random between sec. 15 & 22

T. 30 N. R. 2 W. 2^d, New Ind^a

C. S.

79.63 To the E. line of sec. 71 th. N. of post,

West Correct the line between sec. 15 & 22,39.81½ Set the gr. sec. cor. post from which
a B. Oak 6 in. dia. bears S 23 E 73 th. dist,
& a Do. 8 " " " S 24 W 117 " "80.00 Set a post cor. to sec. 15, 16, 21 & 22,
Land level & wet & many & scarce of
timber & some B. & W. Oak, &

North Between sections 15 & 16,40.00 Set the gr. sec. cor. post from which
a W. Oak 24 in. dia. bears S 37 E 58 th.,
& a Do. 18 " " " N 58 W 157.

63.93 To a W. Oak 12 " " in the line,

80.00 Set a post cor. to sec. 9, 10, 15 & 16,
where raised a mound.Land generally wet & many & the
timber is B. Oak & W. Oak &

East On Random between sections 10 & 15

79.58 To the E. line of sec. 29 th. N. of post,

West Correct the line between sec. 10 & 1539.79 Set the gr. sec. cor. post from which
a B. Oak 24 in. dia. bears N 7 W 21 th.,
& a Do. 18 " " " S 26 W 118 "

49.83 To a B. Oak 18 " " in the line,

79.58 To the section's corner,

Land is generally barren & sec^d rate
& the timber is B. Oak & W. Oak &

North Between sections 9 & 10,

T. 30 N. R. 2 W 2nd Mer. Ind.

- Co. G,
 40.00 Set the gr. sec., cor. post from which
 a B. Oak 10 in. dia., bears $S 65\frac{1}{2}^{\circ} W 206$ ths,
 & a Do. 18 " " " $N 54^{\circ} E 204$ "
- 50.15 To a W Oak 20 " " in the line,
 54.32 " " B. Oak 10 " " " " "
- 80.00 Set a post cor. to sec., 3, 4, 9 & 10 from wh.,
 a W. Oak 18 in. dia., bears $N 75\frac{1}{2}^{\circ} W 162$ ths,
 & a Do. 12 " " " $N 38^{\circ} W 161$ "
- Land level $S \frac{1}{2}$ dry & $N \frac{1}{2}$ wet bearing
 & the timber is B & W. Oak & —

- East On Random between sec., 3 & 10
 81.09 To the E. line of sec., 85 ths. S. of post,

- West Correct the line between sec., 3 & 10
 40.54 $\frac{1}{2}$ Set the gr. sec., cor. post from which
 a B. Oak 18 in. dia., bears $N 42^{\circ} W 42$ ths. Dist,
 & a Do. 18 " " " $N 16^{\circ} E 49$ " "
- 55.18 To a Do. 18 " " in the line,
 81.09 To the S. cor. Land level wet
 bearing, some swampy. & the timber is
 B. Oak & W. Oak, & —

North Between Sections 3 & 4

- 24.91 To a B. Oak 18 in. dia., in the line
 40.00 Set the gr. sec., cor. post from which
 a B. Oak 6 in. dia., bears $N 19\frac{1}{2}^{\circ} W 188$ ths,
 & a Do. 10 " " " $N 47\frac{1}{2}^{\circ} E 114$ "
- 81.93 To the N. boundary, 240 ths. West of
 post, & set post in swamp - no bearings
 cor. sec., 3 & 4 - Land level, this line
 runs through a swamp, neck deep with
 but little timber, a few B & W. Oaks (May 3rd 1824)

T. 30 N. R. 2 W. 2nd Mer. Ind^h

- 61.00
 North Between sections 32 & 33
 12.04 To a B. Oak 18 in. dia. in the line,
 32.92 " " Do, 20 " " " " "
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 20 in. dia. bears S 24° W 50th lks, ^{diag}
 & a Do, 24 " " " S 72° E 67 " "
 58.90 To a B. Oak 20 " " in the line,
 80.00 Set a post cor. to sec. 28, 29, 32 & 33
 a W. Oak 20 in. dia. bears N 21½° W 41th lks,
 & a Do, 18 " " " N 41½° E 182 "
 Land is generally dry barney & the
 timber is B & W Oak & ~

-
- East On Random between sec. 28 & 33
 10.60 To a Creek 15 lks. wide on. South
 80.00 To the E. line of Sec. 26 lks. S. of post,
 May 5th 1834 - Robt. Hanna J. S.

-
- West Correct the line between sec. 28 & 33
 18.06 To a W. Oak 15 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 8 in. dia. bears N 12° W 33th lks,
 & a Do, 24 " " " S 57½° W 45th lks, ^{diag}
 69.40 To a Creek 15 lks. wide on. West
 80.00 To the sections corner,
 Land generally wet barney & the
 timber is same ~

-
- North Between sections 28 & 29
 40.00 Set the gr. sec. cor. post from wh,
 a W. Oak 24 in. dia. bears S 89½° W 30th lks,
 & a Do, 36 " " " N 31½° W 165 "
 80.00 Set a post cor. to sec. 28, 29, 28 & 29

T. 30 N. R. 2 W. 2nd New, Ind^a,

61.61 To a B. Oak 20 in. dia., bears S 26° E 485 ft.,
 & a W. Oak 20 " " " S 10 $^{\circ}$ E 516 "
 Land generally wet & sandy & the
 timber is B. & W. Oak, N. G. same,

East On Random between Secs. 21 & 28,
 79.90 To the E. line of sec. 33 th. N. of post,

West Correct the line between Secs. 21 & 28,
 5.90 To a W. Oak 20 in. dia., in the line,
 39.95 Set the gr. sec. cor. post from wh.
 a W. Oak 12 in. dia., bears S 28° E 148 ft.,
 & a B. Oak 24 " " " N 45° W 169 "
 43.18 To a B. Oak 20 " " in the line,
 79.90 To the section's corner,
 Land level & part dry & sandy & the
 timber is B. Oak & W. Oak, N. G. same,

North Between sections 20 & 21

40.00 Set the gr. sec. cor. post from which
 a B. Oak 10 in. dia., bears S 87° E 50 ft.,
 & a W. Oak - " " " S 33° E 79 "
 56.46 To a W. Oak, 18 " " in the line,
 80.00 Set a post cor. to sec. 16, 17, 20 & 21,
 a B. Oak 24 in. dia., bears S 81° E 704 ft.,
 & a W. Oak 18 " " " N 85° W 680 "
 Land generally wet, & the sandy & the
 timber is B. & W. Oak, where there is any,

East On Random between sections 16 & 21
 78.62 To the E. line of sec. 66 th. N. of post,

West Correct the line between Secs. 16 & 21,

T. 30 N. R. 2 W. 2nd Mer. Ind.

6. L.
 23.20 To a W. Oak 36 in. dia in the line,
 39.31 Set the gr. sec. cor. post from which
 a W. Oak 24 in. dia. bears S 81 $\frac{1}{2}$ E 124 lks. dist,
 & a Do. 20 " " " N 26 E 112 " "
 48.62 To the sections corner, Land level with
 Ranney & the timber is B & W Oak &c.

North Between sections 16 & 17

- 40.00 Set the gr. sec. cor. post from which
 a W. Oak 20 in. dia. bears N 54 E 571 lks. dist,
 & a Do. 18 " " " N 36 $\frac{1}{2}$ E 533 " "
 60.79 To a B. Oak 18 " " in the line
 72.56 " " W. Oak 18 " " " " "
 80.00 Set a post cor. to sec. 8. 9. 16 & 17
 a W Oak 10 in. dia. bears S 46 W 275 lks. dist,
 & a Do. 24 " " " N 71 W 309 " "
 Land is all wet barney mostly covered with
 water & nearly destitute of timber.

- East On Random between sec. 9 & 10,
 76.81 To the E. line of sec. 3 lks. N. of post.

West Corrid the line between sec. 9 & 10

- 38.40 $\frac{1}{2}$ Set the gr. sec. cor. post from which
 a W. Oak 18 in. dia. bears N 3 $\frac{1}{2}$ E 136 lks. dist,
 & a W. Oak 24 in. " " S 55 W 320 " "
 76.81 To the sections corner, Land chiefly
 wet barney with but little timber of
 any kind & a few B & W Oaks. See

North Between sections 8 & 9

- 40.00 Set the gr. sec. cor. post from wh,
 a W. Oak 18 in. dia. bears N 4 $\frac{1}{2}$ W 10.20 lks.

27

T. 30 N. R. 2 W. D. New, Ind.

C. L. & W. Oak 24 in. dia. bears S 34 W 10.25 M
 80.00 Set a post cor. to sec. 4, 5, 8 & 9 from which
 a B. Oak 20 in. dia. bears N 18 W 800 M. dist.
 & a Do. 18 " " " N 56 E 810 " "
 Land level & mostly wet prairie, no timber.

East On Random between sections 4 & 9
 80.50 To the E. line of Sec. 67 M. N. of post

West Correct the line between sections 4 & 9
 40.25 Set the Dr. Sec. cor. post from which
 no bearing - water mid thigh deep
 80.50 To the Sections corner. Land level &
 almost destitute of timber & covered with water.

North Between sections 3 & 4

40.00 Set the gr. sec. cor. post from which
 a W. Oak 18 in. dia. bears N 17 W 142 M. dist.
 & a B. Oak 6 " " " N 25 E 149 " "
 48.87 To a B. Oak 18 " " in the line,
 79.75 To the N. boundary, 19 M. W. of post.
 & set post cor. to sec. 3 & 4 from wh.
 a B. Oak 8 in. dia. bears N 17 E 52 M. dist.
 & a Do. 10 " " " S 42 E 111 " "
 Land level & much prairie & the timber
 is scarce, some groves of B. & W. oak &c
 May 8th. 1834. R. Hanna Dep. Sur.

North Between sections 31 & 32

40.00 Set the gr. sec. cor. post from which
 a B. Oak 18 in. dia. bears N 7 W 840 M.
 & a Do. 18 " " " N 8 W 870 "
 80.00 Set a post cor. to sec. 30, 29, 31 & 32

T. 30 N. R. 2 W. 3rd New. Ind.

C. L.

a B. Oak 10 in. dia. bears N 37 E 215 M. 7 in.
 & a W. Oak 24 " " " S 41 E 186 " "
 Land level wet bearing scarce of timber
 grows of W & B. Oak, & some other, same.

East On Random between sections 29 & 32
 79.48 To the E. line of sec. 24 M. N. of post,

West Correct the line between sections 29 & 32
 39.74 Set the q. sec. cor. post from which
 a B. Oak 18 in. dia. bears N 54 E 161 M. dia.
 & a Do. 10 " " " S 10 W 211 " "
 79.48 To the section's corner, Land level
 & wet bearing & the timber is scarce &
 some White & B. Oak &

West On Random between sections 30 & 31
 81.93 To the E. line of sec. (W. boundary) 110 M.
 N. of post, Land wet bearing some
 W & B. Oak timber, & W. G. same & same,

East Correct the line between sec. 30 & 31
 14.75 To a B. Oak 18 in. dia. in the line,
 41.93 Set the q. sec. cor. post. from which
 a B. Oak 15 in. dia. bears N 82 E 556 M.
 & a Do. 18 " " " S 8 W 499 "
 81.93 To the section's corner,
 Land wet bearing & scarce of timber &
 a few B & W. Oak & W. G. same & same

North Between sections 29 & 30,
 140.00 Set the q. sec. cor. post from which
 a W. Oak 15 in. dia. bears S 57 E 19 M.

T. 30 N. R. 2 W. 2nd, New. Ind.

C. G.

- To a Fr. Oak 12 in. dia. bears N 20 $\frac{1}{2}$ W 14 $\frac{1}{2}$ M. dist.
 55.25 To a B. Oak 30 " " in the line,
 80.07 Set a post cor. to sec. 20, 19, 29 & 30 fr. wt.
 a B Oak 8 in. dia. bears S 74 $\frac{1}{2}$ E 79 $\frac{1}{2}$ M. dist.
 To Gum 9 " " " N 9 $\frac{1}{2}$ E 116 " "
 Land level with barney scars of timber.
 Home 73 & W. Oak 1 in

East On Random between sections 20 & 29
 79.66 To the E. line of sec. 24 M. N. of post
 May 7th, 1834 — R. Hanna D. S.

- West Correct the line between sec. 20 & 29
 11.06 To a W. Oak 18 in. dia. in the line
 39.83 Set the gr. sec. cor. post from which
 a W. Oak 18 in. dia. bears N 66 $\frac{1}{2}$ E 82 $\frac{1}{2}$ M. dist.
 To Do. 18 " " " S 78 $\frac{1}{2}$ W 142 " "
 43.98 To a W. Oak 15 " " in the line,
 Land generally dry barney some
 W Oak & B. Oak 1 in

West On Random between sections 19 & 30
 83.25 To the W. boundary, 108 M. N. of post.

- East Correct the line between sec. 19 & 30
 10.45 To a W. Oak 15 in. dia. in the line.
 16.50 " " B. Oak 20 " " " " "
 43.25 Set the gr. sec. cor. post from which
 a B. Oak 18 in. dia. bears N 39 $\frac{1}{2}$ W 9 $\frac{1}{2}$ M. dist.
 To Do. 15 " " " S 21 $\frac{1}{2}$ W 24 " "
 44.55 To a B. Oak 15 " " in the line,
 83.25 " the sections corner. Land level with
 Barney Oak &c. and 5th same, same,

T. 30 N. R. 2 W. 2nd Mer. Ind.

Co. L.

North Between sections 19 & 20,

11.93 To a W. Oak 18 in. dia. in the line

33.07 " " Do. 15 " " " " "

40.00 Set the gr. sur. cor. post from which
a B. Oak 15 in. dia. bears S 73° W 25 the dia.
+ a Do. 18 " " " S 84° E 13 " "80.00 Set a post cor. to sec. 17, 18, 19 & 20 from wh.
a W. Oak 18 in. dia. bears S 79° E 137 the dia.
+ a Do. 15 " " " N 72° E 186 " "
Land level wet barrens, & the timber is round
& scattering W. & B. Oak &c

East Over Random between sections, 19 & 20

79.85 To the E. line of sec. 190 the S. of post

West Correct the line between sec. 19 & 20,

10.54 To a W. Oak 12 in. dia. in the line,

14.52 " " Do. 12 " " " " "

39.92½ Set the gr. sur. cor. post from which
a Spruce 12 in. dia. bears S 51° E 425 the dia.
+ a Do. 10 " " " S 25° E 243 " "79.85 To the sur. corner, Land wet level
wet barrens W. & B. Oak &c

West Between sections 18 & 19

83.80 To the W. ^{County} 97th the N. of post,

East Correct the line between sec. 18 & 19

43.80 Set the gr. sur. cor. post from which
an aspen 6 in. dia. bears S 23½° E 22 the dia.
+ a Do. 1½ " " " S 5½° E 26 "83.80 To sur. cor. Land all marsh barrens
very little timber. W. & B. Oak Aspen &c

T. 30 N. R. 2 W. 2nd, Nov. Ind.

C. L.

North Between sections 17 & 18

- 39.25 To a Post 24 in. dia. in the line
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 18 in. dia. bears S 62 $\frac{1}{2}$ E 24 lks. dist.
 & a Do. 20 " " " N 65 E 22 " "
 54.92 To a B. Oak 24 " " in the line,
 80.00 Set a post cor. to sec. 7, 8, 17 & 18,
 a B. Oak 12 in. dia. bears N 25 W 750 lks. dist.
 & a W. Oak 20 " " " N 45 W 730 " "
 Land level wet barrens some groves with oak

East On Randon between sections 8 & 14
 79.03 To the E. line of sec. 53 lks. S. of post.

West Correct the line between sec. 8 & 14
 39.51 Set the gr. sec. cor. post from which
 an Aspen 10 in. dia. bears N 34 W 384 lks.
 & a Do. 6 " " " N 29 W 330. dist.
 79.02 To the sec. cor. Land level wet barrens
 some groves aspen & W Oak &

West Between sections 7 & 18
 83.55 To the W. boundary 110 lks. N. of post.

East Correct the line between sections 7 & 18,
 43.55 Set the gr. sec. cor. post from which
 a W. Oak 18 in. dia. bears N 86 $\frac{1}{2}$ W 260 lks.
 & a Do. 20 " " " S 5 W 223. dist.
 83.55 To the section corner, Land level
 & wet barrens, & the timber B. Oak & W Oak,
 & some at that. May 8th 1834 —

North Between sections 7 & 8,

T. 30 N. R. 2 W. 2nd Mer. Ind.

- Co. Co,
 7.39 To a B. Oak 24 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 6 in. dia. bears S 57° W 10.23 M. dia,
 & a Lym 12 " " " S 66° E 10.64 " "
- 80.00 Set a post in mound cor. sec. 5.6.7 & 8,
 Land level wet prairie & some small group
 of W. Oak & Aspen &c

- East On Random between sections 5 & 8,
 77.91 To the E. line of sec. 117 M. N. of post

- West Corner the line between sec. 5 & 8,
 38.95 $\frac{1}{2}$ Set the gr. sec. cor. post from which
 an Elm 12 in. dia. bears N 61 $\frac{1}{2}$ ° E 5.95 M.,
 & a Lym 18 " " " " S 57° E 6.65 " "
- 77.91 To the sections corner,
 Land level wet prairie, some groups
 & the timber is Lym Elm & W Oak &c

- West Random between sections 6 & 7
 83.12 To the W. boundary 71 M. N. of post,

- East Corner the line between sec. 6 & 7
 43.12 Set the gr. sec. cor. post from which
 a B. Oak 10 in. dia. bears N 59° W 29.6 M. dia,
 & a W Oak 12 " " " " S 26° E 4.58 " "
- 83.12 To the sections corner,
 Land level wet prairie & the timber
 is Bl. & White Oak &c

- North Between sections 5 & 6,
 40.00 Set the gr. sec. cor. post from which
 a W Oak 10 in. dia. bears N 3 $\frac{1}{2}$ ° W 9.40 M. dia,

T. 30 N. R. 3 W. 2^d New Ind. —

C. L.,
 La Widm 12 in. dia. bears N 9° W 970 lks. dist
 54.92 To a B. Oak 24 " " in the land,
 78.93 To the N. boundary, 360 lks. E. of post,
 Set post cor. to sec. 5 & 6 from which
 a B. Oak 12 in. dia. bears S 14° W 35 lks. dist.
 La Dn 12 " " " S 44° E 10 1/2 " "
 Land level wet banner & a find W &
 B. Oak, &c. May 9th. 1834. —

This book contains a true copy of the
 field notes of the township to which it refers
 which is hereby certified,

R. Hanna Deputy Surveyor.

Meanders of Tippecawee river, Left bank
 Down stream in sec. 1.

Course	C. L.	Begin in E. boundary —
S 7 1/2° W	2.21	
S 2 1/2° E	6.50	
S 1/2° E	2.21	To post in Range line between 102
<hr/>		
S 65° W	5.85	Begin on Range line, sec. 12
S 68 1/2° W	3.11	
S 65 1/2° W	4.15	To N. point of an island
S 78° W	6.00	
S 77 1/2° W	5.25	
N 68 1/2° W	7.85	To the S. point of an island
S 14° W	6.42	To N. point of an island
S 9° W	4.45	
S 1° E	8.15	
S 37° W	5.97	
S 27 1/2° W	5.85	To South point of an island
S 16° E	10.58	

T. 30 N. R. 2 W. 2nd. New, Ind^a.

Course to L.	Meanders continued,
S 50 E 12.00	To post in line between sec. 12 & 13
S 53 E 3.50	In sec. 13
S 19 1/2 E 5.38	To the S. point of an island
S 5 1/2 W 4.13	To an Indian burying ground
S 32 W 8.50	To high bluff
S 59 1/2 W 4.79	
S 61 1/2 W 5.00	In sec. 13
S 87 W 6.20	
N 78 W 5.39	
N 73 W 7.98	
N 37 W 5.86	
N 29 W 4.27	
N 17 W 5.10	
N 35 W 6.50	
N 16 W 1.44	To post on line between sec. 12 & 13
N 47 W 8.00	In sec. 12
S 87 1/2 W 4.28	
S 67 1/2 W 4.82	
S 3 1/2 W 4.50	To a Maple cov. between sec. 12 & 13
S 19 E 6.22	In sec. 13,
S 43 1/2 E 4.44	
S 84 E 6.00	
S 57 E 6.16	
S 11 E 2.61	
S 15 E 3.80	
S 21 W 4.71	
S 26 W 2.73	
S 24 1/2 W 2.73	
S 30 E 4.62	

T 30 N. R. 2 W. 2^d, New Eng^d.

Course C. L.	Meanders continued,
S 78 E 3.40	
S 86 E 7.68	
S 78½ E 10.25	
S 70½ E 4.38	
S 86 E 3.99	
S 81 E 13.08	
N 86 E 11.12	
N 65½ E 9.72	
N 75½ E 2.33	To a Sycamore on Range line,
S 14 W 1.80	In sec. 25
S 56½ W 5.44	
S 85 W 11.50	
West 11.65	
West 6.84	
S 71 W 2.10	
S 30 W 4.22	
S 24 E 3.94	
S 72 E 8.00	To an island
S 48 E 3.84	
S 21 E 6.46	In sec. 25.
S 65 E 4.84	
S 80 E 7.10	
S 64½ E 8.27	
S 52 E 7.03	
S 47 E 1.20	¾ poth on Range line
S 55 W 3.22	In sec. 25 again
S 84½ W 4.00	High bluffs
N 81 W 6.90	
N 78 W 5.94	

T. 30 N. R. 2 W. 2nd Mer. Ind.

Course	Li. Le.	Meanders continued,
S 88 $\frac{1}{2}$ W	7.54	
S 69 $\frac{1}{2}$ W	3.04	
S 23 W	4.64	To an island
S 1 $\frac{1}{2}$ E	5.36	
S 30 W	2.21	
S 41 $\frac{1}{2}$ W	3.32	
S 53 $\frac{1}{2}$ W	4.00	
S 42 $\frac{1}{2}$ W	3.50	
S 59 $\frac{1}{2}$ W	2.83	To line between Secs. 25 & 36,
<hr/>		
S 60 W	5.38	In sec. 36
S 61 W	6.28	
S 29 W	9.93	
S 24 W	8.50	
S 46 W	6.13	
S 72 W	8.15	
S 80 W	5.07	
N 71 W	2.25	To a R. 10 mi. division, between sections 35 & 36
<hr/>		
S 77 W	.98	In sec. 35
N 82 W	8.08	
N 67 W	2.75	To an island
N 67 W	3.83,	
N 66 W	6.63	
S 83 W	3.50	
S 89 $\frac{1}{2}$ W	4.10	
S 66 W	11.69	
S 44 W	11.55	
S 46 W	10.50	
S 17 W	8.98	
S 48 W	5.72	

T. 30 N. R. 2 W. 2nd Mer. Ind^a.

Course C. L.	Meanders continued,
S 66° W 6.82	
N 85° W 8.26	
N 70° W 5.10	To line between sec. 34 & 35
S 82° W 7.94	In sec. 34
S 46° W 4.90	
S 18½° W 6.59	
S 50° W 7.48	
S 52½° W 6.69	
S 69° W 7.12	To line between sec. 29 & 30
S 16½° W 14.73	Meanders of Tepee canon River
S 6° E 13.33	Down stream on Right bank
S 25° E 6.72	In sec. 1. Begins in E. boundary
	To post in Range line
S 56½° W 7.00	In sec. 12
S 86½° W 5.74	
N 71½° W 9.00	
S 78½° W 6.86	
S 49° W 7.08	
S 28° W 10.31	
S 34° W 10.93	
S 8° E 9.41	crack 35 ft. wide
S 1½° E 11.00	
S 30° E 7.08	
S 34½° E 5.00	To post on line between sec. 12 & 13
S 24° E 15.00	In sec 13
S 41° W 6.76	
S 82° W 7.61	

T. 30 N. R. 2 W. 2nd Mer. Ind.

Course	b. L.	Meanders Continued
N 74 $\frac{1}{2}$ W	11.69	In sec. 13
N 69 $\frac{1}{2}$ W	2.50	
N 27 W	12.10	
N 15 W	2.15	
N 33 W	2.00	To post between Aug. 12 & 13
N 33 W	4.19	In sec. 12
N 47 $\frac{1}{2}$ W	6.10	
N 75 W	4.00	High Bluff
N 79 W	4.64	
S 66 W	7.50	
S 1 W	7.00	To cor. Aug. 11, 12, 13 & 14
S 1 E	5.80	In sec. 13
S 24 $\frac{1}{2}$ E	6.27	
S 67 $\frac{1}{2}$ E	7.06	
S 61 E	6.57	
S 15 W	13.66	
S 38 E	7.60	
S 77 E	9.14	
S 81 $\frac{1}{2}$ E	25.04	
S 85 E	13.06	
S 88 $\frac{1}{2}$ E	6.76	
N 09 E	6.83	
N 60 E	6.75	To Range line between 1 & 2
S 30 W	6.35	In sec. 25
S 64 W	4.56	
N 63 $\frac{1}{2}$ N	2.00	
S 76 $\frac{1}{2}$ W	13.06	
N 82 W	7.89	
N 89 $\frac{1}{2}$ W	7.04	

T. 30 N. R. 27 W. 2nd Mer. Ind.

Course Co. Sec. Meanders Continued,

S64°W	4.87	In sec. 25
S25°W	6.54	
S11°E	6.55	
S36°E	13.95	
S65½°E	10.08	
S73°E	16.59	
S53°E	6.52	
S42°E	3.48	
South	3.31	
N83°W	18.42	
S88½°W	10.88	
S34°W	5.28	
S20°W	6.62	
N46°W	19.75	To post on line between sec. 25 & 36

S66°W	3.32	In sec. 36
N44°W	6.32	
S29°W	7.55	
S26°W	7.06	
N42½°W	4.67	
S82½°W	12.30	
S87½°W	1.23	To post between sec. 35 & 36

N57°W	6.46	In sec. 35
N83°W	7.07	
N77°W	10.43	
S89°W	3.00	
S75°W	7.35	
S79½°W	1.80	
S71°W	4.63	
N48½°W	25.23	
S25½°W	16.56	

T. 30 N. R. 2 W. 2nd Mer. Ind. a

Course to L.	Meanders continued
S 83° W 6.00	
N 71° W 10.15	To post on line between sec 34 & 35
S 44° W 3.73	In sec, 34
S 64° W 5.73	
S 48° W 10.65	
S 33° W 9.50	
S 52° W 8.11	
S 78° W 6.54	
S 58° W 4.75	
S 39° W 1.64	To post on South boundry, of Town

I certify that the foregoing transcript of field notes of Township 30 North of Range 2 West, 2nd Meridian in the state of Indiana, has been compared with the original in this office & found to be correct.

Q. S. D. Q. V. N.
Sur. Genl.

Surveyor General's office,
Cincinnati, March 15th 1842.