

INDEX MAPS.

T. 29N, R. 1W. 2nd Mer.

	7	7	6	6	5	6						
9	6	30	5	24	4	21	3	17	2	13	1	5
	29		29		24		20		17		13	
9	7	29	8	23	9	20	10	16	11	12	12	4
	28		28		23		20		16		12	
9	18	28	17	23	16	19	15	16	14	12	13	4
	27		27		23		19		15		11	
8	19	27	20	22	21	19	22	15	23	11	24	3
	27		26		22		19		15		10	
8	30	26	29	22	28	18	27	14	26	11	25	3
	25		25		21		18		14		10-11	
7	31	25	32	21	33	18	34	14	35	11	36	3
	2		2		2		1		1		1	

T. 30N, R. 1W. 2nd Mer.

	40	39	39	38	38	37						
43	6	66	5	59	4	55	3	52	2 ^x	47	1	37
	65		65		59		55		51		47	
43	7	65	8	58	9	55	10	51	11	47	12	37
	64		64		58		54		51		46	
42	18	64	17	58	16	54	15	50 ^x	14	46	13	36
	63		63		57		54		50⁷		46	
42	19	62	20	57	21	53	22	49	23	46	24	36
	62		61		56		53		49		45	
41	30	61	29	56	28	53	27	49	26	45	25	36
	60		60		56		52		48		44	
40	31	60	32	56	33	52	34	48	35	44	36	35
	35		34		34		34		33		33	

Manders 66

[] The figures on the lines refer to the page.

T. 30 N. R. 1 W. 2nd Mer. (Ind. 2)

6. 56
 Nest On the S. side of sec. 34
 3.05 To a Y. Oak 12 in dia. in the line
 26.00 To a marsh with muskrat houses.
 38.50 Leave the same
 40.00 Set the gr. sec. cor. post from which
 a Y. Oak 14 in dia. bears N 44 E 34 th. dist.
 & a Do. 18 " " " N 34 W 41 " dist.
 51.00 To prairie bottom a wet & dry, some water
 80.00 Set a post cor. to sec. 33 & 34 from wh.
 no bearings - Placed a mound for cor.
 Land ex. prairie & marsh rolling spurs,
 & the timber is Y & W. Oak &

- Nest On the S. side of sec. 33
 28.00 Entered a marsh
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 18 in dia. bears N 15 E 122 th. dist.
 & a Do. 14 " " " N 60 1/2 W 134 " "
 41.00 Leave the marsh
 43.63 To a Y. Oak 15 in dia. in the line,
 49.29 To a W. Oak 8 " " " " "
 80.00 Set a post cor. to sec. 32 & 33 from wh.
 a W. Oak 11 in dia. bears N 56 W 38 th. dist.
 & a Do. 9 " " " N 64 3/4 E 164 " "
 Land is similar to last mile)

- Nest On the S. side of sec. 32
 40.00 Set the gr. sec. cor. post from which
 a Br. Oak 8 in dia. bears N 56 W 124 th. dist.
 & a Hickory 17 " " " N 55 1/2 W 168 " "
 43.69 To a Br. Oak 8 " " in the line,
 80.00 Set a post cor. to sec. 31 & 32 from wh.
 a Y. Oak 16 in dia. bears N 69 W 395 th.

T. 30 N. R. 1 W. 2nd Nov. (Ind. 35)

C. L.

4 a W. Oak 16 in. dia. bears N 27 $\frac{1}{2}$ E 579 ths,
Land level & mostly good soil. almost prairie
some scattering Br. & Y. Oak & Hickory
& some low wet places,

-
- West On the S. side of sec. 31,
7.00 Entered a marsh
11.50 Leave the do., water has a current to N.
19.00 Leave scattering timber & cont. dry prairie
40.00 Set gr. sur. cor. post in prairie &
where raised a mound,
80.50 To wet prairie or marsh
82.34 To the W. boundary, at end of 5.75.12 ths.
& set post cor. to Towns 29 & 30 N. R. 1 & 2 W.
a B. Oak 18 in. dia. bears S 15 $\frac{1}{2}$ E 977 ths. dia.
& raised mound in marshy barony,
Barony similar. prairie level good soil,
(Var. 5. 35' E.) Nov. 30th 1833. very warm & pleasant,
Surveyed by Clark & Sibley. D. Sur.

East Boundary. (Var. 5. 30' E.)

- North On the E. side of sec. 36,
4.73 To a stream 20 ths. wide cor. S. W.
30.36 Leave prairie at a B. Oak 24 in. dia.,
35.50 To an Ind. trail cor. NW,
40.00 Set the gr. sur. cor. post from which
a B. Oak 4 in. dia. bears S 38 $\frac{1}{2}$ W 100 ths,
& a Do. 20 " " " N 6 $\frac{1}{2}$ W 116 " 90 ths,
45.00 Entered a wet prairie,
75.00 Leave the " Do.
80.00 Set a post cor. to sec. 25 & 36 from wh.,
a B. Oak 18 in. dia. bears S 5 $\frac{1}{2}$ W 28 ths. dia.,
& Do. 22 " " " N 45 W 15 " "

T. 30 N. R. 1 W. 3rd Nov. (Ind. 4)

C. L. Land chiefly all wet prairie

- North On the E. side of sec. 25
 18.53 To a B. Oak 18 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 30 in. dia. bears S27°W 122 ft.,
 & a Do. 4 " " " N65°W 74 " dit.,
 74.00 Entered a wet prairie
 78.59 To a Hickory 14 in. dia. in line & leave prairie
 80.00 Set a post cor. to sec. 24 & 25 from which
 a Hickory 16 in. dia. bears S45°W 27 ft. dit.,
 & a Do. 10 " " " N27½°W 39 " "
 Land 3rd rate. Oak timber. No W. G. —

- North On the E. side of sec. 24
 31.00 To a B. Oak 20 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 14 in. dia. bears S55°W 19 ft.,
 & a W. Oak 12 " " " N53°W 29 " dit.,
 62.00 Entered a wet prairie
 73.00 Leave the Do.,
 78.75 To a Hickory 20 in. dia. in the line,
 79.00 Entered a wet prairie,
 80.00 Set a post cor. to sec. 13 & 24 from wh.,
 a W. Oak 24 in. dia. bears S10°W 120 ft.,
 & a Do. 22 " " " N17°W 127 " dit.,
 Land is same as on last mile,

- North On the E. side of sec. 13,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 24 in. dia. bears S83°E 281 ft.,
 no other tree May 7 (post in prairie)
 80.00 Set a post cor. to sec. 12 & 13 from wh.,

T. 30 N. R. 1 W. 2nd Nov. (Ind. 2^o)

37

C. L. no bearings, but raised a mound
Land wet prairie,

North On the E. side of sec. 12

- 26.00 Leave the prairie,
26.50 To a B. Oak 16 in. dia. in the line,
40.00 Set the gr. peg, cor. post from which
a B. Oak 15 in. dia. bears $S 9^{\circ} W 18$ ths. dist,
+ a W. Oak 16 " " " $N 22^{\circ} W 38$ " "
56.42 To a B. Oak 12 " " in the line,
80.00 Set a post cor. to sec. 1 & 12 from which
a B. Oak 20 in. dia. bears $S 3^{\circ} W 472$ ths.,
+ a Y. Oak 20 " " " $N 18^{\circ} W 174$ " dist;
Land level & 3rd rate & the timber is Oak &c.
-

North On the E. side of sec. 1,

- 10.00 Entered bearings,
30.56 To a small lake & set post S. W. side
a Br. Oak 6 in. dia. bears $S 47^{\circ} E 32$ ths. dist,
no other tree.
69.00 Set a post on N. W. side of Lake -
a W. Oak 14 in. dia. bears $N 5^{\circ} W 127$ ths. dist,
+ a B. Oak 20 " " " $N 27^{\circ} W 119$ " "
This lake was peeped by an offset of
30 chs. West $N 38$ chs. 44 ths. E 30 chs. to line,
Land &c. is same as last mile,
80.00 Set a post cor. to Secs. 30 & 31 N. R. 1 W.
a W. Oak 21 in. dia. bears $N 36^{\circ} E 143$ ths.,
+ a Do. 22 " " " $N 6^{\circ} W 214$ ths. dist,
Land &c. is same as on last mile,
Surveyed in May 1829. By David Willis D. S. -
-

North Boundary.

West On the S. side of sec. 36 $T 31 N. R. 1 W$

T. 30 N. R. 1 W. 2nd Mer (Ind.)

6. L.
 12.00 To a Lameran swamp
 18.00 Leave the Do. & Enter a marsh again,
 25.50 To a sluggish meiry brook 25th wide W. 1st W.
 40.00 Set the gr. res. cov. post from which
 a W. Oak 18 in. dia. bears N 30¹/₂ W 6.20th dist
 no other. corner in water,
 40.50 To sluggish brook again 50th wide W. 1st W
 65.00 " the same " on. NW,
 70.00 Leave the marsh, most of it a quagmire
 80.00 Set a post cov. to res. 35 & 36 from wh.
 a Hickory 16 in. dia. bears N 86¹/₂ W 155th
 & a Do. 6 " " " N 11 E 49th dist,
 N. of marsh the land is level barrens,
 with little timber of Hickory & Oak &c.

- Nest On the S. side of sec. 35, T. 31. N. R. 1 W
 3.87 To a Br. Oak 8 in. dia. in the line
 18.00 To a marsh or wet prairie,
 40.00 Set the gr. res. cov. post in marsh,
 a W. Oak 9 in. dia. bears S 12¹/₄ W 496th
 & a Y. Oak 14 " " " N 87 W 10.09 dist,
 66.00 Leave the marsh or wet prairie;
 77.83 To a G. Oak 14 in. dia. in the line,
 80.00 Set a post cov. to res. 34 & 35 from wh.
 a W. Oak 21 in. dia. bears N 77¹/₂ W 231th
 & a Y. Oak 14 " " " N 70³/₄ E 100 dist,
 W. of prairie a G. Oak sandy ridge possess
 some parts of prairie maybe dry enough
 for cultivation. 2nd rate soil —

- Nest On the S. side of sec. 34 T. 31. N. R. 1 W
 25.00 To wet prairie,
 40.00 Set the gr. res. cov. post from which

T. 30 N. R. 1 W. 2nd Mer. (Ind.?) 39

- 61.00 a W. Oak 9 in. dia. bears N17 $\frac{1}{2}$ E 489 lbs,
 & a G. Oak 14 " " " N14 W 396 dit,
 47.00 Leave the prairie,
 50.50 To a low prairie,
 80.00 Set a post cor. to sec, 33 & 34 from wh,
 a G. Oak 18 in. dia. bears N55 $\frac{1}{2}$ W 222 lbs,
 & a Do. 6 " " " N31 E 255 " dit,
 E. 25 chs, rolling G. Oak bearing. & W 55
 level & mostly low some scattering Pin Oak, poplar.

- Nest On the S. side of sec. 33 T. 31 N. R. 1 W
 13.00 Entered prairie,
 18.00 Leave Do. & Entered a marsh
 29.00 Leave Do. & " " a Dry prairie,
 34.00 Entered a marsh again,
 40.00 Set the gr. sec, cor. post in marsh
 a Hickory 13 in. dia. bears N69 $\frac{1}{4}$ E 831 lbs,
 & no other tree near,
 59.00 Leave the marsh & Entered thick? land,
 80.00 Set a post cor. to sec, 32 & 33 from wh,
 a W. Oak 16 in. dia. bears N23 E 87 lbs. dit,
 & a Do. 17 " " " N41 $\frac{1}{2}$ E 123 " "
 Land &c. is similar to last mile.

- Nest On the S. side of sec. 32. T. 31 N. R. 1 W,
 1.00 Entered a prairie,
 40.00 Set the gr. sec, cor. post in prairie
 where raised a mound of stones
 59.00 Leave the prairie,
 76.70 To an Indian trail cor. South
 80.00 Set a post cor. to sec, 31 & 32 from wh
 a W. Oak 21 in. dia. bears N64 $\frac{1}{2}$ E 146 lbs. dit,
 & a Do 16 " " " N15 W 125 " "

T. 30 N. R. 1 W. 2nd Mer. (Ind. 2)

6. L. Prairie is mostly well watered & dry land
 some low places about 6 inches or a ft.
 under water the general surface, scatter-
 -ing stones of the kind called "Hard heads",
 or cobbles sand stone. W. of prairie the
 land is level poor bearing W. & G. Oak &c.

- West On the S. side of sec. 31 T. 30 N. R. 1 W
 10.19 To a G. Oak 24 in dia. in the line,
 40.00 Set the gr. sur. cor. post from which
 a W. Oak 18 in dia. bears N 47 $\frac{1}{2}$ W 97 ths
 & a Do. 14 " " " N 27 E 139. dist,
 58.00 To the left bank of Leppicans River
 a G. Oak 17 in dia bears N 88 E 74 ths. dist &
 a W. Oak 15 " " " S 29 W 103 " "
 63.44 Over the River ex. from W by N to S W,
 at a G. Oak 9 in dia. cor. tw. Bluff
 shows on both banks,
 82.17 To a G. Oak 19 in dia. in the line,
 83.78 To the W. boundary, at 5.79.54 ths. set post,
 a W. Oak 14 in dia. bears N 12 W 39 ths. dist,
 & a Do. 9 " " " S 21 W 53 " "
 Land rolling bearing thin soil & the
 timber is W & G. Oak &c. (Var. 5° 25' E.)
 Dec. 4th 1833. Surveyed by Clark & Hefly,
 Sibley & Clark Dep. Surv. -

West Boundary. (V. 5° 25' E.)

- North On the E. side of sec. 36 T. 30 N. R. 2 W
 1.00 To a Dry prairie & leave mark
 40.00 Set the gr. sur. cor. post in prairie,
 where raised a mound (= prairie
 80.00 Set post cor. to Sec. 35 & 36 on N side of =

41

T. 30 N. R. 1 W 2nd Mer. (Ind. ²)

C. L. a W Oak 12 in dia, bears N 41 1/2 W 57 1/2 ths dist,
 & a Do. 19 " " " S 89 1/2 W 70 " "
 Land is very level prairie mostly dry &
 good soil &

North On the E. side of sec. 25 & 30 N R 2 W
 4.12 To a W. Oak, 16 in dia, in the line,
 5.00 Descend a bank 20 ft. to creek bottom
 10.50 To a Brook 25 ths. wide on S W
 13.00 Leave bottom & rise bank 20 ft. to level oakland
 22.00 To Tippicanoo River, High bluff shore
 & set a post, on left bank, from which
 a W. Oak 12 in dia bears N 40 W 66 ths dist &
 a Do. 16 " " " N 61 E 37 " "
 31.22 Leave River on N. W. to W set post on L. bank
 a Sycamore 36 in dia, bears S 27 3/4 E 236 ths,
 & a Do. 30 " " " N 45 W 34 " dist,
 & enter bottom
 38.00 Rise bank 25 ft. leave bottom
 40.00 Set the q. sec. cor. post from which
 a W. Oak 20 in dia, bears S 88 W 79 ths dist,
 & a Do. 16 " " " N 12 W 30 " "
 46.71 To a W. Oak 14 " " in the line,
 68.31 To the left bank of Tippicanoo on S W,
 at a W. Oak 16 in dia, corner tree
 75.81 Over the River & set post on right bank
 a W. Oak 26 in dia, bears N 79 1/2 W 232 ths,
 & a Do. 36 " " " N 9 E 408 " dist,
 80.00 Set a post corner to Sec. 24 & 25 from which
 a W. Oak 36 in dia, bears N 40 1/2 W 141 ths,
 & a Do. 14 " " " S 76 3/4 W 241 " dist,
 Land, bearing good soil & well timbered,

T. 30 N. R. 1 W. 3rd Mer. (Ind. 2)

- C. S.
 North On the E. side of section 24 T. 30 N. R. 1 W.
 4.46 To a G. Oak 30 in. dia. in the line,
 11.13 " " W. Oak 17 " " " "
 40.00 Set the gr. sur. cor. post from which
 a W. Oak 12 in. dia. bears $S 36\frac{1}{2}^{\circ} W 47$ th. dist.,
 & a Do. 19 " " " $S 4\frac{1}{2}^{\circ} W 370$ "
 — To a Y. Oak in the line,
 48.00 Entered a marsh
 80.00 Set a post cor. to sec. 13 & 24 from wh.
 a W. Oak 20 in. dia. bears $S 47^{\circ} W 833$ th. dist.,
 & a Do. 16 " " " $N 2\frac{1}{2}^{\circ} W 780$ "
 Land rolling heavily & thin soil thinly
 timbered with W. Oak, & Hickory.

- North On the E. side of sec. 13 T. 30 N. R. 1 W.
 5.50 Leave the Marsh
 22.71 To a W. Oak 14 in. dia. in the line,
 27.95 " " G. Oak 16 " " " "
 29.00 To Pine bottom, dry prairie
 40.00 Set the gr. sur. cor. post from which
 a Hickory 11 in. dia. bears $S 32^{\circ} W 245$ th.,
 & a Br. Oak 15 " " " $N 73\frac{1}{2}^{\circ} W 192$ "
 43.10 To the Right bank of Tippecanoe River
 a Br. Oak 17 in. dia. bears $S 82\frac{1}{2}^{\circ} E 81$ th. dist.,
 & a Do. 16 " " " $S 71\frac{1}{2}^{\circ} W 68$ "
 46.44 Over the River cr. fr. W. to E. with a
 Sycamore 14 in. dia. cor. tree,
 57.50 Leave bottom at an ind. trail S. E.,
 76.16 To a W. Oak 14 in. dia. in the line,
 80.00 Set a post cor. to sec. 12 & 13 from wh.,
 a W. Oak 11 in. dia. bears $S 75^{\circ} W 114$ th. dist.,
 & a Do. 10 " " " $N 59\frac{3}{4}^{\circ} W 102$ "
 South of Pine land fr. same as last

T. 30 N. R. 1 W. 2nd Nov. (Ind. 4) ⁴³

C. L. N. of River some brushy & many
Poplar Oak &c. poor sandy, chiefly,

North On the E. side of sec. 13 T. 30 N. R. 2 W

7.50 Enter a Meander

13.00 Leave the Do.

32.33 To a W. Oak 8 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which
a Pin Oak 8 in. dia. bears N 30 W 13 1/2 M. dist,
& a W. Oak 8 " " " S 73 W 45 " "

42.00 To River bottoms timbered

45.75 To a Maple 10 in. dia. in the line,

57.42 To the Left bank of Tappanaw River
a Sycamore 12 in. dia. bears S 78 W 18 1/2 M. dist,
& a Hickory 6 " " " S 34 E 18 " "

55.62 Over the River cor. S. W, from which
a Pin Oak 9 in. dia. bears N 48 E 200 M. dist,
& a Sycamore 18 " " " S 33 W 53 " "

58.50 Leave bottoms

62.37 To a W. Oak 12 " " in the line

80.00 Set a post cor. to sec. 14 1/2 from wh,
a Pin Oak 24 in. dia. bears S 55 W 46 M,
& a B. Gum 14 " " " N 70 1/2 W 80 M,

up land rolling poor soil some low
places. Timber W & Oak &c. --

North On the E. side of sec. 1 T. 30 N. R. 2 W

a W. Oak 16 in. dia. in the line,

21.83 To the Right bank of Tappanaw River

a W. Oak 16 in. dia. bears S 3 1/2 E 550 M,
& a Do. 18 " " " S 19 1/2 W 346 "

33.87 Over River course S. E. set post

a W. Oak 14 in. dia. bears N 84 E 31 M,

T. 30 N. R. 1 W. 2nd Nov. (Ind. 2)

- C. L. & a Spruce 8 in. dia. bears N 60° W 8 1/2 M. dia.
 40.00 set the 2nd sur. ev. post from which
 a Y. Oak 24 in. dia. bears N 26° W 33 1/2 M. dia.
 & a Red Oak 10 " " " S 26 1/4° W 64 " "
- 44.64 To the left bank of Tippecanoe River
 at a Y. Oak 8 in. dia. ev. tree,
- 55.00 Over the River on S. E. W set post
 a W. Oak 16 in. dia. bears S 32° W 188 M.
 & a Y. Oak 17 " " " N 61 3/4° W 131 "
- 79.54 To the Township corner,
 Land &c. is same as on last mile,
 Nov. 5th 25th 6. Dec. 3rd 1833. Surveyed by
 Clark & Sibley, Deputy Surveyors.

Subdivisions.

- North Between sections 35 & 36,
 32.50 To a B. Oak 30 in. dia. in the line
 40.00 set the gr. sur. ev. post from which
 a B. Oak 20 in. dia. bears S 39 1/2° E 124 M. dia.
 & a Do. 30 " " " N 30° E 28 " "
- 49.00 To a W. Oak 20 " " in the line,
 63.59 To a B. Oak 30 " " " " "
- 80.00 set a post ev. to sur. 25, 26, 35 & 36,
 a W. Oak 18 in. dia. bears N 27° E 44 1/2 M. dia.
 & a Do. 12 " " " N 26° W 43 " "
- Land is thin & bare with banners scattering
 trees W. & B. Oak &c.

East On Random between sections 25 & 36
 79.59 To the E. line of sur. 34 M. S. of post,

West Correct the line between sur. 25 & 36,
 10.83 To a B. Oak 30 in. dia. in the line,

E. 30 N. B. 1 W. Nov. (Ind. a) 45

- C. L.
24.89 To a B. Oak 20 in dia, in the line,
39.79½ Set the q. sec. cor. post from which
a B. Oak 25 in dia, bears N 32 W 109 M,
& a Do. 24 " " " N 71 E 42 " dit,
59.20 To a Hickory 20 " " in the line,
79.59 To the section corner, sev. rate dry barney
& scattering timber of W. B. Oak & Hickory
& the mud brush same where any,
-

North Between sections 25 & 26

- 18.00 To a B. Oak 30 in dia, in the line,
40.00 Set the q. sec. cor. post from which
a Large Oak — bears N 22 E 128 M,
& a Do. — " N 39 E 226 " dit,
62.25 To a Hickory 20 in dia, in the line,
80.00 Set a post cor. to sec. 23, 24, 25 & 26,
a Hickory 18 in dia, bears S 84 W 430 M,
& a Do. 20 " " " N 77 W 397 "
wet barney flag & bullrush swamps
The timber is Hickory & Oak, scarce
-

East On Random between sec. 24 & 25

- 80.04 To the E line of sec. 4 M. N. of post,
-

West Correct the line between sec. 24 & 25

- 28.40 To a Hickory 20 in dia, in the line,
40.02 Set the q. sec. cor. post from which
a Hickory 20 in dia, bears S 57 W 455 M,
& a Do. 25 " " " S 10 W 475 "
80.04 To the section corner,
Land level, wet barney, flat quality
& almost destitute of timber of any kind
-

S. 30 N. R. 1 W. 2nd Nov. (Ind.')

E. L.
 North Between sections 23 & 24.
 40.00 Set the q. sec. cov. post in flag swamp
 & raised a mound.
 80.00 Set the post cov. to sec. 13, 14, 23 & 24
 a B. Oak 30 in dia. bears S 4 $\frac{1}{2}$ E 74 $\frac{1}{2}$ th. dist,
 & a Do. 20 " " " S 39 E 102 "
 Land is level & wet without timber
 but brush & flag marsh or swamp

East On Random between sec. 13 & 24
 80.19 To the E. line of sec. 35 th. N. of post.

West Correct the line between sec. 13 & 24
 40.09 $\frac{1}{2}$ Set the q. sec. cov. post from which
 a Hickory 20 in dia. bears S 3 E 325 th.,
 & a Do. 15 " " " S 10 W 351 "
 80.19 To the sections corner, the whole of this
 line runs through open wet barrens
 groves of Hickory Oak &c. on either side.
 April 15th 1834. Robt. Hanna. D. S.

North Between sections 13 & 14
 40.00 Set the q. sec. cov. post in mound.
 67.17 To a B. Oak, 20 in dia. in the line,
 74.84 " " Do. 24 " " " " "
 80.00 Set a post cov. to sec. 11, 12, 13 & 14
 a B. Oak 20 in dia. bears S 37 E 84 th. dist,
 & a Do. 24 " " " N. 47 E 200 "
 Land generally wet barrens. B & W Oak &c.

East On Random between sections 12 & 13
 80.10 To the E. line of sec. 105 th. N. of post,
 in mound. Land wet barrens, no timber.

E. 30 N. W. 1 W. 3rd Sec. (Tad #) 47

C. L.

Under growth flag & ball bushes,

West Correct the line between sec. 12 & 13,
40.08 Set the gr. sec. cor. post in mound,
80.10 To the sections corner,

North Between sections 11 & 12,

14.55 To a Br. Oak 18 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which
a Br. Oak 18 in. dia. bears S 70 E 92 ths,
& a W. Oak 6 " " " S 39 W 53 "

72.10 To a Br. Oak 20 " " in the line,

80.00 Set a post cor. to sec. 1.2.11 & 12 from wh,
a Br. Oak 20 in. dia. bears N 23 E 6400 ths,
& a W. Oak 20 " " " N 77 E 377 "

Land level wet barrens & scattering trees
of W. & Br. Oak & Br. Oak &c

East On Random between sections 18 & 12

80.92 To the E. line of sec. 150 ths. N. of post,

West Correct the line between sec. 14 & 12

7.41 To a W. Oak 18 in. dia. in the line,

11.87 " " Br. Oak 20 " " " " " "

40.44 Set the gr. sec. cor. post from which

a Br. Oak 30 in. dia. bears S 33 E 195 ths,

& a Do. 24 " " " S 1 W 138 " dia,

80.44 To the sections corner, Land level

wet barrens, scarce of timber. Will
reach & flag swamp

North Between sections 1 & 2

40.00 Set the gr. sec. cor. post from which
Large Oak N 27 E 213 Do. N 20 E 188

T. 30 N. R. 1 W. 2nd Mer. (Ind. a)

- C. S.,
 66.91 To a W. Oak 12 in. dia. in the line,
 78.43 To the N. boundary, 132 ths. W. of post,
 & set post ev. to sur. 172 from wh.,
 a W. Oak 20 in. dia. bears S 62° W 34 ths. dist.,
 & a Do. 6 " " " S 70° E 37 " "
 Land level 3rd rate & the timber is W. Oak
 B. Oak & M. G. same. Swampy excepted.

- North Between sections 34 & 35,
 21.52 To a B. Oak 20 in. dia. in the line,
 40.00 Set the gr. sur. ev. post from which
 a B. Oak 30 in. dia. bears S 50° W 94 ths. dist.,
 & a Hickory 6 " " " S 50° E 125 "
 47.35 To a B. Oak 25 in. dia. in the line,
 56.25 " " W. Oak 18 " " " " "
 64.71 " " B. Oak 20 " " " in the line,
 72.30 " " Do. 20 " " " " "
 80.00 Set a post ev. to sur. 26, 27, 34 & 35
 a B. Oak 8 in. dia. bears S 19° W 49 ths. dist.,
 & a Do. 20 " " " S 37° E 100 " "
 Land is level & third rate W. & B. Oak &,
 & the mud. It is of the same kind.

- East On Random between sur. 26 & 35
 7.75 To a Creek 20 ths. wide ev. W,
 79.21 To the E. line of sur. 20 ths. N. of post,
 April 16th 1834.

- West Correct the line between sur. 26 & 35
 39.60½ Set the gr. sur. ev. post from which
 a B. Oak 30 in. dia. bears S 54° E 210 ths.,
 & a W. Oak 20 " " " S 2½° W 845 "
 71.46 To a Creek 20 ths. wide ev. W,

49

T. 30 N. R. 1 W. 2nd Mer. (Ind.)

C. L.

79.21 To the sections corner, The whole of this line runs through wet barrens, 2nd rate scarce of timber, a few W & B. Oak &c, & a few flag swamps

North Between sections 26 & 27

10.43 To a B. Oak 20 in. dia. in the line,
 18.80 To a Creek 20 ft. wide on W.
 40.00 Set the green, ev. post in mound
 60.39 To a B. Oak 20 in. dia. in the line,
 69.15 " " W. Oak 18 " " " " "
 80.00 Set a post in water half leg deep
 ev. Secs. 22, 23, 26 & 27 from which
 a W. Oak 20 in. dia. bears N 48° E 305 ft.
 & a Do. 22 " " " N 65° E 416 ft.
 Land is mostly 2nd rate wet barrens & the timber
 when any is B & W Oak &c

East On Randon between sections 23 & 26

80.12 To the E. line of sec. 22 1/2 N. of post

West Correct the line between sections 23 & 26

40.00 Set the green, ev. post in mound
 80.12 To the sections corner, Land is mostly
 wet 2nd rate & scarce of timber & a few
 B. W Oak & Hickory &c

North Between sections 22 & 23,

13.75 To a Hickory 18 in. dia. in the line,
 32.98 To a B. Oak 20 " " " " "
 40.00 Set the green, ev. post from which
 a B. Oak 25 in. dia. bears N 39° W 312 ft. dia.
 & a Do. 18 " " " " N 29° E 1023 ft.

T. 30 N. R. 1 W. 2nd Nov. (Ind. a)

6. L.
59.38 To a B. Oak 20 in. dia. in the line,
80.00 Set a post ev. to sec. 14, 15, 22 & 23 from which
a B. Oak 25 in. dia. bears $N49^{\circ}W 150$ th. dist.
& a W. Oak 6 " " " $N40^{\circ}W 163$ " "
Land is sec. 2nd rate barrens & thinly timbered,
with W. & B. Oak & Hickory. N. G. same,

East On Random between sec. 14 & 23,
79.80 To the E. line of sec. 14 th. S. of post,

West Correct the line between sec. 14 & 23
39.90 Set the gr. sec. ev. post from which
a Hickory 6 in. dia. bears $N30^{\circ}E 242$ th. dist.
& a Do. 7 " " " $N27^{\circ}E 44$ " "
79.80 To the section corner.
This whole line runs through a few barrens
no trees, part flag marsh, or swamps

North Between sections 14 & 15
10.83 To a B. Oak 20 in. dia. in the line,
14.98 " " W. Oak 18 " " " " "
40.00 Set the gr. sec. ev. post from which
a W. Oak 20 in. dia. bears $N50^{\circ}W 60$ th. dist.
& a Do. 22 " " " $N29^{\circ}E 65$ " "
" " " " " " " " " " "
60.60 To a B. Oak 20 in. dia. in the line.
80.00 Set a post ev. to sec. 10, 11, 14 & 15
a W. Oak 8 in. dia. bears $N42^{\circ}W 120$ th.
& a B. Oak 20 " " " $N47^{\circ}E 105$ "
Land last quality wet & scarce of timber
a few B. & W. Oak. N. G. same when there
is any of wood bush,

T. 30 N. R. 1 W. 2nd Mer. (Ind. C.)

6. S.
East On Random between sections 11 & 14
80.50 To the E. line of sec. 6 the S. of post,

West Correct the line between between sec. 11 & 14
23.30 To a B. Oak 30 in. dia. in the line,
40.25 Set the q. sus. ev. post from which
a B. Oak 30 in. dia. bears N 23 $\frac{1}{2}$ W 179th ft.
A Do. 10 " " " N 75 W 128th ft.
80.50 To the sections corner,
Land level wet baring last quality saw
of timber, B. W. Oak & Hickory N. G. same

North Between sections 10 & 11

40.00 Set the q. sus. ev. post from which
a B. Oak 18 in. dia. bears S 58 W 158th ft.
A Do. 10 " " " N 58 W 125 " "
72.34 To a B. Oak 25 " " in the line,
80.00 Set a post ev. to sec. 2, 3, 10 & 11 from which
a B. Oak 20 in. dia. bears S 49 W 381th ft.
a Do. 30 " " " S 31 $\frac{1}{2}$ W 430 " "
Land level last quality. Baring saw of timber,
a few B. & W. Oak &c

East On Random between sec. 2 & 11
80.99 To the E. line of sec. at the post,

West Blazed back between sec. 2 & 11.
40.49 $\frac{1}{2}$ Set the q. sus. ev. post from which
a W. Oak 10 in. dia. bears N 66 E 534th ft.
A B. Oak 20 " " " N 83 $\frac{1}{2}$ W 674 " "
80.99 To the sections corner, Land level, more
than half through flag & brush swamp
post timber B. & W. Oak, Hickory &c, & N. G. same &c,

T. 30 N. R. 1 W. 2nd Mer. (Ind.')

C. L.
 North Between sections 32 & 33.
 40.00 Set the gr. sur. cov. post from which
 a B. Oak — bears N 66 E 53 1/2 M. dist,
 & a Do. 25 in. dia. " N 17 W 31 1/2 " "
 73.68 To a B. Oak 30 " " in the line,
 78.92 To the N. boundy, 252 M. W. of post,
 a B. Oak 20 in. dia. bears S 62 W 39 M. dist,
 & a Do. 22 " " " S 13 E 366 " "
 Land is mostly wet & part brush swamp
 & the timber is B. & W. Oak. & the red, white,
 & white oaks & Sassafras &c. —

North Between sections 33 & 34
 40.00 Set the gr. sur. cov. post from which
 a Large Rock bears N 86 1/2 W 62 M. dist &
 a " Do. " " N 44 W 60 " "
 71.76 To a B. Oak 30 in. dia. in the line,
 80.00 Set a post cov. to sec, 27, 28, 33 & 34
 a Hickory 18 in. dia. bears S 37 1/2 E 2.15 M.
 & a Do. 18 " " " S 24 W 325 " dist,
 Land level & soil rate scarce of timber
 B. & W. Oak & Hickory, & mud brush same

East On Randon between sec, 27 & 34
 80.11 To the E. line of sec. 48 M. N. of post

West Correct the line between sec, 27 & 34
 40.05 Set the gr. sur. cov. post from which
 a B. Oak 6 in. dia. bears S 9 W 37 M. dist,
 & a B. Oak 24 " " " S 48 W 103 " "
 80.11 To the section corner, Land level dry
 bearing, & the timber where there is any
 is B. W. Oak Hickory &c. —

T. 30 N. R. 1 W. 2nd New (Ind.?) 53

C. J.

North Between sections 27 & 28,

40.00 Set the gr. sec. cor. post from which
a Large Rock - " " bears S 50 E 300 ths. dia.,
& a Br. Oak 15 in. dia. " N 9 W 231 " "

67.50 To a W. Oak 12 " " in the line,

80.00 Set a post cor. to sec. 21, 22, 27 & 28 from wh.
a B. Oak 24 in. dia. bears N 56 E W 182 ths. dia.,
& a Do. 20 " " " N 43 E 698 " "
Land level dry barney & the timber when
there is any is B. & W. Oak & —

East On Random between sections 22 & 27

4.60 To a Creek 25 ths. wide cor. W,

79.84 To the E. line of sec. 27 ths. N. of post,

West Correct the line between sec. 22 & 27

39.92 Set the gr. sec. cor. post from which
a W. Oak 12 in. dia. bears S 52 E 123 ths. dia.,
& a B. Oak 24 " " " N 45 E 104 " "

75.24 To a Creek 25 ths. wide cor. W. N. W,

79.84 " the sections corner,
Land level sweet barney & some flag &
rush swamp. & the timber when there
is any is B. & W. Oak & —

North Between sections 21 & 22

4.35 To a Creek 25 ths. wide cor. W,

18.20 " " W. Oak 24 in. dia. in the line

40.00 Set the gr. sec. cor. post from which
a B. Oak 24 in. dia. bears S 50 W 157 ths.,
& a Do. 24 " " " N 89 W 168 "

80.00 Set a post cor. to sec. 15, 16, 21 & 22
a Hickory 18 in. dia. bears N 25 E 175 ths.

comp?

T. 30 N. R. 1 W. 2nd Nov. (Ind. ^o)

6. S.

A B. Oak 8 in. dia. bears S 62 E 275 th. dia.
Land dry barrens & where there is timber,
it is W. & B. Oak & the mid brush same

East On Randon between sec. 15 & 22
81.42 $\frac{2}{3}$ the E. line of sec. 150 th. N. of post

West Correct the line between sec. 15 & 22
40.71 Set the q. sec. cor. post from which
a B. Oak 20 in. dia. bears S 37 W 130 th.
& a Do. 20 " " " N 39 E 409.
Land level & dry barrens scarce of timber,
B & W Oak & mid. Gth. the same,

North Between sections 15 & 16,
12.02 $\frac{2}{3}$ a W. Oak 15 in. dia. in the line,
40.00 Set the q. sec. cor. post from which
a B. Oak 18 in. dia. bears N 74 W 78 th. dia. &
& a W. Oak 18 " " " N 31 E 70 " "
80.00 Set a post cor. to sec. 9, 10, 15 & 16 from wh.
a B. Oak 20 in. dia. bears S 18 W 499 th. dia.,
& a Do. 24 " " " S 82 E 315 " "
Land is wet barrens, some flag & bullrush
swampy, scarce of timber B & W. Oak &

East On Randon between sections 10 & 15
81.72 $\frac{2}{3}$ the E. line of sec. 20 th. N. of post.

West Correct the line between sections 10 & 15
40.86 Set the q. sec. cor. post from which
a W. Oak 6 in. dia. bears S 12 W 153 th. dia. &
& a Do. 18 " " " S 58 W 237 " "
47.11 $\frac{2}{3}$ a B. Oak 18 " " in the line,

E. L.

81.42 To the section corner,
Land level & dry barney & the timber is
B. & W. Oak where there is any.

North Between sections 9 & 10.

36.07 To a B. Oak 24 in. dia. in the line,
40.00 Set the gr. sur. cor. post from which
a B. Oak 18 in dia. bears N 58 E 87¹/₂ lbs,
a Do. 15 " " " S 38 W 148 " ditto
80.00 Set a post cor. to sur. 34, 9 & 10 from wh.
a W. Oak 10 in dia, bears N 22 E 92¹/₂ lbs. ditto,
a B. Oak 20 " " " S 49 W 125 " "
Land level & wet barney B & W. Oak &c.

East On Random between sections 3 & 10

81.87 To the E. line of sur. 21 lbs. N. of post,

West Correct the line between sections 3 & 10

40.93¹/₂ Set the gr. sur. cor. post ^{in mound}
81.87 To the section corner. Land level & the
timber & are B & W Oak. (Barney.)

North Between sections 3 & 4

25.89 To a W. Oak 12 in. dia. in the line
40.00 Set the gr. sur. cor. post from which
a W. Oak 10 in dia. bears S 79 W 34 lbs. ditto,
a B. Oak 18 " " " N 78¹/₂ W 36 " "
63.85 To a B. Oak 18 " " in the line,
77.20 To the N. boundary. 214 lbs. W. of post
a W. Oak 15 in dia. bears S 34 W 108 lbs. ditto,
a B. Oak 24 " " " S 15 W 113 " "
Land greater part wet barney W & B Oak
where there is any -

T. 30 N. R. 1 W. 2nd Mer. (Ind.?)

6. S.
North Between sections 32 & 33.
40.00 Set the gr. sec. cor. post from which
a W. Oak 18 in. dia. bears N 41 W 141 ths,
& a Br. Oak 18 " " " N 44 E 216 " dia
60.90 To a Hickory 18 " " in the line,
80.00 Set a post cor. to sec. 28, 29, 32 & 33,
& set post in mound
Land level & wet barrens. & the timber
where there is any is Hickory W. & Br. Oak.

East On Randon between sections 28 & 33
79.40 To the E. line of sec. 38 ths. N. of post

West Correct the line between sec. 28 & 33
39.70 Set the gr. sec. cor. post from which
a Br. Oak 18 in. dia. br. N 72 W 56 ths dia,
& a Br. 6 " " " N 19 W 96 " "
79.40 To the section corner, Land is level & 2nd
rate dry barrens scarce of timber Oak &c.

North Between sections 28 & 29
21.61 To a Br. Oak 24 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a Br. Oak 6 in. dia. bears N 30 W 297 ths dia &
& a Hickory 20 " " " 269 E 369 " "
70.75 To a Br. Oak 20 " " in the line,
80.00 Set a post cor. to sec. 20, 21, 28 & 29
a W. Oak 20 in. dia. bears N 70 1/2 W 104 ths dia,
& a Br. 9 " " " N 74 E 78 " "
Land level & mostly wet barrens & the timber
is Br. W. Oak & Hickory &c. N. G. land where any

East On Randon between sections 21 & 28,

T. 30 N. R. 1 W. 3rd Nov. (Ind. a) 57

C. L.
79.09 To the E. line of Sec. 21 1/2 m. S. of post

West Correct the line between Secs. 21 & 28,
3.75 To a Hickory 20 in. dia. in the line,
12.06 To a Br. Oak 8 " " " "
39.54² Set the gr. sec. cor. post from which
a Hickory 20 in. dia. bears S 89 E 279 the dist.
& a W. Oak 25 " " " S 66 E 258 " "
45.94 To a B. Oak 35 " " in the line,
79.09 To the sections corner, Land level &
groves of Hickory, Br. W & B. Oak &

North Between sections 20 & 21

11.30 To a W. Oak 25 in. dia. in the line,
12.50 " " Creek 50 m. wide on W
32.40 " " B. Oak 20 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a W. Oak 20 in. dia. bears N 55 E 40 the dist.
& a Do. 25 " " " S 60 W 90 " "
42.50 To a W. Oak 20 in. dia. in the line,
51.76 " " B. Oak 6 " " " " "
57.00 " " Creek 10 m. wide on S. W,
80.00 Set a post cor. to Secs. 16, 17, 20 & 21 from wh.
a B. Oak 20 in. dia. bears S 82 W 90 the dist. &
a Do. 25 " " Br. S 17 E 93 " "
Land 3rd rate part wet & part dry barrens
& scattering Oak & Hickory, &c. -

East On Random between sections 16 & 21

78.07 To the E. line of Sec. 38 1/2 m. S. of post

West Correct the line between Secs. 16 & 21
39.53² Set the gr. sec. cor. post from which

T. 30 N. R. 1 W. 2nd Nov. (Ind. 2)

<p>C. L. 46.25 78.07</p>	<p>a W. Oak 18 in dia. bears N15 E 38 the. dir. & a Do. 20 " " " " S 36 E 38 " " To a Creek 10 the. wide. on S. W. To the section corner. The whole of this line runs through open prairie, interspersed by trees, small groves of B. Oak & W. Oak On Each side -</p>
<p>North 40.07 80.00</p>	<p>Between sections 16 & 19 Set the gr. sec. cor. post from which a W. Oak 20 in dia. bears N47 E 48 the. dir. & a Do. 7 " " " " N 61 W 390 " " Set a post cor to sec. 8, 9, 16 & 19. in rounded sand level sweet prairie & a few scattering trees of B. Oak & W. Oak &c</p>
<p>East 77.94</p>	<p>On Pradown between sections 9 & 16 To the E. line of sec. 11 7 the. N. of post</p>
<p>West 17.46 20.63 38.97 77.94</p>	<p>Correct the line between sections 9 & 16 To a B. Oak 20 in dia. in the line, " " Do. 18 " " " " " Set the gr. sec. cor. post from which a W. Oak 20 in dia. bears N13 E 58 the. & a B. Oak 25 " " " " N 40 E 40 " dir. To the section corner East $\frac{1}{2}$ mile dry & timbered. W$\frac{1}{2}$ is wet & no timber. B. Oak W. Oak & Hickory & the run: Gt. Whittetery. Oak B. Yr & Hickory &c</p>
<p>North 40.00</p>	<p>Between sections 8 & 9 Set the gr. sec. cor. post from which a B. Oak 15 in. dia. bears S 24 E 218 the.</p>

59

T. 30 N. R. 1 W. 2nd New. Ind. A)

6. 26. Va W. Oak 30 in. dia. bears N 17 E 195 ths.
51.36 To a B. Oak 25 " " in the line,
49.56 " " B. Oak 30 " " " "
80.00 Set a post cor. to sec. 4, 5, 8 & 9 from wh.
a W. Oak 30 in. dia. bears N 25 W 9 ths. dia.
Va B. Oak 18 " " " N 78 E 20 " "
Land level & mostly wet barrens &
scarc of timber. W & B. Oak & mud & this
of the same kind where there is any.

East On Railroad between sec. 4 & 9
79.36 To the E. line of sec. 36 ths. N. of post

West Correct the line between sec. 4 & 9
39.67 Set the gr. sec. cor. in. a mark
a W. Oak 20 in. dia. bears N 69 E 1269 ths.
Va B. Oak 20 " " " N 6 E 5.89.
71.02 To a B. Oak 20 " " in the line
79.36 To the sections corner. Land level
& the timber is scarce of W & B. Oak.
N. G. flags & Bull Rushes & a few groves

North Between sections 4 & 5

40.00 Set the gr. sec. cor. post from which
a B. Oak 5 in. dia. bears N 79 E 100 ths.
Va Do. 18 " " " N 78 W 330. dia.
43.04 To a B. Oak 18 " " in the line,
52.04 " " Do. 20 " " " " "
60.70 " " Do. 18 " " " " "
76.40 " the N. boundary. 207 ths. W. of post &
Raised a mound. Land wet barrens
a few trees, B & W Oak & the N. G. same;

T. 30 N. R. 1 W. 2nd Mer. (Ind. A.)

Co. Sec. North	Between sections 32 & 31,
40.00	Set the gr. sec. cor. post from which a B. Oak 25 in. dia. bears N 35 E 220 ft. & a W. Oak 30 " " " N 83 E 350 "
55.50	To a W. Oak 20 " " w. the line,
58.50	" " Do. 25 " " " " "
80.00	Set a post cor. to sec. 29, 30, 31 & 32 a B. Oak 20 in. dia. bears S 14 W 179 ft. & a Hickory 20 " " " S 83 E 356 "
	Land 3 rd into bearing scarce of timber Hickory B. Oak W. Oak. N. G. same where any is

East	On Random between sec. 29 & 32
79.64	To the Co. line of sec. 16 N. S. of mound

West	Correct the line between sec. 29 & 32
25.40	To a B. Oak 16 in. dia. w. the line,
39.82	Set the 2 nd sec. cor. post from which a Hickory 8 in. dia. bears S 1 1/2 W 21 ft. dia. & a B. Oak 18 " " " S 8 E 49 " "
79.64	To the sections corner, Land level interspersed with flag swamps & rush small groves of B. Oak W. Oak & Hickory,

West	On Random between sections 30 & 31
34.40	To a W. Oak, 30 in. dia. w. the line,
81.86	To the W. boundary, 6 N. S. of post,

East	Correct the line between sec. 30 & 31
4.90	To a Hickory 12 in. dia. w. the line,
5.50	" Mill creek 50 ft. wide cor. W. N. W.
26.86	" " Do. 50 " " " W.
44.86	Set the gr. sec. cor. post from which

C. L. a B. Oak 30 in dia. bears N 22 E 60 M. dist,
 & a W. Oak 20 " " " S 63 W 112 " "
 42.42 To a W. Oak 30 " " in the line,
 81.86 To the sections corner, Land sec[?] rate &
 the timber is Hickory - Elm W & B. Oak &

North Between sections 29 & 30
 16.50 To a Creek 50 M. wide cor. W,
 35.82 To a W. Oak 25 in dia. in the line,
 40.00 Set the q. sec. cor. post from which
 a B. Oak 30 in dia. bears N 26 E 4 M. dist,
 & a W. Oak 20 " " " S 68 W 43 " "
 44.50 To an aspen 9 " " in the line,
 63.92 To a B. Oak 10 " " " " "
 67.15 " " W. Oak 20 " " " " "
 80.00 Set a post cor. to sec. 18, 19, 20, 29 & 30,
 a B. Oak 10 in dia. bears N 34 E W 22 M.,
 & a Do. 30 " " " S 21 W 133 dist,
 Land is sec[?] rate & the timber is Oak & Elm
 & the mud. gth. is the same where there is any

East On Rand one between sec. 20 & 29
 79.59 To the E. line of sec. at post

West Blazed bark on line between sec. 20 & 29
 10.12 To a W. Oak 20 in dia. in the line,
 39.79 Set the q. sec. cor. post from which
 a B. Oak 20 in dia. bears S 64 E 510 M.,
 & a Willow 10 " " " N 32 E W 237 "
 40.88 To a Creek 50 M. wide course South
 50.89 " " W. Oak 20 in dia. in the line
 79.59 To the sections corner, Land sec[?] rate
 & the timber is scarce. Oak Hickory &

T. 30 N. R. 1 W. 2nd Nov. (Ind^a)

C. L. Home Millow at crossing of creek &c

West On Random between Sec. 19 & 30,
82.11 To the W. boundary, at post.

East correct the line between sec. 19 & 30
2.10 To Tippecanoe River set post on right bank
w W. Oak 40 in dia, bears S 87 W 140 the dist,
& a Do. 35 " " " S 85 W 145 " "

6.70 Over River to Left bank at a Hornbeam 8 in dia,
w B. Oak 30 in dia, bears N 45 E 48 the dist &
a W. Do. 10 " " " S 21 E 120 " "

42.11 Set the q. sec. cov. post from which
w B. Oak 18 in dia, bears N 47 W 20 the dist &
a W. Oak - " " " S 11 E 28 " "

69.07 To a B. Oak 25 in dia, in the line,
82.11 To the sections corner,
Land level & third rate & the timber
is W & B. Oak & wood, gth. same where any is,

Norths Between Sec. 19 & 20,

19.35 To a W. Oak 20 in dia, in the line,

38.34 " " Do. 25 " " " " "

40.07 Set the q. sec. cov. post from which

w B. Oak 25 in dia, bears N 33 W 47 the dist,

& a Do. 35 " " " S 38 E 67 " "

52.99 To a B. Oak 25 " " in the line,

69.73 " " W. Oak 23 " " " " "

80.07 Set a post cov. to sec. 17, 18, 19 & 20,

w B. Oak 20 in dia, bears N 37 W 25 the dist,

& a Do. 22 " " " N 57 1/2 W 12 " "

Land is level & 3rd rate & the timber is
W & B. Oak Hickory & wood, gth. same &c.

T. 30 N. R. 1 W 2nd Sec. Indiana.

61.51 East	On Random between sections 17 & 20 79.69 To the E. line of sections 7 th M. N. of post,
Next 4.20	Correct the line between secs. 17 & 20 To a B. Oak 20 in. dia. in the line,
39.84 ^{1/2}	Set the gr. sur. cor. post from which a W. Oak 20 in. dia. bears S 26° 49' W 49 in. dia., & a B. Oak 22 " " " N 65° W 56 " "
59.11	To a B. Oak 25 " " in the line,
79.69	" the sections corner, Land 3 rd rate barrens, scattering trees of B & W. Oak, some flag & Bull Rush swamps. etc
Next 81.82	On Random between secs. 18 & 19 To the W. boundary 65 M. N. of post,
East 13.47	Correct the line between secs. 18 & 19 To a B. Oak 30 in. dia. in the line,
44.82	Set the gr. sur. cor. post from which a B. Oak 22 in. dia. bears N 35° W 33 in. dia., & a W. Oak 20 " " " S 33° W 55 " "
46.58	To Right bank of Tippecanoe river set post a B. Oak 20 in. dia. bears N 82° E 20 in. dia. & a Do. - " " " S 25° E 22 " "
72.58	To the left bank of Tippecanoe to a line tree 30 in. dia. corner, from which a W. Oak 20 in. dia. bears S 64° E 91 in. dia. & a Do. 20 " " " S 46° E 103 " "
81.82	To the sections corner, Land is 3 rd rate & part wet barrens & part timbered with B. W. Oak, Lyrus Syronow & & mud, 3 th , same where there there is any

T30 N. R. 1 W. 3rd Mev. (Ind. 1st)

- C. S.
 North Between sections 17 & 18,
 1.32 To a B. Oak 30 in dia. in the line,
 40.00 Set the q. sec. cor. post from which
 a W. Oak 18 in dia. bears S53 W 105 1/2
 & a B. Oak 18 " " " N44 W 83 " 9/16
 47.93 To a B. Oak 30 " " in the line,
 49.81 " " Do. 30 " " " " "
 80.00 Set a post cor. to sec. 7, 8, 17 & 18 from wh.,
 a W. Oak 25 in dia. bears N23 W 233 1/2
 & a B. Oak 18 " " " S24 W 275 " "
 Land level & sec. rate & the timber is scarce
 W & B Oak bearing, M. G. same where any is,
-

- East On Random between sec. 8 & 17
 79.36 To the E. line of sec. 6 1/2 m. N. of post,
-

- West Correct the line between sec. 8 & 17
 39.68 Set the q. sec. cor. post from which
 a B. Oak 30 in dia. bears S81 E 330 1/2
 & a W. Oak 33 " " " N29 W 112 " "
 79.36 To the sections corner,
 Land level 3rd rate & wet; almost destitute
 of timber, Bullrush & flag swamps in places
-

- West On Random between sections 18 & 7
 80.40 To the W. boundy, 58 1/2 m. N. of post,
-

- East Correct the line between sec. 7 & 18,
 8.70 To a B. Oak 18 in dia. in the line,
 22.05 " " W. Oak 30 " " " " "
 30.04 " " Do. 20 " " " " "
 40.40 Set the q. sec. cor. post from which
 a B. Oak 4 in dia. bears N57 E 30 1/2

T. 30 N. R. 1 W. 2nd Nov. (Ind. A.)

63

61.21 To a B. Oak 6 in. dia. bears N 12 W 5 1/2 m. dist,
48.19 To a W. Oak 20 " " in the line,
80.40 To the section corner, Land 3rd rate
land & timbered with W & B. Oak & Hickory

North Between sections 7 & 8,
37.98 To a W. Oak 6 in. dia. in the line,
40.00 Set the gr. sur. cor. post from which
a B. Oak 6 in. dia. bears N 75 E 50 m. dist,
& a W. Oak 5 " " " N 84 W 37 " "
80.00 Set a post cor. to sur. 5, 6, 7 & 8 from which
a W. Oak 30 in. dia. bears N 35 W 17 1/2 m. dist,
& a No. 25 " " " N 60 W 225 " "
Land level third rate & scarce of timber
of any kind & mostly wet,

East On Random between sections 5 & 8,
79.64 To the E. line of sur. 50 m. S. of post,

West Correct the line between sur. 5 & 8,
16.95 To a B. Oak 8 in. dia. in the line,
39.82 Set the gr. sur. cor. post from which
a W. Oak 30 in. dia. bears N 32 E 240 m.,
& a Hickory 8 " " " N 24 E 295 "
52.25 To a W. Oak 20 " " in the line,
79.64 " the section corner,
Land is mostly wet bearing a few trees
of B. & W. Oak, M. G., Grass flags & Bull rushes

West On Random between sec. 6 & 9
81.48 To the W. boundary, 148 m. N. of post,

East Correct the line between sur. 6 & 9

T. 30 N. R. 1 W. 3rd Mer. (Ind. 2)

6. L.
 7.81 To a B. Oak 20 in. dia. in the line,
 18.60 To the right bank of Zippencanoo River,
 a Hickory 12 in. dia. bears S 29 $\frac{1}{2}$ E 50 $\frac{1}{2}$ M. dist,
 & a B. Oak 12 " " " N 58 W 49 " "
 24.25 To a W. Oak 20 " " Over River on Left bank
 a B. Oak 5 " " bears N 84 E 15 $\frac{1}{2}$ M. dist &
 & a Do. 4 " " " S 17 E 11 " "
 41.48 Set the gr. sec. cov. post from which
 a W. Oak 30 in. dia. bears S. 42 $\frac{1}{2}$ W 91 $\frac{1}{2}$ M. dist,
 & a Do. 20 " " " S 65 W 124 " "
 81.48 To the sections corner, Land sec. rate
 & the timber is W. B. Oak & Hickory, N. G. same &

North Between sections 5 & 6,

- 14.40 To a B. Oak 20 in. dia. in the line,
 40.00 Set the gr. sec. cov. post from which
 a W. Oak 30 in. dia. bears N 86 W 9 $\frac{1}{2}$ M. dist &
 & a Do. 20 " " " S 23 W 46 " "
 69.03 To a Hickory 4 " " in the line
 70.00 " " Do. 18 " " " " "
 78.30 " the N. boundary, 197 M. W. of post,
 & set post cov. to sec. 5 & 6, from which
 a W. Oak 25 in. dia. bears S 41 E 150 $\frac{1}{2}$ M. dist,
 & a Do. 30 " " " N 44 W 215 " "
 Land sec. rate bears same course of timber with
 B. Oak & Hickory, N. G. same where any is.

Meanders of Zippencanoo River, Left bank
Down stream - In Sec. 6,

Course	6. L.	Remarks,
S 55 $\frac{1}{2}$ W	3.43	
S 26 $\frac{1}{2}$ W	11.45	
S 56 $\frac{1}{2}$ W	11.18	

T. 30 N. R. 1 W. 3rd Mer. (Ind. #)

Comm. C. L.	Meander continued,
S 19 W 5.83	
S 26 W 5.50	To N. point of island
S 30 W 8.22	" S. " " " To Range line,
S 28 E 5.42	In sec. 6 again,
S 14 E 3.82	
S 30 E 4.21	
S 58 E 7.08	
S 47 1/2 E 5.83	
S 50 E 6.50	To N. point of an Island
S 40 E 3.50	
S 27 E 2.40	
S 9 W 4.26	To W. side between sec. 6 & 7 & S. point of Island
S 19 W 1.83	In sec. 7
S 44 W 6.00	Island
S 46 W 7.25	
S 27 1/2 W 5.60	
S 25 W 3.41	To mouth of a creek 30 lbs. wide
S 31 W 4.50	
S 43 1/2 W 6.29	Sec. 7,
S 60 W 1.95	
S 69 W 1.26	To post in Range line,
N 77 E 4.22	
S 48 E 4.12	
S 27 1/2 E 12.83	To an Island
S 31 E 4.98	
S 15 E 3.83	
S 27 E 3.64	
S 35 1/2 E 4.00	

T. 30 N. R. 1 W. 2nd Mer. (Ind. 2.)

Conno Co. L. Meander continued.

S 78 E 5.35

S 85 E 8.18

N 2 W 10.58

N 85 E 12.74

N 80 E 5.06

N 86 E 4.53

S 79 E 5.24

S 27 E 7.00

S 21 E W 7.12

S 72 W 5.61

To a Line 30. Section 30. 1849

S 65 W 11.00

In Sec. 19

N 89 W 4.00

High Bluffs

N 75 W 4.98

N 73 E W 5.00

S 37 W 2.88

S 10 E 13.13

S 22 W 7.79

S 69 W 18.00

S 39 W 10.00

S 28 E W 7.21

S 45 W 8.40

S 41 E W 10.22

S 5 E 10.59

Island

S 4 E 3.50

S 24 W 11.04

S 38 W 2.46

To Homestead between Sec. 19 & 30

S 17 E 1.16

In Sec. 30

S 28 E W 6.10

S 33 E W 6.00

S 80 E W 6.3

To Range line Oak corner

Course to L.	Meanders continued,
S 40 E 3.80	In sec. 30 again,
S 10 1/2 W 5.00	
S 46 W 3.17	To Range line,
S 49 1/2 W 2.24	Right bank, Down Tippecanoe R.,
S 34 W 11.58	In sec. 6,
S 53 W 12.00	
S 21 W 7.04	To post on Range line,
S 43 E 17.26	In sec. 6 again,
S 41 E 5.50	
S 35 E 5.71	To post between secs. 6 & 7
S 74 1/2 W 6.69	In sec. 7
S 22 1/2 W 5.91	High bluffs
S 15 W 7.50	
S 37 W 13.31	To post on Range line,
N 84 E 4.20	In sec. 18,
S 26 E 15.50	
S 22 E 5.50	
S 24 E 9.26	
S 73 E 5.44	
S 82 1/2 E 9.13	
S 77 1/2 E 4.87	
S 83 1/2 E 6.40	
N 84 1/2 E 7.30	
N 88 E 4.84	
N 78 E 8.04	
S 81 E 11.07	
S 68 1/2 E 2.98	

T. 30 N. R. 19 W. 2nd Mer. (Ind. 4)

Course	Distance	Remarks
Meander (Continued)		
S 86	4.73	
S 66 $\frac{1}{2}$ W	7.86	
S 75 W	4.15	
S 58 W	3.05	
N 74 $\frac{1}{2}$ W	13.35	
S 64 W	3.50	
S 30 $\frac{1}{2}$ W	3.26	To post between sur. 18 & 19
S 30 W	3.00	
S 16	17.94	
S 72 W	11.96	
S 54 W	10.38	
S 25 $\frac{1}{2}$ W	14.86	
S 41 W	15.26	
S 9 W	16.34	
S 17 $\frac{1}{2}$ W	6.07	
S 3 W	4.07	To post between sur. 19 & 30
S 28 W	4.76	In sur. 30 - To Range line,

The foregoing contains a true copy
of the survey & field notes of this town
- ship. Robert Hanna, Deputy, Sur.^{or}

T. 30 N. R. 1 W. 2nd Mev (Ind.?) 71

I certify that the foregoing transcript
of field notes of Township 30 North
Range 1 West of 2nd Mev. Indiana, has
been compared with a certified copy
of the original in this office & found
to be correct.

E. S. Daines
Sur. Genl.

Surveyor General's office,
Cincinnati. February 7th 1842. 3