

INDEX MAPS.

T. 30 N., R. 3 W. 2nd Mer.

	406	405	405	405	404	404						
408	6	430	5	424	4	420	3	416	2	412	1	404
	429		429		423		420		416		412	
408	7	429	8	423	9	419	10	416	11	412	12	403
	428		428		423		419		415		411	
407	18	427	17	422	16	419	15	415	14	411	13	403
	427		427		422		418		415		411	
407	19	426	20	422	21	418	22	414	23	410	24	403
	426		426		421		418		414		410	
407	30	425	29	421	28	417	27	413	26	410	25	402
	425		424		421		417		413		409-410	
406	31	424	32	420	33	417	34	413	35	408	36	402
	401		401		401		400		400		400	

T. 31 N., R. 3 W. 2nd Mer.

	439	439	439	438	438	438						
442	6	468	5	461	4	456	3	452	2	446	1	437
	467		467		460		456		451		446	
441	7	466	8	460	9	455	10	451	11	445	12	437
	466		466		460		455		450		445	
441	18	465	17	459	16	455	15	450	14	444	13	437
	465		464		459		454		449		444	
440	19	464	20	458	21	454	22	449	23	443	24	436
	464		463		458		453		448		443	
440	30	463	29	457	28	453	27	448	26	443	25	436
	462		462		457		453		447		442	
440	31	461	32	457	33	452	34	447	35	442	36	436
	435		435		434		434		434		434	

(P) The figures on the lines refer to the page.

Township 30 North Range 3 West 2nd Mer. 400

State of Indiana.

C. C. South Boundary, (Var. 5th 20th)

West On the S. side of sec 34 T 30 N R 3 W

39.00 Leave the prairie

40.00 Set the grassy cor. post from which
a W. Oak 10 in. diam. bears N 28 E 65 ft. h.
+ a G. Oak 12 " " " N 80 W 49 " d. h.

60.00 Entered a wet prairie

80.00 Set a post cor. to sec. 35 & 36
a G. Oak 8 in. diam. bears N 75 E 58 ft. h.
+ a Do. 12 " " " N 88 E 721 "

Land is mostly wet prairie soil poor & the
timber is oak & very scattering.

West On the S. side of sec. 35 T 30 N R 3 W

26.00 Leave the wet prairie

40.00 Set the grassy cor. post from which
a W. Oak 12 in. diam. bears N 11 W 32 ft. d. h.
+ a Do. 10 " " " N 23 W 59 " "

52.83 To a G. Oak 28 " " in the line.

54.00 Entered a wet prairie

80.00 Set a post cor. to sec. 34 & 35 from which
a W. Oak 12 in. diam. bears N 77 E 53 ft. d. h.
+ a G. Oak 6 " " " N 52 E 78 " "

Land is same as on last mile,

West On the S. side of sec. 34 T 30 N R 3 W

28.00 Leave the wet prairie

40.00 Set the grassy cor. post from which
a W. Oak 6 in. diam. bears N 6 E 37 ft. d. h.
+ a Do. 12 " " " N 81 E 113 " "

46.00 Entered a wet prairie

T. 30 N. R. 3 W. 2nd, Mev, Ind.

- C. S.
 79.00 Leave the wet prairie
 80.00 Set a post cov. to sec. 33 & 34 from which
 a G. Oak 6 in dia. bears N 29 E 59 the dia. &
 a Do. 8 " " " N 64 E 96 " "
 Land & is same as on last mile,

- Nest On the S. south side of sec. 33
 15.00 Entered a wet prairie
 39.00 Leave the same,
 40.00 Set the grasses, cov. post from which
 a W. Oak 14 in dia. bears N 47 W 51 the dia. &
 a G. Oak 20 " " " N 66 W 14 " "
 42.00 Entered a wet prairie
 80.00 Set a post cov. to sec. 32 & 33 from wh,
 a G. Oak 18 in dia. bears N 47 E 44 the dia.,
 & a Do. 14 " " " N 85 W 195 " "
 Land & is same as on last mile,

- Nest On the S. side of sec. 32 T 31 N. R. 3 W
 1.00 Leave the wet prairie
 8.00 Entered a " Do,
 40.00 Set a grasses, cov. post & rain a mound
 80.00 Set a post cov. to sec. 31 & 32 from which
 a G. Oak 10 in dia. bears N 39 E 56 the dia.,
 & a Do. 12 " " " N 87 W 561 " "
 Land wet prairie soil separate,

- Nest On the S. side of sec. 31. T 30 N. R. 3 W
 5.00 Leave the wet prairie
 12.11 To a G. Oak 18 in dia. in the line,
 15.00 Entered a wet prairie
 40.00 Set the grasses, cov. post from which
 a W. Oak 8 in dia. bears N 69 E 138 the,

T. 30 N. R. 3 W. 2nd, New, Ind.

C. S.

- To a W. Oak 12 in. dia. bears N 74^W 269 th. dist &
 - 44.00 Leave the wet prairie
 - 52.00 Enter a wet prairie
 - 81.72 To the W. boundary, 10, 30 th. South of trap
post set post ev. to Towns 29 & 30 N. Ranges
3 & 4 meth. from which are
an Aspen 9 in. dia. bears N 65^E 186 th.
& a W. Oak 12 " " " N 31^W 379 "
- Land level upon the timber is Oak for
Dec. 8th 1835. By observation. (Var. 5^o 35' E.)
Surveyed by Sylvester Sibley Dep. Sur.

East Boundary, (Var. 6^o 16' E.)

- North On the E. side of sec. 36, T 30 N R 3 W
a W. Oak 20 in. dia. bears N 44^W 460 th. dist &
& a W. Oak 12 " " " N 6^E 704 " "
 - 5.00 Leave the wet prairie
 - 12.00 Enter a " Do,
 - 40.00 Set the gr. sec. cor. post from which
a W. Oak 20 in. dia. bears N 44^W 335 th. dist,
& a W. Oak 12 " " " N 89^W 224 " "
 - 68.00 Leave the wet prairie
 - 80.50 Set a post ev. to sec. 25 & 36 from wh.
a W. Oak 12 in. dia. bears N 70^W 46 th. dist,
& a Do. 12 " " " N 79^W 45 " "
- Land is mostly wet prairie

- North On the E. side of sec. 25 T 30 N R 3 W
- 24.00 To a W. Oak 12 in. dia. in the line,
- 40.00 Set the gr. sec. cor. post, from which
a W. Oak 10 in. dia. bears N 75^W 57 th. dist
& a Do. 10 " " " N 75^W 46 " "
- 52.23 To a W. Oak 10 " " in the line,

T. 30 N., R. 3 W., 2nd, New. Ind. a

C. S.

- 80.00 Set a post cor. to sec. 24 & 25 from which
 a W. Oak 9 in. dia., bears S 84 W 87 the. dist. 4
 & a Do. 6 " " " N 81 W 125 " "
 Land level & separate oak timber in W. 1/2 sec.

North On the E. side of sec. 24 T 30 N R 3 W

- 40.00 Set the gr. sec. cor. post from which
 a W. Oak 9 in. dia., bears S 44 W 20 1/2 the. dist. 4
 & a Y. Oak 6 " " " N 30 W 259 " "

To a Do. 12 " " in the line,

- 80.00 Set a post cor. to sec. 13 & 24 from which
 a W. Oak 10 in. dia., bears S 39 W 153 the. dist.,
 & a Do. 10 " " " S 62 W 178 " "
 Land &c is same as on last mile,

North On the E. side of sec. 13 T 30 N R 3 W

- 9.96 To a Y. Oak 24 in. dia., in the line,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 12 in. dia., bears N 81 1/2 W 77 the. dist.,
 & a Y. Oak 6 " " " N 49 W 44 " "
 80.00 Set a post cor. to sec. 12 & 13 from wh
 a W. Oak 12 in. dia., bears S 89 1/2 E 572 the.,
 no other near, Land separate Oak timber, wet,

North On the E. side of sec. 12 T 30 N R 3 W

- 40.00 Set the gr. sec. cor. post from which
 a W. Oak 10 in. dia., bears S 69 W 56 the. dist.,
 & a Y. Oak 18 " " " N 69 W 88 " "
 61.27 To a W. Oak 12 " " in the line,
 80.00 Set a post cor. to sec. 18 & 12 from wh,
 a W. Oak 10 in. dia., bears N 10 W 13 the. dist.,
 & a Do. 10 " " " N 48 W 17 " "
 Land &c is same as on last mile

T. 30 N. R. 3 W. 2^d, Mev. Ind. 2

- 6.30
North On the E. side of sec. 1 T 30 N R 3 W
40.00 set the gr. sec. cor. post from which
a W. Oak 12 in. dia. bears N 18 E 174 lbs. dia. &
a S. Oak 12 " " " N 6 E 162 " "
- 79.00 Entered a wet prairie
- 80.00 set a temporary brown. cor. post,
Land level & separate & the timber
thin chiefly oak. (Var. 6° 16' E.)
- note. Took Variation on this line at cor. of sec.
1 & 12 & found it to be 6° 40' E. also took it at
cor. of 29 & 30 N. R. 2 & 3 W & found it to be 5° 30' E.
Great local attraction exists somewhere on
this line. I was obliged to run the 2^d time,
December 16th 1834. — Surveyed by
Sylvester Sibley, Dep. Sur.

North Boundary, (Var. 5° 30' E.)

- West On the S. side of sec. 36 T 31 N R 3 W
a W. Oak 10 in. dia. bears N 46 E 181 lbs. dia. &
a S. Oak 12 " " " S 52 W 136 " "
- 40.00 set the gr. sec. cor. post in prairie
a W. Oak 10 in. dia. bears N 5 E W 392 lbs. dia. =
- 70.00 Leave the wet prairie. (— no other trees)
- 80.00 set a post cor. to sec. 35 & 36 from which,
a W. Oak 14 in. dia. bears N 18 W 32 lbs. dia. &
a W. Oak 12 " " " N 53 E 30 " "
- Land mostly wet prairie & some scattering
oak & the soil is separate,

- West On the S. side of sec. 35 T 31 N R 3 W
5.00 Entered a wet prairie
40.00 set the gr. sec. cor. post from which
a W. Oak 8 in. dia. bears N 70 E 265 lbs. dia. &

T. 30 N. R. 3 W. 2nd, Nev. Ind.;

6. L. No other bearing tree given
 80.00 Set a post cor. to sec. 34 & 35 from wh.,
 a W. Oak 18 in. dia., bears N 66 $\frac{1}{2}$ E 1215 $\frac{1}{2}$ ft. dia.,
 & a Do. 16 " " " N 65 $\frac{1}{2}$ E 1203 " "
 Land &c. is same as on last mile;

West On the S. side of sec. 34 T. 31 N. R. 3 W
 40.00 Set the 2nd sec., cor. post from which
 an Aspen 3 in. dia., bears N 68 $\frac{1}{2}$ E 588 ft.,
 & no other tree given

80.00 Set a post cor. to sec. 33 & 34 from wh.,
 a W. Oak 20 in. dia., bears N 87 $\frac{1}{2}$ W 461 ft. dia.,
 & a G. Oak 20 " " " N 88 $\frac{1}{2}$ E 46 " "
 Land is a poor wet prairie,

West On the S. side of sec. 33, T. 31 N. R. 3 W
 1.00 Leave the wet prairie

27.23 To a W. Oak 18 in. dia., in the line,

29.00 Entered a marsh

40.00 Set the gr. sec., cor. post from which
 a W. Oak 8 in. dia., bears N 89 $\frac{1}{2}$ E 12.2 ft.,
 no other bearing given,

47.00 Leave the marsh

61.23 To a W. Oak 10 in. dia., in the line

80.00 Set a post cor. to sec. 32 & 33 from which
 a G. Oak 10 in. dia., bears N 29 $\frac{1}{2}$ W 167 ft.,
 & a Do. 8 " " " N 80 $\frac{1}{2}$ E 139 "

Land is rather marshy Oak timber scattered,
 -ing & poor soil -

West On the S. side of sec. 32 T. 31 N. R. 3 W

26.00 Entered a wet prairie

40.00 Set the gr. sec., cor. post from which

T. 30 N. R. 3 W. 2^d, Nev. Ind.

- C. S. A G. Oak 9 in. dia bears S 85 E 136 1/2 M.,
 & no other bearing given,
 75.00 Leave the wet prairie
 80.00 Set a post cor. to sec. 31 & 32 from wh.
 a W. Oak 18 in. dia, bears N 10 E 102 M. dia,
 & a Do. 20 " " " N 39 W 112 " "
 Land mainly open & the timber is Oak,

- West On the S. side of sec. 31 T. 31 N. R. 3 W
 21.69 To a G. Oak 12 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 7 in. dia. bears N 21 E 277 M. dia &
 & a Do. 6 " " " S 30 W 96 " "
 80.77 To the W. boundary, 1.18 M. S. of temp.
 Lower cor. post. Set post cor. Towns, 30 & 31
 Ranges 3 & 4 West from which
 a W. Oak 12 in. dia. bears N 56 E 36 M. dia,
 & a Do. 12 " " " S 84 E 68 " "
 Land is rolling & separate rate & the
 timber is G. Oak &c. (Var 5:30 E.)
 December 19th 1833. Surveyed by
 Sylvester - Libby, Dep. Sur. -

- West Boundary (Var. 5:35 E.)
 North On the E. side of sec. 30 T. 30 N. R. 4 W
 40.00 Set the gr. sec. cor. post in prairie from wh.
 a W. Oak 8 in. dia. bears N 3 3/4 E 16.92 M. dia,
 & no other bearing tree given
 70.00 Leave the wet prairie
 80.00 Set a post cor. to sec. 35 & 36 from wh.
 a W. Oak 10 in. dia. bears S 34 1/2 W 100 M.
 & a Do. 10 " " " N 40 E 47 " dia,
 Land is mostly wet prairie & a few Oaks on
 the etc. -

T. 30 N. R. 3 W. 2nd Mer, Ind.

- E. L.
 North On the E. side of Sec. 25 T. 30 N. R. 3 W.
 40.00 Set the 1/4 sec. cor. post from which
 a W. Oak 10 in. dia. bears S 7 1/2 W 219 ft. dist.
 & a G. Oak 18 " " " S 14 E 6 72 " "
 59.09 To a G. Oak 16 " " in the line,
 80.00 Set a post cor. to sec. 24 & 25 from which
 a W. Oak 10 in. dia. bears S 14 W 237 ft. dist.
 & a Do. 22 " " " N 60 1/2 W 128 " "
 Land rolling & separate & the timber
 is W. G. Oak & the mud, gth. same,

- North On the E. side of Sec. 24 T. 30 N. R. 3 W.
 31.00 Entered wet prairie
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 4 in. dia. bears S 1 W 303 ft. dist.
 & a Do. 18 " " " North 805 " "
 46.00 Leave the wet prairie
 48.05 To a W. Oak 18 in. dia. in the line,
 63.88 To a W. Oak 30 " " " " "
 80.00 Set a post cor. to sec. 13 & 24 from wh.
 a W. Oak 20 in. dia. bears N 75 W 13 ft.
 & a B. Oak 18 " " " S 3 1/2 W 119 "
 Land level & separate W. G. Oak timber

- North On the E. side of sec. 13. T. 30 N. R. 3 W.
 20.24 To a W. Oak 12 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 18 in. dia. bears S 7 1/2 W 45 ft. dist.
 & a Do. 24 " " " N 6 W 69 " "
 80.00 Set a post cor. to sec. 12 & 13 from wh.
 a G. Oak 12 in. dia. bears S 47 W 28 ft.
 & a Do. 10 " " " N 76 W 44 "
 Land level & separate & the timber, Oak,

T. 30 N. R. 3 W. 2nd Mer. Ind.

- Co. L
 North On the E. side of Sw. 12 T. 30 N. R. 3 W.
 40.00 Entered a wet prairie
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 4 in. dia. bears S 5¹/₂ W 780¹/₂ ft. dia
 & no other tree near,
 80.00 Set a post cor. to secs. 1 & 12 from wh.,
 a G. Oak 6 in. dia. bears N 1¹/₂ W 654¹/₂ ft.,
 & a W. Oak 8 " " " N 1 E 664 " dia,
 Land is marshy & scattered Oak timber &c.

- North On the E. side of Sw. 1 T. 30 N. R. 3 W.
 40.00 Leave low wet prairie
 35.89 To a G. Oak 18 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a Gum 4 in. dia. bears S 75¹/₂ W 24¹/₂ ft. dia,
 & a G. Oak 8 " " " N 22¹/₂ W 36 " "
 57.32 To a W. Oak 28 " " in the line,
 80.00 Set a temporary town corner,
 Land level & scattered & the timber is
 W. W. Oak. (Var. 5¹/₂ 35¹/₂ E.)
 Dec. 19th 1833. Surveyed by
 Sylvester Sibley, Dep. Sur.

- Subdivisions, T. 30 N. R. 3 W.
 North Between sections 35 & 36 —
 16.71 To a W. Oak 30 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 6 in. dia. bears S 48¹/₂ W 262¹/₂ ft. dia,
 & a D. 6 " " " S 57¹/₂ W 272 " "
 80.00 Set a post cor. to secs. 25, 26, 35 & 36 —
 a B. Oak 18 in. dia. bears N 3¹/₂ E 707¹/₂ ft.,
 & a W. Oak 18 " " " N 3¹/₂ W 722 "
 Land level wet barrens & part swamp

T. 30 N. R. 3 W. 2nd Mer. Ind.

C.R.


East

80179

On Random between Secs. 25 & 36
 To the E. line of sec. 33 W. of post
 Land level with barrens
 & the timber B & W. Oak scattering

Note. The correction of the foregoing
 line between Secs. 25 & 36. - will
 be found on the next page -

23



T. 30 N. R. 3 W. 2nd Mer. Ind. a

6.25
West Correct the line between sec. 35 & 36
40.39 1/2 Set the q. sec. cor. post from which
a W. Oak 20 in. dia. bears N 86 24 W. 74 ft.
+ a Do. 18 " " " N 40 W 22 " "
80.79 To the sections corner,
Land level & wet prairie & the timber
is scarce scattering B. & W. Oak &c

North Between sections 25 & 26,
16.78 To a B. Oak 30 in. dia. in the line,
32.27 " " B. Oak 18 " " " " "
40.00 Set the 2nd sec. cor. post from which
a B. Oak 24 in. dia. bears N 88 51 8 W. 74 ft.,
+ a Do. 20 " " " N 17 W 30 " "
80.00 Set a post cor. to sec. 23, 24, 25 & 26 -
a W. Oak 20 in. dia. bears S 87 53 33 W. 74 ft.,
+ a Do. 18 " " " N 14 6 71 " "
Land: 1/2 mile dry B. Oak, leaning & B.
Oak timber. N 1/2 mile destitute of undergrowth

East On Random between sec. 24 & 25
80.79 To the E. line of sec. 26 1/2 mi. S. of post,

West Correct the line between sec. 24 & 25
40.39 1/2 Set the 2nd sec. cor. post from which
a W. Oak 20 in. dia. bears N 77 W 30 3 W. 74 ft.,
+ a Do. 18 " " " " N 35 1/2 W 21 11 " " "
80.79 To the sections corner, Land level
& wet prairie, some scrubby, & the
timber is scarce, & some groves of Oak &c

North Between sections 23 & 24
40.00 Set the q. sec. cor. post from which
a W. Oak 18 in. dia. bears N 12 W 65 0 W. 74 ft.,

T. 30 N. R. 3 W. 2nd, Near Ind^a,

Co. Sec. & a W. Oak 15 in. dia. bears N 15 $\frac{1}{2}$ W 60 $\frac{1}{2}$ M $\frac{1}{2}$
 90.00 To a B. Oak 20 " " in the line,
 95.28 " " Do. 24 " " " " "
 80.00 Set a post cor. to sec. 13 & 14, 23 & 24
 a W. Oak 12 in. dia. bears S 23 W 6 M $\frac{1}{2}$ dist,
 & a B. Oak 24 " " " S 79 E 33 " "
 Land level bearing & the timber is -
 scarce, & some B. & W. Oak. (May 10th 1884)

East On Random between sections 13 & 24
 81.29 To the E. line of sec. 6 M $\frac{1}{2}$ S. of post,

West Correct the line between sec. 13 & 24
 40 bl $\frac{1}{2}$ Set the q. sec. cor. post from which
 no bearings, being in swamp
 81.29 To the section corner, Land level survey
 & the timber is - none -

North Between sections 13 & 14
 40.00 Set the q. sec. cor. post from which
 a B. Oak 10 in. dia. bears N 80 - 40 M $\frac{1}{2}$ dist,
 & a Do. 10 " " " N 84 W 53 " "
 80.00 Set a post cor. to sec. 11, 12, 13 & 14
 a W. Oak 12 in. dia. bears N 35 $\frac{1}{2}$ W 22 M $\frac{1}{2}$
 & a Do. 18 " " " N 70 W 70 "
 This line runs through flag & Bull
 rush swampy, & some groves of Oak,

East On Random between sec. 12 & 13
 81.88 To the E. boundary of sec. 20, 13 M $\frac{1}{2}$ S.

West Correct the line between sec. 12 & 13,
 40.94 Set the q. sec. cor. post from which
 a W. Oak 20 in. dia. bears N 13 W 30 M $\frac{1}{2}$.

T. 30 N. R. 3 W. 2^d New. Ind.^a

61.88	<p>Co. Sec 1 & a W. Oak 18 in. dia. bears N 75 W 50 th. dia., to the section corner, Land level wet barney & the timber is scarce, some B. Oak & some W. Oak &c,</p>
41.66 40.00	<p>North Between sections 11 & 12, to a W. Oak 18 in. dia. in the line, set the 2^d sec. cor. post from which a W. Oak 10 in. dia. bears N 26 W 103 th. dia. & a Do. 18 " " " " N 7 W 150 " "</p>
57.79 80.00	<p>to a B. Oak 24 " " in the line, set a post cor. to sec. 1, 2, 11 & 12 from wh., a B. Oak 10 in. dia. bears N 35 E 374 th. dia., & a W. Oak 18 " " " " N 46 E 441 " " Land level wet barney & the timber is scarce & some B & W. Oak &c</p>
83.24	<p>East On Random between sec. 1 & 12 to the E. line of sec. 179 th. N. of post,</p>
61.25 41.62	<p>West Correct the line between sec. 1 & 12 to a B. Oak 18 in. dia. in the line, set the 2^d sec. cor. post from which a B. Oak 18 in. dia. bears N 63 W 38 th., & a Do. 18 " " " " S 24 E 28 "</p>
55.81 63.28 83.24	<p>to a B. Oak 10 " " in the line, " " Do. 18 " " " " " " the section corner, Land dry barney & the timber is B, & W. Oak & the mud. etc. is scarce when there is any</p>
40.00	<p>North Between sections 1 & 2 set the q. sec. cor. in a mound,</p>

T. 30 N. R. 3 W. 2^d. New. Ind.^aC. L.
83.66

To the N. boundary, 225 lbs. West of post
Set post cor. to sec. 1 & 2 from which
a W. Oak 12 in dia. bears N 38 E 77 1/2 lbs. dia.
& a Do. 12 " " " N 21 W 70 " "
Land level & wet bearing & scarce of timber
May 11. 1834. By Robt. Hamner, D. J.

North

Between sections 34 & 35,
24.50 To a B. Oak 24 in dia. in the line,
40.07 Set the post cor. to sec. 1 & 2 from which
a B. Gum 6 in dia. bears N 27 E 900 lbs. dia.
& a Do. 6 " " " N 7 1/2 W 114 " "
48.66 To a W. Oak 12 in dia. " in the line
62.03 " a B. Oak 18 " " " " "
17.57 " " W. Oak 12 " " " " "
60.07 Set post cor. to sec. 26, 27, 34 & 35 -
a W. Oak 18 in dia. bears S 35 W 44 lbs. dia.
& a Do. 10 " " " N 56 1/2 E 63 " "
Land level chiefly wet bearing & the
timber B. & W. Oak &c

East

On Random between sec. 26 & 35
80.36 To the East boundary, of sec. 87 lbs. W. of post

West

Correct the line between sec. 26 & 35
40.18 Set the post cor. to sec. 1 & 2 from which
a W. Oak 12 in dia. bears N 5 E 19 lbs. dia.
& a Do. 16 " " " N 10 W 50 " "
80.36 To the section corner,
Land is level & wet bearing & the
timber is scarce & a few B. & W. Oaks,

North

Between sections 26 & 27,
2.50 To a B. Oak 12 in dia. in the line,
Corns -

T. 30 N. R. 3 W. 2^d, New, Ind^a.

Co. L ₁	
33.23	To a W. Oak 18 in. dia. in the line
38.36	" a B. Oak 24 " " " " "
40.00	Set the q. sec. cor. post from which a W. Oak 18 in. dia. bears S 2 1/2 E 76 ths, & a Do. 24 " " " N 61 E 72 "
54.72	To a B. Oak 12 " " in the line,
74.88	" a W. Oak 15 " " " " "
80.00	Set a post cor. to sec. 22, 23, 26 & 29 a B. Oak 38 in. dia. bears S 38 E 138 ths. dia. & a Do. 6 " " " N 6 1/2 W 240 " "
	Land is level & dry prairie & the timber is B. Oak & W. Oak &

East On Random between sections 23 & 24
79.35 To the E. line of sec. 142 ths. N. of post

West Correct the line between sections 23 & 26
39.67 1/2 Set the q. sec. cor. post from which
a W. Oak 18 in. dia. bears N 61 E 24 ths,
& a B. Oak 6 " " " S 84 E 189 "

46.82 To a W. Oak 30 " " in the line,
49.48 " a Do. 18 " " " " "
54.98 " a B. Oak 6 " " " " "
79.35 " the sec. corner, W. 1/2 mile's dry
prairie, & the E. is flag & Bullrush
swampy, & the timber is B. & W. Oak &

North Between sections 22 & 23,
40.00 Set the q. sec. cor. post from which
a B. Oak 10 in. dia. bears S 70 E 66 ths. dia.,
& a W. Oak 20 " " " N 62 1/2 W 137 " "

43.62 To a B. Oak 18 " " in the line,
67.95 " a Do. 24 " " " " "
80.00 Set a post cor. to sec. 14, 15, 22 & 23,

T. 30 N. R. 3 W. 2nd Mer. Ind. a

C. L.	<p>a W. Oak 12 in. dia. bears S 30° W 129 M., & a Do. - " " " " S 34° E 162. Land level wet barney & the timber is 73% W. Oak &c., where there is any</p>
East 80.04	<p>On Random between sec. 14 & 23, To the E. line of sec. 75 M. N. of post,</p>
West 40.02 80.04	<p>Correct the line between sec. 14 & 23, Set the q. sec. cor. post from which an Aspen 4 in. dia. bears S 63° W 22 M., & a Do. 4 " " " " N 24° W 57 " To the sections corner, Land level, swamps & some groves of aspen & W. Oak. (May 13th 1834.)</p>
North 4.59 9.39	<p>Between sections 14 & 15 To a W. Oak 24 in. dia. in the line, " a B. Oak 20 " " " " " "</p>
40.07 80.07	<p>Set the q. sec. cor. post from which a W. Oak 18 in. dia. bears S 28° E 50 M. dia. & a Do. 12 " " " " S 18½° W 89 " " Set a post cor. to sec. 10, 11, 14 & 15 - a B. Oak 24 in. dia. bears N 53½° W 5 M., & a Do. 20 " " " " N 48½° W 573 " Land level wet barney & the timber is B. Oak & W. Oak &c.</p>
East 80.21	<p>On Random between sections 11 & 14 To the E. line of sec. 110 M. N. of post,</p>
West 3.03 7.68	<p>Correct the line between sec. 11 & 14 To a W. Oak 12 in. dia. in the line, " a Do. 12 " " " " " "</p>

T. 30 N. R. 3 W. 3rd New. Ind.

Co. Co.
 40.10 $\frac{1}{2}$ Set the gr. sec. cor. post from which
 a B. Oak 22 in dia. bears S 32 E 129th in,
 & a Do. 10 " " " S 28 E W 139 " "
 80.21 To the section's corner,
 Land level & wet banners & the timber
 is W. & B. Oak &

North Between sections 10 & 11

40.00 Set the 2nd sec. cor. post in pond (a. t. s.)
 80.00 Set a post cor. to sec. 2, 3, 10, & 11 -
 a W. Oak 12 in dia. bears N 69 W 358th in,
 & a Do. 18 " " " N 60 W 348 "
 Land level & wet banners & the timber is
 scarce, of any kind & a few B. & W. Oaks,

East On Rand on between sec. 2 & 11
 80.72 To the E. end of sec. 75th in. S. of post

West Correct the line between sec. 2 & 11
 40.36 Set the gr. sec. cor. post from which
 a W. Oak 20 in dia. bears N 57 E 98th in,
 & a B. Oak 20 " " " N 72 W 326 " in,
 80.72 To the section's corner,
 Land is level with banners W. & B. Oak &

North Between sections 2 & 3

19.66 To a B. Oak 18 in dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 29 in dia. bears N 48 W 322th in,
 & a Do. 12 " " " S 50 W 324 "
 77.34 To the N. boundary, 250th in. W. of post,
 where rain at mound,
 Land level & wet banners & the timber
 is scarce, grows of W & B. Oak &

T. 30 N. R. 34 W. 2nd New. Ind^a

6. La North	Between sections 33 & 34
13.43	To a B. Oak 18 in. dia. in the line,
40.00	set the gr. sec. cor. post from which a B. Oak 10 in. dia. bears S 31 E 112 ths. dist. & a Do. 12 " " " N 62 1/2 W 219 " "
80.00	Set a post cor. to sec. 27, 28, 33 & 34 - where raised a mound Land level level banners flag & Bull rush swamps & B. Oak & W. Oak & aspen
East	On Random between sec. 27 & 34
79.40	To the E. line of sec. 75 ths. et. of post
West	Correct the line between sec. 27 & 34
8.93	To a B. Oak 24 in. dia. in the line,
11.95	" " B. Oak 12 " " " " "
17.19	" " Do. 18 " " " " "
39.70	Set the gr. sec. cor. post from which a W. Oak 24 in. dia. bears S 25 W 433 ths. & a Do. 18 " " " S 27 W 444 "
79.40	To the sections corner, East 1/2 mile dry 2 nd rate land, & the timber is B. Oak W Oak & the W is a marsh without timber,
North	Between sections 27 & 28
40.00	Set the gr. sec. cor. post from which a Spruce 20 in. dia. bears N 69 W 224 ths. dist. & an Aspen 12 " " " N 50 W 194 " "
80.00	Set a post cor. to sec. 21, 22, 27 & 28, a W. Oak 20 in. dia. bears S 6 E 553 ths. dist. & a B. Oak 18 " " " S 9 E 572 " "
	Land level flag & bull rush swamps groves of B. Oak, Aspen Spruce

T. 30 N. R. 3 W. 2nd Mer. Ind. a

6.26 East 79.80	On Random between sections 22 & 27 To the E. line of sec. 20 th. S. of post,
West 18.38 24.14 39.90 79.80	Correct the line between sec. 22 & 27 To a B. Oak 24 in dia. in the line, " " W. Oak 20 " " " " " Set the gr. sec. cor. post from which a W. Oak 18 in dia. bears S 33 $\frac{1}{2}$ E 186 th., & a B. Oak 30 " " " S 21 $\frac{1}{2}$ W 225 " To the sections corner, Land level & E. & dry W. Oak & B. Oak timber & the W $\frac{1}{2}$ is wet without timber
North 40.00 55.42 64.62 80.00	Between sections 21 & 22, Set the gr. sec. cor. post from which a B. Oak 18 in dia. bears S 31 $\frac{1}{2}$ E 38 th., & a Do. 20 " " " S 45 $\frac{1}{2}$ W 23 " To a B. Oak 24 in dia. in the line, " " B. Oak 25 " " " " " Set a post cor. to sec. 15-16-21 & 22 - a W. Oak 12 in dia. bears N 23 $\frac{1}{2}$ W 94 th., & a Do. 15 " " " N 23 $\frac{1}{2}$ E 96 " dia., Land level wet barrens & the timber is scarce of B. & W. Oak &
East 79.78	On Random between sec. 15 & 22 To the E. line of sec. 22. th. S. of post,
West 39.89 79.78	Correct the line between sections 15 & 22 Set the 2 nd sec. cor. post from which an Aspen 6 in dia. bears N 5 $\frac{1}{2}$ W 1.07 th., & a Do. 8 " " " S 9 $\frac{1}{2}$ E 93 " To the section corner, Land is level wet barrens & the timber,

T. 30 N. R. 3 W. 2nd Mer Ind^a

C. L.

is scarce, some B. Oak & Oak & Ash
May 14th, 1834 —

North Between sections 15 & 16,
19.56 To a B. Oak 24 in dia. in the line,
40.00 Set the gr. sec. cor. post in a mound
80.00 Set a post cor. to sec. 9, 10, 15 & 16,
a B. Oak 10 in dia. bears S 55 $\frac{1}{2}$ E 22 $\frac{1}{2}$ Mts,
& a Do, 12 " " " N 75 $\frac{1}{2}$ W 79 " dit,
Land level wet beavers & some grove
of B. & W. Oak timber

East On Random between sec. 10 & 15
81.35 To the E. line of sec. 75 Mts. S. of post,

West Correct the line between sec 10 & 15
23.77 To a W. Oak 12 in dia. in the line
40.67 $\frac{1}{2}$ Set the gr. sec. cor. post in pond
a B. Oak 18 in dia. bears S 57 $\frac{1}{2}$ W 57 $\frac{1}{2}$ Mts. dit,
& a Do. 18 " " " S 58 $\frac{1}{2}$ W 58 $\frac{1}{2}$ " "
81.35 To the sections corner,
Land is level wet beavers & the timber
is scarce & B. & W. Oak &c

North Between sections 9 & 10
40.00 Set the gr. sec. cor. post from which
a W. Oak 24 in dia. bears N 72 $\frac{1}{2}$ W 34 $\frac{1}{2}$ Mts,
& a B. Oak 20 " " " S 32 $\frac{1}{2}$ W 67 "
45.59 To a B. Oak 18 " " in the line,
80.00 Set a post cor. to sec. 3, 4, 9 & 10
a B. Oak 24 in dia. bears N 52 $\frac{1}{2}$ E 15 $\frac{1}{2}$ Mts,
& a Do. 20 " " " N 53 $\frac{1}{2}$ W 38 $\frac{1}{2}$ "
Land is level wet beavers & the timber
is scarce & some B. & W. Oak &c

T. 30 N. R. 3 W. 2nd Mer. Ind.^a

6. L,
East
81.39 On Random between sec. 3 & 10
to the E. line of sec. 10 1/2 m. S. of post

West
9.34 Correct the line between sec. 3 & 10
40.69 1/2 to a B. Oak 18 in. dia. in the line,
set the grassy cor. post from which
a W. Oak 24 in. dia. bears N 11 E 182 m.
+ a Do. 20 " " " N 13 1/2 W 176 "
81.39 to the sections corner,
Land is level & the principal part
dry barrens, some grass, of W. & B. Oak,

North
23.26 Between sections 3 & 4
40.00 to a W. Oak 12 in. dia. in the line;
set the grassy cor. post from which
a B. Oak 24 in. dia. bears N 65 W 112 m.
+ a Do. 20 " " " S 32 E 134 "
79.18 to the N. boundary, 45 m. W. of post,
set post cor. to sec. 3 & 4 from which
a B. Oak 18 in. dia. bears S 32 W 28 m. dia.
+ a Do 18 " " " S 65 W 82 "
Land level dry barrens & the timber,
is scarce of B. & W. Oak, & N. C. same

North
40.00 Between sections 32 & 33,
set the grassy cor. post in pond
a B. Oak 18 in. dia. bears N 18 E 4.00 m.
+ a W. Oak 12 " " " N 69 E 460 "
66.36 to a W. Oak 12 " " in the line,
68.28 " " Do. 12 " " " " "
80.00 set a post cor. to sec. 28, 29, 32 & 33,
a B. Oak 12 in. dia. bears S 34 W 365 m.
+ a Do. 12 " " " S 12 W 326 "
Land level wet barrens of W. & B. Oak

421

T. 30 N. R. 3 W. 2nd Mer. Ind^a,

- E. L. East On Random between sections 28 & 33
 81.11 To the E. line of sec. 22th M. S. of path,

 West Correct the line between sec. 28 & 33
 40.552 Set the q. sec. cor. post from which
 a B. Oak 20 in. dia. bears N 57° W 20 M.,
 & a Do. 24 " " " N 89° E 35 " dia.,
 41.79 To a B. Oak 18 " " in the line,
 81.11 To the section corner. The E $\frac{1}{2}$ runs
 through a flag marsh & the W $\frac{1}{2}$ land
 with timber of Oak B & W. &c., May 15. 1834

- North Between sections 28 & 29
 18.37 To a B. Oak 12 in. dia. in the line,
 40.00 Set the q. sec. cor. post from which
 a B. Oak 20 in. dia. bears S 27° E 100 M.,
 & a Do. 12 " " " " N 72 $\frac{1}{2}$ ° E 98 "
 59.38 To a W. Oak 18 " " in the line,
 80.00 Set a post cor. to sec. 20, 21, 28 & 29
 a W. Oak 12 in. dia. bears N 35° W 145 M.,
 & a Do. 24 " " " " N 30° E 216 "
 Land is level prairie. Small grove
 of W. & B. Oak &c.

- East On Random between sections 21 & 28
 79.50 To the E. line of sec. 12th M. S. of path,

 West Correct the line between sec. 21 & 28
 4.90 To a W. Oak 12 in. dia. in the line,
 39.78 Set the $\frac{1}{4}$ sec. cor. post from which
 an Aspen 12 in. dia. bears N 89 $\frac{1}{2}$ ° E 110 M.,
 & a B. Oak 18 " " " " N 57° W 181 "
 79.50 To the section corner,
 Land level wet meadows, affixed. Oaks &c.

T. 30 N. R. 3 W. 2nd Mer. Ind. a

6. L.	
North	Between sections 20 & 21
32.90	To a B. Oak 24 in. dia. in the line
34.14	" " W. Oak 12 " " " " "
40.00	Set a gr. sec. cor. post from which
	a W. Oak 20 in. dia. bears S 85 E 19 lbs.
	La. Do. - " " " S 86 W 29 "
69.26	To a W. Oak 12 " " in the line,
80.00	Set a post cor. to section 16 & 17, 20 & 21
	where raised a mound
	Land level & dry prairie & the timber
	is B & W. Oak, W. G. same where any
East	On Random between sec. 16 & 21
79.88	To the E. line of sec. 58 S. of post.
West	Correct the line between sec. 16 & 21
39.94	Set the gr. sec. cor. post from which
	an Aspen 12 in. dia. bears N 3 W 150 lbs.
	La. Do. 12 " " " S 26 E 203 "
79.88	To the sections corner,
	Land is level, E 1/2 mile wet prairie
	W 1/2 mile is flag swamp. No timber
North	Between sections 16 & 17,
16.56	To a W. Oak 18 in. dia. in the line
40.00	Set the gr. sec. cor. post from which
	a B. Oak 20 in. dia. bears S 2 W 226 lbs.
	La. Do. 6 " " " S 17 1/2 W 230 "
47.42	To a B. Oak 18 " " in the line,
69.42	" " W. Oak 12 " " " " "
70.11	" " B. Oak 24 " " " " "
78.80	" " Do. 24 " " " " "
80.00	Set a post cor. to sec. 8, 9, 16 & 17
	a W. Oak 18 in. dia. bears N 4 W 30 lbs. dia.

T. 30 N. R. 3 W. 2nd Mer. Ind.^a

Co. L. La W Oak 12 in dia, bears S 59 E 20 lks,
Land rolling dry barney & the timber,
is B. & W. Oak & —

East On Random between sec. 9 & 16
79.13 To the E. line of sec. 35 lks. N. of post,

West Correct the line between sec. 9 & 16
1.40 To a W Oak 12 in dia, in the line,
15.47 To a W Oak 24 " " " " "
39.56 1/2 set the grass, cor. post from which
a B. Oak 12 in dia, bears S 72 E 91 lks,
La Do. 30 " " " S 16 E 120 "
79.13 To the section corner,
Land is level & well barney & the timber,
is same, & a few W. & B. Oaks & —

North Between sections 8 & 9
3.52 To a W Oak 20 in dia, in the line
11.62 To a W Oak 12 in dia, on the line
18.33 " a Do. 18 " " " " "
40.80 set the grass, cor. post from which
a B. Oak 12 in dia, bears S 60 E 49 lks,
La Do. 18 " " " S 89 W 39 "
80.00 To the N. bound. of sec. 8 & 9 & corner
of sec. 4, 5, 8 & 9. where set a post for wh.
a W Oak 24 in dia, bears N 45 W 12 lks. 9 lks,
La Do. 12 " " " S 80 E 38 " "
Land is roll. & to barney & the timber
is B. Oak W Oak & Hickory & —

East On Random between sec. 4 & 9
79.40 To the E. line of sec. 40, lks. N. of post,

West Correct the line between sec. 4 & 9

T. 30 N. R. 3 W. 2nd Mer. Ind.

East
 39.73 Set the gr. sec. cor. post from which
 a W. Oak 18 in. dia. bears S 63 W 166 th. dist.
 & a Br. Oak 12 " " " N 88 E 1167 " "
 55.99 To a W. Oak 18 " " in the line,
 79.46 To the setting corner, Land level & dry
 bearing, scarce of timber, W. & Br. Oak,
 & the mud etc. same when there is any

North
 40.00 Between sections 4 & 5,
 Set the gr. sec. cor. post from which
 a Br. Oak 12 in. dia. bears N 35 W 12 th.,
 & a W. Oak 15 " " " N 64 E 620 "
 71.27 To a Br. Oak 24 " " in the line,
 77.00 To the N. boundary line 266 th., west of post,
 a Br. Oak 12 in. dia. bears S 39 E 106 th. dist.,
 & a Do. 18 " " " S 33 E 138 " "
 Land 2nd rate bearing & the timber
 is scarce & scattering Br & W. Oak &c.
 May 16th. 1834

North
 40.00 Between sections 31 & 32
 Set the gr. sec. cor. post from which
 a Br. Oak 18 in. dia. bears N 54 E 16 th. dist.,
 & a Do. 30 " " " N 23 E 425 " "
 80.00 Set a post cor. to sec. 29, 30, 31 & 32
 a W. Oak 24 in. dia. bears S 2 E 870 th. dist.,
 & a Br. Oak 20 " " S 86 E 10.03 " th. "
 Land level wet bearing & the timber
 is scarce & a few Br & W. Oak &c.

East
 79.50 On Random between sections 29 & 32
 To the E line of sec. 167 th. N. of post,

West
 Correct the line between sec. 29 & 32

425

T. 30 N. R. 3 W. 2nd New. Ind.

6.8, 10.20	To a B. Oak 36 in. dia. in the line,
39.75	Set the gr. sec. cor. post from which a W. Oak 10 in. dia. bears S 29 ^o E 36 ^o 1/2 ^o 1/2 ^o 1/2 ^o
79.50	To the section corner, Land level sweet barnyard & the timber is scarce & some B. & W. Oak &
West 79.98	Between sections 30 & 31 To the W. boundary, 4 th cor. of post
East 39.98	Correct the line between sec. 30 & 31 Set the gr. sec. cor. post from which a B. Oak 20 in. dia. bears S 84 ^o E 1/4 ^o 1/2 ^o 1/2 ^o 1/2 ^o
79.98	To the section corner, Land level & dry barnyard & the timber is scarce & some B. & W. Oak &
North 20.30	Between sections 29 & 30, To a B. Oak 20 in. dia. in the line,
32.50	" " W. Oak 12 " " " " " "
40.00	Set the gr. sec. cor. post from which a B. Oak 20 in. dia. bears S 62 ^o W 155 ^o 1/2 ^o 1/2 ^o
61.67	To a B. Oak 36 " " in the line,
80.00	Set a post cor. to sec. 19, 20, 29 & 30, B. Oak 30 in. dia. bears S 74 ^o W 75 ^o 1/2 ^o 1/2 ^o 1/2 ^o 1/2 ^o
	To a Do. 24 " " " S 82 ^o W 85 ^o 1/2 ^o 1/2 ^o 1/2 ^o 1/2 ^o
	Land level dry barnyard & the timber is scarce. & some B. & W. Oak &
North 20.30	Between sections 29 & 30 To a B. Oak 20 in. dia. in the line

T. 30 N. R. 3 W. 2nd Mer. 2nd

6. 67	To a W. Oak 12 in. dia. in the line,
32.50	Set the gr. sec. cor. post from which
40.00	a W. Oak 20 in. dia. bears S 42° W. 155 ths.
	& a Do. 12 " " " S 55° W 158 " dit.
61. 69	To a B. Oak 36 " " in the line,
80.00	Set a post cor. to sec. 19, 20, 29 & 30, in swamp,
note	(copy of this line repeated through mistake.) -
East	On Random between sections 20 & 29
80.00	To the E. line of sec. 10 ths. S. of post,
West	Correct the line between sections 20 & 29
40.00	Set the gr. sec. cor. post from which
	a W. Oak 24 in. dia. bears at 59° E 400 ths. dit.
	& a Do. 30. " " " S 36½° W 445 " "
80.01	To the sections corner, Land level wet banyans & the timber is scarce. B. W. Oak &
West	On Random between sec. 19 & 30
78.56	To the W. boundy. 6 ths. S. of post,
East	Correct the line between sec. 19 & 30
9.93	To a B. Oak 24 in. dia. in the line,
38.56	Set the gr. sec. cor. post from which
	a W. Oak 12 in. dia. bears at 85° E 724 ths.
	& a Do. 10 " " " N 83½° E 735 "
78.56	To the sections corner, Land level & the E. ½ mile wet & scarce of timber. - W. ½ dry land timber. Oak &, Mud, brush scarce where there is any.
North	Between sections 19 & 20
40.00	Set the gr. sec. cor. post from which

T. 30 N. R. 3 W. 2nd. Mer. Ind. 2

6.21	a W. Oak 12 in dia, bears S 76 E 310 Mr. Dick, & a Do. 18 " " " S 81 E 110 " "
80.07	Set a post cor. to Secs. 17, 18, 19 & 20 from which a W. Oak 18 in dia, bears S 77 E 47 Mr. Dick, & a B. Oak 20 " " " S 71 W 18 " "
	Land level & wet prairie & the timber is scarce of B. & W. Oak &c
East	On Random between Secs. 17 & 20
80.30	To the E. line of sec. 22 Mr. S. of post,
West	Correct the line between Secs. 17 & 20
40.15	Set the q. sec. cor. post from which a W. Oak 12 in dia, bears S 70 E 106 Mr. & a Do. 10 " " " S 76 E 108 "
44.85	To a W. Oak 18 " " in the line,
52.72	" a B. Oak 20 " " " " "
80.30	" the section corner, Land level & E. $\frac{1}{2}$ mile is mucky & Bullrush swamp, W & E 3 rods dry prairie, & W & B. Oak timber May 17, 1834
West	Between sections 18 & 19,
78.10	To the W. boundary, 39 Mr. N. of post
East	Correct the line between Secs. 18 & 19
17.25	To a W. Oak 20 in dia, in the line,
24.63	" a B. Oak 24 " " " " "
38.10	Set the q. sec. cor. post from which a - 13 in dia, bears S 78 E 119 Mr. Dick, & a Hickory 12 " " " S 38 E 122 " "
47.07	To a W. Oak 12 in dia, in the line,
54.91	" a W. Oak 18 " " " " "
78.10	To the section corner, Land 2 nd sat day

T. 30 N. R. 2 W. 2^d. New. Ind. a.

Co. Sec. B. & W. Oak Canyon &

North Between sections 17 & 18,
 1.95 To a W. Oak 18 in dia, in the line,
 15.63 " " Do. 12 " " " " "
 31.50 " " B. Oak 20 " " " " "
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 12 in dia, bears N 52° W 42¹/₂ M. dist,
 & a Do. 20 " " " " N 43° E 76 " "
 57.99 To a W. Oak 18 " " in the line,
 86.00 Set a post cor. to sec. 7, 8, 17, & 18, from the
 a B. Oak 10 in dia, bears N 82° E 35¹/₂ M.,
 & a Do. 10 " " " " S 77° E 39¹/₂ dist,
 Land level & dry canyon & the timber
 is scarce, B. & W. Oak & the h.g. same,

East On Random between sections 8 & 17
 78.53 To the E. line of sec. 112 M. S. of post,

West Correct the line between sec. 8 & 17
 8.63 To a W. Oak 24 in dia, in the line
 39.86¹/₂ Set the 2^d sec. cor. post from which
 a W. Oak 12 in dia, bears S 36° E 60¹/₂ M.,
 & a Do. 24 " " " " S 73° E 69 "
 78.53 To the sections corner,
 Land level & dry canyon B. & W. Oak,

West Between sections 7 & 18,
 77.81 To the West boundary, 16 M. S. of post,

East Correct the line between sec. 7 & 18
 4.08 To a B. Oak 20 in dia, in the line,
 10.23 " " Do. 24 " " " " "
 37.81 " " Do. - " " for 1/4 sec. cor. tree,

429

T. 30 N. R. 3 W. 2nd. New. Ind.^a

C. S.
 47.85 To a W. Oak 24 in. dia. in the line,
 60.69 To a W. Oak 12 " " " "
 77.81 To the section corner,
 Land level wet barney & the timber
 is B. W. Oak &

North Between sections 7 & 8;
 21.06 To a B. Oak 20 in. dia. in the line,
 40.00 set the q. sec. cor. post. from which
 a B. Oak 6 in. dia. heavy S 74 1/2 W 98 1/4,
 & a Do. 12 " " " N 22 1/2 E 102 "
 53.44 To a W. Oak 36 " " in the line
 80.00 set a post cor. to sec. 5, 6, 7, & 8,
 a B. Oak 20 in. dia. heavy S 23 W 19 1/4,
 & a W. Oak 18 " " " S 38 1/2 E 14 "
 Land is level wet barney & the timber
 is same, B & W. Oak &

East On Random between sec. 5 & 8
 77.92 To the E. line of sec. 11 1/4 m. S. of post.

West Correct the line between sec. 5 & 8,
 38.96 set the q. sec. cor. post. from which
 a B. Oak 18 in. dia. heavy S 22 1/2 W 115 1/4,
 & a Do. 24 " " " S 12 W 148 "
 40.95 To a B. Oak 24 " " in the line,
 45.70 " " Do. 20 " " " " "
 77.92 To the section corner,
 Land level wet barney & the timber
 is same B & W. Oak &

West On Random between sec. 5 & 8
 77.09 To the W. boundary, 5 1/4 m. S. of post.

T. 30 N. R. 39 W. 2nd New, Ind^a

C. L.
 East Corner the line between secs, 6 & 7
 37.07 Set the gr. sec. cor. post from which
 a W. Oak 12 in. dia. bears $S63^{\circ}W$ 387 M.,
 a Do. - " " " $S62^{\circ}W$ 593,
 77.07 To the sections corner,
 Land level with prairie some grove
 of White & Black Oak timber,

North Between sections 5 & 6,
 40.00 Set the gr. sec. cor. in swamp
 no bearings & —
 78.16 To the N. boundy. 382 M. west
 of post, & set post cor. secs, 5 & 6
 a B. Oak 18 in. dia. bears $N64^{\circ}E$ 31 M.,
 & a W. oak 20 " " " $N49^{\circ}W$ 61 "
 The whole of this line runs through
 a flag & Bull rush swamp —
 May 18th 1834 —
 A true copy from the original,

A true copy from the original
 field notes of the survey of this
 township. Except the certificate of
 chain men &c,
 Robert Hanna Dep. Sur.,

4031

T. 30 N. R. 3 W. 2nd Mer. Ind^a,

I certify that the foregoing transcript
of field notes of Township 29 North,
Range 3 West 2nd Mer. Indiana, has
been compared with the original
in this office & found to be correct,
C. S. Deines
Sur. Genl.

Surveyor General's Office,
Cincinnati. March 31st 1842.