

INDEX MAPS.

T. 30 N. R. 4 W. 2<sup>nd</sup> Mer.

	269	269	268	268	268	267						
271	6	289	5	285	4	282	3	278	2	275	1	267
	<del>289</del>	<del>289</del>	<del>285</del>	<del>281</del>	<del>278</del>	<del>275</del>						
271	7	289	8	284	9	281	10	278	11	274	12	267
	<del>288</del>	<del>288</del>	<del>284</del>	<del>281</del>	<del>278</del>	<del>274</del>						
271	18	288	17	284	16	281	15	277	14	274	13	266
	<del>287</del>	<del>287</del>	<del>283</del>	<del>280</del>	<del>277</del>	<del>273</del>						
270	19	287	20	283	21	280	22	277	23	273	24	266
	<del>286</del>	<del>286</del>	<del>283</del>	<del>280</del>	<del>276</del>	<del>273</del>						
270	30	286	29	283	28	279	27	276	26	272	25	266
	<del>285</del>	<del>285</del>	<del>282</del>	<del>279</del>	<del>276</del>	<del>272</del>						
270	31	285	32	282	33	279	34	275	35	272	36	265
	<del>265</del>	<del>265</del>	<del>265</del>	<del>264</del>	<del>264</del>	<del>264</del>						

T. 31 N. R. 4 W. 2<sup>nd</sup> Mer.

	297	297	297	297	296	296						
300	6	326	5	318	4	314	3	309	2	304	1	296
	<del>325</del>	<del>325</del>	<del>318</del>	<del>313</del>	<del>309</del>	<del>304</del>						
299	7	325	8	317	9	313	10	308	11	303	12	295
	<del>324</del>	<del>324</del>	<del>317</del>	<del>312</del>	<del>308</del>	<del>303</del>						
299	18	323	17	316	16	312	15	308	14	302	13	295
	<del>323</del>	<del>322</del>	<del>316</del>	<del>312</del>	<del>307</del>	<del>302</del>						
299	19	322	20	316	21	311	22	307	23	302	24	295
	<del>321</del>	<del>321</del>	<del>315</del>	<del>311</del>	<del>306</del>	<del>301</del>						
298	30	320	29	315	28	310	27	306	26	301	25	294
	<del>320</del>	<del>319</del>	<del>314</del>	<del>310</del>	<del>305</del>	<del>300</del>						
298	31	319	32	314	33	309	34	305	35	300	36	294

(P) The figures on the lines refer to the page.

C. L. South Boundary,  
(Var. 5° 30' E.)

West On the S. side of sec. 36 in prairie  
 35.00 Leave the wet prairie  
 37.18 To a Y. Oak 20 in dia. in the line,  
 40.00 set the 2<sup>nd</sup> sur. cov. post from which  
 a W. Oak 9 in dia. bears N 18° W 26 1/2 Mts,  
 & a Do. 22 " " " N 90° E 90 " "  
 55.96 To a Y. Oak 18 " " in the line,  
 81.00 set a post cov. to sec. 35 & 36  
 a W. Oak 9 in dia. bears N 81° E 85 Mts,  
 & a Y. Oak 12 " " " West 6 7/2 "  
 Land rolling soil good timber Oak &

West On the S. side of sec. 35  
 6.72 To a Y. Oak 18 in dia. in the line,  
 12.00 Enter a dry prairie  
 40.00 set a post for 1<sup>st</sup> sur. cov. from which  
 a Br. Oak 9 in dia. bears N 88° E 29 1/2 Mts,  
 & a W. Oak 20 " " " N 11 1/4° W 410 "  
 80.00 set a post cov. to sec. 34 & 35 from wh.  
 a B. Oak 24 in dia. bears N 74° W 40 1/2 Mts,  
 & a Do. 12 " " " N 87° E 47 1/2 "  
 Land is mostly dry prairie soil 1<sup>st</sup> rate  
 & a few Oaks on the E. 1/2 mile,

West On the S. side of sec. 34  
 40.00 set the 1<sup>st</sup> sur. cov. post in prairie  
 where rain around  
 61.50 To a sluggish stream 300 Mts. wide on S.  
 80.00 set a post cov. to sec. 33 & 34.  
 in prairie where rain around  
 Land rolling & 1<sup>st</sup> rate prairie,

T. 30 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

6. Le,  
West  
40.00 On the South side of sec. 33  
Set the Dr. sec. cor. post. in prairie  
where raise a mound,  
80.00 Set a post cor. to secs. 32 & 33 in do.  
where raise a mound  
Land prairie same as last mile,

West  
40.00 On the S. side of sec. 32  
Set the Dr. sec. cor. & raise a mound  
80.00 Set a post cor. to sec. 31 & 32,  
in prairie where raise a mound  
Land &c is same as before,

West  
40.00 On the S. side of sec. 31  
Set the gr. sec. cor. post. & raise mound  
82.54 To the W. boundy. 9.38 ths. S. of temporary  
post, where set post & raise a mound  
cor. of Towns 29 & 30 N. Ranges 4 & 5 W.  
Land same as on last mile,  
Dec 10<sup>th</sup> 1833, (Var. 5° 30' E.)  
Surveyed by Sylvester Sibley. Inf. on.

East Boundary (Var. 5° 35' E.)  
North  
40.00 On the E. side of sec. 36 in prairie  
Set the gr. sec. cor. post. from which  
a W. Oak 8 in. dia. bears N 39° E 16.92 ths,  
no other (given)  
70.00 Leave the wet prairie  
80.00 Set a post cor. to sec. 35 & 36 from wh.  
a W. Oak 10 in. dia. bears S 34° W 100 ths,  
La Do. 10 " " " N 40° E 47 "  
Land is mostly wet prairie a few  
oaks on the N<sup>th</sup> of this line,

266

T. 30 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.

6. S.  
North

On the E. side of sec. 25

40.00 Set the q. sec. cor. post from which  
a W. Oak 10 in. dia. bears  $S 74 \frac{1}{2} W 219$  ft.,  
+ a Y. Oak 18 " " "  $S 14 \frac{1}{2} E 72$  "

59.09 To a Y. Oak 10 " " in the line,

80.00 Set a post cor. to sec. 24 & 25 from wh.,  
a W. Oak 10 in. dia. bears  $S 14 W 237$  ft.,  
+ a Do. 22 " " "  $N 60 \frac{1}{2} W 128$  "

Land is rolling & 2<sup>nd</sup> rate & the timber  
is W. & Y. Oak. & the mud 9<sup>th</sup> sec.

North

On the E. side of sec. 24

31.00 Entered a wet prairie

40.00 Set the q. sec. cor. post from which  
a W. Oak 4 in. dia. bears  $S 19 W 303$  ft.,  
+ a Do. 18 " " " North 805 "

46.00 Leave the wet prairie

48.05 To a W. Oak 18 in. dia. in the line,

63.88 " " W. Oak 30 " " " " "

80.00 Set a post cor. to sec. 13 & 24 from wh.,  
a W. Oak 20 in. dia. bears  $S 75 W 13$  ft. 1/2,  
+ a B. Oak 18 " " "  $S 3 \frac{1}{2} W 119$  "

Land level & 2<sup>nd</sup> rate & the timber is  
W. & Y. Oak &c

North

On the E. side of sec. 13

20.24 To a W. Oak 12 in. dia. in the line,

40.00 Set the q. sec. cor. post from which  
a Y. Oak 18 in. dia. bears  $S 74 \frac{1}{2} W 45$  ft.,  
+ a Do. 24 " " "  $N 16 W 69$  "

80.00 Set a post cor. to sec. 12 & 13 from wh.,  
a Y. Oak 12 in. dia. bears  $S 47 W 28$  ft.,  
+ a Do. 10 " " "  $S 76 E 44$  "

Land is level & 2<sup>nd</sup> rate & the timber is Oak &c,

T. 30 N. R. 4 W. 2<sup>nd</sup> New, Ind.<sup>a</sup>

Co. L,  
 North On the E. side of sec. 12  
 4.00 Enter a wet prairie  
 40.00 Set the gr. sur. cor. post from which  
 a B. Oak 4 in. diam. bears S 5 W 78° 0' M.  
 & no other given  
 80.00 set a post cor. to sur. 1 & 12 from wh.  
 a G. Oak 6 in. diam. bears N 1 1/2 W 65 1/4 M. dist.  
 & a W. Oak 8 " " " N 1 E 66 1/4 " "  
 Land is marshy & sur. rate & the timber oak,

North On the E. side of sec. 1,  
 4.00 Leave low sweet prairie  
 35.89 To a G. Oak 18 in. diam. in the live,  
 40.00 set the gr. sur. cor. post from which  
 a Gum 4 in. diam. bears S 75 W 24 M.  
 & a G. Oak 8 " " " N 22 W 36 " dist.  
 57.32 To a G. Oak 28 " " in the live,  
 80.00 To a temporary, Town cor., set post,  
 Land level & 2<sup>nd</sup> rate & the timber  
 is W 1/4 Oak &c. Dec. 19<sup>th</sup> 1833.  
 (Var. 5.355.) - Surveyed by -  
 Sylvester Sibley Dep. Sur.

 North Boundary.  
 (Var. 5.355.)

West On the S. side of sec. 36 T. 31 N. R. 4 W  
 5.00 Enter a wet prairie  
 33.00 Leave the same  
 40.00 Set the gr. sur. cor. post from which  
 a W. Oak 12 in. diam. bears N 59 W 23 M.  
 & a Do. 16 " " " N 39 E 66 "  
 70.02 To a W. Oak 18 " " in the live,  
 80.00 set a post cor. to sur. 35 & 36,  
 a Br. Oak 10 in. diam. bears N 21 E 22 1/4 M.

268

T. 30 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

61.51 & a Br. Oak 9 in dia, bears N 87 1/2 W 144  
 Land level & soil same as the timber is  
 W Br Oak &c —

Met On the S. side of sec. 35 T 31 N R 4 W  
 34.57 To a Y. Oak 10 in dia, in the line,  
 40.00 set the gr. sur. cov. post from which  
 a Y. Oak 18 in dia, bears N 31 E 38 M,  
 & a Do, 8 " " " N 76 W 44 "  
 46.00 Entered a Dry prairie  
 80.00 set a post cov. to sec. 34 & 35 from wh,  
 a Br. Oak 10 in dia, bears N 78 W 47 M,  
 & a Y. Oak 8 " " " N 89 1/2 E 638 "  
 Land gently rolling soil good & the  
 timber is W Y. & Br. Oak &c

Met On the S. side of sec. 34 T 31 N R 4 W  
 21.00 Leave a dry prairie  
 22.42 To a W. Oak 10 in dia, in the line  
 40.00 set the 2<sup>nd</sup> sur. cov. post from which  
 a W. Oak 9 in dia, bears N 83 W 21 M,  
 & a Do, 10 " " " N 2 E 13 " dit,  
 57.94 To a W. Oak 12 " " in the line,  
 80.00 set a post cov. to sec. 33 & 34  
 a W. Oak 12 in dia, bears N 57 1/2 W 56 M,  
 & a Y. Oak 14 " " " N. 88 W 160 "  
 Land &c. is same as on last mile

Met On the S. side of sec. 33 T 31 N R 4 W  
 10.00 Entered a wet prairie  
 40.00 set the gr. sur. cov. post from wh,  
 a Y. Oak 12 in dia, bears N 85 1/2 W 130 1/4 M,  
 no other tree near  
 50.00 Leave the wet prairie

T. 30 N. R. 4 W. 3<sup>rd</sup> Mer. Ind.<sup>a</sup>

C. L.  
 57.00 To a Y. Oak 10 in. dia. in the line,  
 58.00 Entered a wet prairie  
 80.00 Set a post cor. to sec. 32 & 33,  
 a Y. Oak 9 in. dia. bears N 81<sup>o</sup> E 1467<sup>th</sup> ft.  
 no other  
 Land flat & poor & the timber is Oak

West  
 33.00 On the S. side of sec. 32 T 30 N R 4 W  
 Leave wet prairie  
 40.00 Set the 2<sup>nd</sup> sec. cor. post from which  
 a W. Oak 14 in. dia. bears N 32<sup>o</sup> W 42<sup>th</sup> ft.,  
 & a Dr. 12 " " " N 62<sup>o</sup> E 53 "  
 48.96 To a W. Oak 9 " " in the line,  
 80.00 Set a post cor. to sec. 31 & 32  
 a Y. Oak 10 in. dia. bears N 80<sup>o</sup> E 438<sup>th</sup> ft.  
 & a W. Oak 18 " " " N 2<sup>o</sup> W 419 "  
 Land gently rolling soil good &  
 the timber is W, Y, Oak &c

West  
 40.00 On the S. side of sec. 31 T 30 N R 4 W  
 Set the 2<sup>nd</sup> sec. cor. post from which  
 a Y. Oak 20 in. dia. bears N 37<sup>o</sup> W 101<sup>th</sup> ft.,  
 & a Dr. 7 " " " N 39<sup>o</sup> E 185<sup>th</sup> ft.  
 55.50 To a Road cor. N 1<sup>o</sup> S,  
 59.28 To W. Oak 18 in. dia. in the line,  
 81.96 To the W. boundy, 35<sup>th</sup> ft. of  
 temporary town cor. post set post cor.  
 Towns 30 & 31 N R. 4 & 5 W. from wh.  
 a Br. Oak 24 in. dia. bears N 27<sup>o</sup> E 43<sup>th</sup> ft.,  
 & a W. Oak 10, " " " S 57<sup>o</sup> W 266 "  
 Land & timber is same as last mile  
 Dec. 20<sup>th</sup> 1833; Var. 5<sup>o</sup> 25' E.  
 Surveyed by  
 Sylvester Sibley, J. D.

T. 30 N. R. 4 W. 2<sup>nd</sup> Mer. Ind. a

C. S.

## West Boundary,

(Var. 5.35 E.)

North On the E. side of sec. 36 T 30 N R 5 W  
 commence in a dry prairie  
 40.00 set the q. sec. cor. post in do.  
 where raise a mound  
 70.00 To a trail cor. SW  
 80.00 set a post cor. to sec. 25 & 36  
 in prairie & Raise a mound  
 Land gently rolling & first rate &  
 the land all prairie

North On the E. side of sec. 25 T 30 N R 5 W  
 40.00 set the q. sec. cor. post from which  
 a Y. Oak 14 in dia. bears N 4 E 55 1/2 lbs,  
 & a Do. 18 " " " N 2 E W 58 6 "  
 45.50 Leave the prairie  
 80.00 set a post cor. to sec. 24 & 25  
 a W. Oak 12 in dia. bears N 57 W 22 lbs,  
 & a Y. Oak 14 " " " S 71 W 20 " dia  
 Land level & 1/2 is first rate & the  
 prairie & 2 1/2 is 2<sup>nd</sup> rate & stumps,

North On the E. side of sec. 24 T 30 N R 5 W  
 2.18 To a W. Oak 30 in dia. in the line,  
 4.00 Entered a wet prairie  
 40.00 set the q. sec. cor. post from wh,  
 a W. Oak 6 in dia. bears S 4 E 98 5 lbs,  
 & a Y. Oak 10 " " " S 1 W 11.00 "  
 77.00 Leave the wet prairie  
 80.00 set a post cor. to sec. 13 & 24.  
 a Y. Oak 28 in dia. bears S 55 W 22 2 lbs,  
 & a W. Oak 20 " " " N 45 1/2 W 28 5 "  
 Land is mostly wet prairie, a few trees



T. 30 N. R. 14 W. 2<sup>nd</sup>, Mon. Ind.<sup>a</sup>

6.21	North	On the E. side of sec. 13 T. 30 N. R. 14 W.
40.00		Set the q. sec. cor. post from which a G. Oak 20 in. dia. bears N 60° 47' W 1/2
80.00		& a Do. 28 " " " " N 34° 15' 2" W 1/2 Set a post cor. to sec. 12 & 13 from wh. a W. Oak 10 in. dia. bears N 74° 1/2' W 1/4 & a G. Oak 18 " " " " S 22° W 20 2 "
		Land rolling & 1 <sup>st</sup> rate bearing thinly timbered with Oaks &c
26.24	North	On the E. side of sec. 12 T. 30 N. R. 14 W.
40.00		To a W. Oak 9 in. dia. in the line, Set the q. sec. cor. post from which a W. Oak 10 in. dia. bears N 3° W 345' W 1/2
80.00		& a Do. 12 " " " " S 56 1/2° W 315 " Set a post cor. to sec. 14 & 12 from wh. a G. Oak 9 in. dia. bears N 60° E 311' W 1/2 & a Do. 9 " " " " N 25 1/2° E 113 "
		Land &c. is same as last mile
20.57	North	On the E. side of sec. 1 T. 30 N. R. 14 W.
40.00		To a W. Oak 9 in. dia. in the line, Set the q. sec. cor. post from which a G. Oak 9 in. dia. bears N 13 1/2° W 239' W 1/2
48.00		& a W. Oak 7 " " " " S 5 1/2° W 297 "
76.94		To a Road cor. NE & SW
80.00		To a W. Oak 28 in. dia. in the line, To temporary town cor. set post, Land &c. is same as last mile
		Dec. 12 <sup>th</sup> 1833. (Var. S. 35 E.) Surveyed by Sylvester Abbey J. S.

Subdivisions.

T. 30 N. R. 4 W. 2<sup>nd</sup>, New Ind.

C.S.  
North

Between sections 35 & 36

27.04 To a W. Oak 20 in. dia. in the line,  
40.00 set the gov. sec. cor. post from which  
a B. Oak 10 in. dia. bears N 35 W 38<sup>th</sup>,  
a W. Oak 35 " " " S 68 W 40 " dia,

19.61 To a W. Oak 18 " " in the line,  
80.00 set a post cor. to sec. 25, 26, 35 & 36  
a W. Oak 18 in. dia. bears N 72 E 140<sup>th</sup>,  
a B. Oak 15 " " " S 89 E 144 "

Land level & wet barrens because  
of timber & scattering B & W. Oak &c,  
& the mud, etc., is same with about the

East

On Random between sec. 25 & 36

80.84 To the E. line of sec. 5<sup>th</sup> S. 10<sup>th</sup> post

West

Correct the line between sec. 25 & 36

40.42 set the 3<sup>rd</sup> sec. cor. post from which  
a W. Oak 20 in. dia. bears S 79 W 25<sup>th</sup>,  
a B. Oak 30 " " " N 36 E 105 "

80.84 To the section corner  
Land level & marshy barrens & the  
timber is scarce B. Oak & W. Oak & the  
mud, brush is B & W Oak & short timbering!

North

Between sections 25 & 26

11.89 To a W. Oak 24 in. dia. in the line,  
40.00 set the gov. sec. cor. post from which  
a W. Oak 18 in. dia. bears N 11 E 80<sup>th</sup>,  
a S 20 " " " N 7 W 1260 " dia,

80.00 set a post cor. to sec. 23, 24, 25 & 26  
a B. Oak 30 in. dia. bears N 76 W 33<sup>th</sup> dia,  
a W. Oak 30 " " " S 33 E 45 " "

Land part dry barrens & part flag &

T. 30 N. R. 4 W. 2<sup>nd</sup>. New. Ind.<sup>a</sup>

Co. L. & Bulrush swamp, & the timber is  
B & W Oak in some places -

East On Random between sections 24 & 25  
80.71 To the E. line of sec. 12 the S. of post

West Correct the line between sec. 24 & 25  
5.71 To a B. Oak 20 in dia. in the line

40.35<sup>1</sup>/<sub>2</sub> Set the gr. sec. cor. post from which  
a W. Oak 30 in dia. bears N 69<sup>o</sup> W 69<sup>o</sup> 00<sup>o</sup>  
S. 25 " " " S 33<sup>o</sup> E 44 " dia.

52.40 To a B. Oak 20 " " in the line

80.71 To the return corner,  
Land level & 3<sup>d</sup> rate & the timber  
is scarce of B & W Oak, & W. G. saws,

North Between sections 23 & 24

24.48 To a B. Oak 20 in dia. in the line,

40.00 Set the gr. sec. cor. post from which  
a W. Oak 18 in dia. bears N 67<sup>o</sup> W 38<sup>o</sup> 00<sup>o</sup>  
To a B. Oak 25 " " " N 80<sup>o</sup> E 24 "

62.74 To a B. Oak 25 " " in the line,

80.00 Set post cor. to sec. 13 & 14. 23 & 24 in water  
a W. Oak 18 in dia. bears N 105<sup>o</sup> 57<sup>o</sup> 1<sup>o</sup> the dia.  
To a B. Oak 6 " " " N 26<sup>o</sup> W 400 " "  
Land level & 3<sup>d</sup> rate & the timber is  
B. Oak & W. Oak scattering past dry land  
& past wet prairie -

East On Random between sec. 13 & 24  
80.85 To the E. line of sec. 71 the S. of post,

West Correct the line between sec. 13 & 24  
4.33 To a B. Oak 25 in dia. in the line,

T. 30 N. R. 4 W. 2<sup>nd</sup> Mer. Ind. <sup>274</sup>

6:00  
18.61 To a B. Oak 18 in dia. in the line,  
40:42 $\frac{1}{2}$  set the q. sec. cor. post from wh  
a W. Oak 20 in dia. bears S 32 $^{\circ}$  W 37 $^{\circ}$  ths,  
La. Do. 20 " " " N 22 $^{\circ}$  E 33 " dit  
80:85 To the section corner,  
E  $\frac{1}{2}$  mile is 3<sup>d</sup> rate Land & the timber  
is B & W Oak Hickory &c. W.  $\frac{1}{2}$  wet barney

North Between sections 13 & 14  
29.70 To a W. Oak 20 in dia. in the line,  
40:00 set the q. sec. cor. post from which  
a W. Oak 18 in dia. bears N 35 $^{\circ}$  E 28 $^{\circ}$  ths,  
& a Do. 15 " " " N 12 $^{\circ}$  W 15 $^{\circ}$  "  
80:07 set a post cor. to sec. 11, 12, 13 & 14 -  
a B. Oak 6 in dia. bears N 83 $^{\circ}$  E 10 $^{\circ}$  ths,  
& a Do. 6 " " " N 65 $^{\circ}$  E 11 $^{\circ}$  "  
Sand level & almost one entire marsh  
& but little timber of any kind  
June 4<sup>th</sup> 1834

East On Random between sec. 12 & 13,  
80:45 To the E. line of sec. 34 ths. of post,

West Correct the line between sec. 12 & 13  
40:22 $\frac{1}{2}$  set the q. sec. cor. post in swamp  
80:45 To the sec. cor. (no bearings)  
Sand flat & full rush swampy  
& covered with water,

North Between sections 11 & 12  
21.83 To a B. Oak 20 in dia. in the line  
32.52 To a W. Oak 20 " " " " "  
40:00 set the q. sec. cor. post from which  
a W. Oak 20 in dia. bears N 67 $^{\circ}$  E 16 $^{\circ}$  ths.

T. 30 N. R. 4 W. 2<sup>nd</sup> Mer. Ind<sup>ca</sup>

Ca L <sup>i</sup>	<p>80.00 To a W. Oak 18 in dia, bears N 77 E 104 M, To cor. sec. 1, 2, 11 1812 set post from wh. a W. Oak 20 in dia bears S 60 E 379 M. int. To Do. 24 " " " " S 85 E 500 " Land level wet barrens &amp; groves of timber of B. W. Oak in places</p>
East	<p>80.77 On Roadway between sec. 1 &amp; 12 To the E. line of sec. 12 M. int. of post</p>
West	<p>40.38 Correct the line between sec. 1 &amp; 12 set the gr. sec. cor. post from which a B. Oak 20 in dia bears S 82 E 13 M, To Do. 18 " " " " S 50 E 32 " 80.77 To the section corner, Land level wet prairie &amp; groves of B. W. Oak in places.</p>
North	<p>40.00 Between sections 1 &amp; 2 set the 2<sup>nd</sup> sec. cor. post from wh. a W. Oak 20 in dia bears S 78 E 127 M, To a W. Oak 6 " " " " S 85 E 111 " 80.00 To the N. boundary of Township 64 M. W. of post &amp; where set post corner of sec. 1 &amp; 2 from which a B. Oak 24 in dia bears S 67 E 120 M, To Do. 20 " " " " S 26 W 146 " Land level scars of timber &amp; almost entirely covered with water flag &amp; Bull rush swamps.</p>
North	<p>29.00 Between sections 34 &amp; 35 To a W. Oak 18 in dia, in the line 40.00 set the 2<sup>nd</sup> sec. cor. post from wh. no bearings - in mound</p>

6. L.	<p>a W. Oak 18 in dia, bears S17<sup>o</sup>W 3.40 lks,            &amp; a B. Oak 24 " " " N5<sup>o</sup>W 398 "</p>
71.03	To W. Oak 18 " " in the line,
80.00	<p>Set a post cor. to sec. 26, 27, 34 &amp; 35            a B. Oak 18 in dia, bears S4<sup>o</sup>E 284 lks,            &amp; a Do. 24 " " " N59<sup>o</sup>W 227 "</p> <p>Land level wet barrens &amp; the timber            is B. Oak &amp; W. Oak &amp; —</p>
<hr/>	
East	On Random between sections 26 & 35.
80.54	To the E. line of sec. 13 lks. N. of post
<hr/>	
West	Correct the line between sec. 35 & 26
40.27	<p>Set the gr. sur. cor. post from which            a B. Oak 20 in dia, bears S7<sup>o</sup>W 220 lks,            &amp; a Do. 24 " " " N89<sup>o</sup>W 356 "</p>
46.74	To a B. Oak 24 in dia, in the line,
80.54	<p>To the sections corner.            Land level wet barrens &amp; the timber            is scarce, scattering Oak &amp; —</p>
<hr/>	
North	Between sections 26 & 27
40.00	<p>Set the gr. sur. cor. post from wh.,            a W. Oak 14 in dia, bears S14<sup>o</sup>E 225 lks,            &amp; a Do. 20 " " " S23<sup>o</sup>W 248 "</p>
80.00	<p>Set a post cor. to sec. 22, 23, 26 &amp; 27            a B. Oak 20 in dia, bears S24<sup>o</sup>E 130 lks,            &amp; a Do. 12 " " " N25<sup>o</sup>W 129 "</p> <p>Land level wet barrens timber scarce            of B &amp; W Oak &amp; —</p>
<hr/>	
East	On Random between sec. 23 & 26
81.00	To the E. line of sec. 32 lks. N. of post

T. 30 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>u</sup>

Co. L,  
West  
40.00

81.00

Correct the line between sec. 23 & 26  
set the gr. sur. cor. post. from which  
a W. Oak 20 in. dia. bears S 57 E 61 (1/2) dist.  
& a No. 18 " " " S 93 E 75 " "  
to the section corner,  
Land level & principally prairie with  
scattering groves of W. Oak &c

North

40.00

80.00

Between sections 22 & 23  
set the gr. sur. cor. post. in water no mound  
set post in Bull rush swamp  
cor. sur. 14, 15, 22 & 23, no mound  
Land chiefly flag & Bull rush swamp  
& groves of Aspen W. Oak &c

East

80.44

On Randow between sec. 14 & 23  
to the E. line of sec. 20 Mer. N. O. K. post.

West

40.20 1/2

80.44

Correct the line between sec. 14 & 23  
set the gr. sur. cor. post. from which  
no bearings - Raise a mound  
to the section corner,  
Land level wet prairie some  
groves & flag swamps,

North

40.00

80.00

Between sections 14 & 15  
set gr. sur. cor. post. in flag swamp  
set post cor. to sec. 10, 11, 14 & 15. in a  
swamp & no bearings -  
The whole of this line runs through  
a large Bull rush & flag swamp  
caused by the metamorphic sh. which  
at this place spreads over near a  
section of land. water generally from  
half leg to 1/2 high duff.

T. 30 N. R. 4 W. 3<sup>rd</sup> Mon. Ind.

E. L. East	On Random between Secs. 11 & 14 80.50 To the E. line of secs, at the post,
West	Correct the line of Secs. 11 & 14 40.25 Set the gr. sec. cov. post in a swamp 80.50 To the section's corner, marshy land & almost destitute of timber
North	Between sections 10 & 11 40.00 Set the gr. sec. cov. post from which a W. Oak 20 in. dia. bears N 44 $\frac{1}{2}$ W 25 $\frac{1}{2}$ lbs, & a B. Oak 24 " " " S 60 $\frac{1}{2}$ W 18 " 9 lbs, 80.00 set a post cov. to secs. 2, 3, 10 & 11 a W. Oak 18 in. dia. bears N 34 E 48 lbs. 9 lbs, & a B. Oak 24 " " " S 84 E 74 " " Land patch wet patch dry barrens & almost destitute of timber except some small groves &
East	On Random between Secs. 2 & 11 80.53 To the E. line of Secs. 23 West. of post
West	Correct the line between Secs. 2 & 11 40.26 Set the gr. sec. cov. post from which a W. Oak 24 in. dia. bears S 82 W 136 lbs, & a B. Oak 24 " " " S 89 W 164 " 49.47 To a Dr. 24 " " in the line 80.53 To the section's corner, Land generally dry barrens & the timber is scarce, a few B & W. Oak &
North	Between sections 2 & 3, 20.95 To a B. Oak 24 in. dia. in the line, 40.00 Set the gr. sec. cov. post from wh,



T. 30 N. R. 4 W. 2<sup>nd</sup>, New, Ind<sup>a</sup>,

S. 1/2  
 a B. Oak 24 in dia, bears N49°W 101 Mk,  
 & a W. Oak 24 " " " 266 1/2 E 142 "  
 81.19 To the N. boundary: 79 Mk. East of post  
 where set post cor. to sec. 2 & 3.  
 a W. Oak 18 in dia, bears N 1/2 E 89 Mk,  
 & a B. Oak 18 " " " 267 W 569 "  
 Land is generally dry prairie some  
 groups of W. & B. Oak -

North Between sections 33 & 34  
 25.00 To Metamunong cr. 3 ch, widens, etc,  
 40.00 set the 2<sup>d</sup> sec. cor. post from which  
 a W. Oak 20 in dia, bears N 1/4 E 533 Mk,  
 & a Do. 30 " " " N 63 E 498 "  
 42.20 To Metamunong cr. cor. S. W.,  
 53.00 " Do. " " S. E.,  
 63.55 " a B. Oak 30 in dia, in the line,  
 80.00 set a post cor. to sec. 27, 28, 33 & 34  
 set post in Metamunong creek in  
 water waste deep, cor. S. W. part  
 of this line is timber? & part prairie

East In Random between sections 27 & 34  
 79.85 To the E. line of sec. 60 Ch. N. of post

West Correct the line between sec. 27 & 34  
 39.92 set the gr. sec. cor. post from which  
 a B. Oak 25 in dia, bears N 49 E 609 Mk dia,  
 & a W. Oak 30 " " " 259 E 539 " "  
 79.85 To the the sections corner -  
 Land generally dry bearing a few  
 groups of Br. Oak W. Oak & Hickory etc,

North Between sections 27 & 28,

T. 30 N. R. 4 W. 2<sup>nd</sup>. New, Ind.

E. S.	
40.00	Set the 2 <sup>d</sup> . sec. cor. post from which no bearings - in a mound
60.00	To Metamony crk, cor. S. E.
80.00	Set a post cor. to sec. 21, 22, 27 & 28, Land level & wet prairie
East	On Random between sec. 22 & 29
79.76	To the E. line of sec. 75 <sup>th</sup> N. of path
West	Correct the line between sec. 22 & 29
39.88	Set the gr. sec. cor. post in a mound
79.76	To the section corner, Land level & greater part wet prairie & small groves of W. & B. Oak &c
North	Between sections 21 & 22
5.00	To Metamony creek cor. South,
16.00	to the same cor. S. W.
40.00	Set the gr. sec. cor. post from which a W. Oak 10 in dia. bears N 24° 00' W 1/4 & a Do. 30 " " " N 15 1/2° W 80 1/4"
44.04	To a W. Oak 30 " " in the line,
80.00	Set a post cor. to sec. 15, 16, 21 & 22, The greater part of this line runs through a flag & Bull rush swamp formed by the waters of the Metamony which widens at this point to a great extent,
East	On Random between sections 15 & 22
	This line was not run being in the Metamony creek, which is wide & spreads over a great extent of country & is quite marshy besides water from mid leg to waste deep,

T. 30 N. R. 4 W. 2<sup>nd</sup>. New. Ind.

6. S. North	Between sections 15 & 16
40.00	Set the gr. sec. cor. post from which a W. Oak 6 in. dia. bears N 92° E 32 ths. & a Do. 12 " " " N 14½ W 84 " dist.
80.00	Set a post corner to sec. 9, 10 15 & 16, where raise a mound, Land level & 2 <sup>nd</sup> rate prairie & a few scattering B & W. Oaks,
East	On Random between sec. 10 & 15
80.00	To the E. line of sec. at post
West	Correct the line between sec. 10 & 15
40.00	Set the gr. sec. cor. post in prairie a W. Oak 15 in. dia. bears S 83° E W 819 ths. & a Do. 20 " " " S 85° E W 950 "
80.00	To the section corner, The E. ½ mile is an entire swamp & the W ½ " " dry barren, 2 <sup>nd</sup> rate scarcely of timber & a few W & B Oaks,
North	Between sections 9 & 10,
40.00	Set the gr. sec. cor. post in mound
80.00	Set post in edge of woods, cor. sec. 3, 4, 9 & 10 a B. Oak 20 in. dia. bears N 49° W 12 ths. dist. & a Do. 25 " " " N 47½ W 38 " " "
	Land greater part level & dry prairie second rate land,
East	On Random between sec. 3 & 10
79.65	To the E. line of sec. 124 ths. S. of post,
West	Correct the line between sec. 3 & 10
15.95	To a B. Oak 20 in. dia. in the line,

C. L.  
 25.18 To a W. Oak 18 in. dia. in the line,  
 39.82± set the 2<sup>d</sup> sec. cor. post from which  
 a W. Oak 10 in. dia. bears N 24° W 153 Mts.  
 & a Do. 20 " " " N 22 ± E 266 "  
 49.65 To the section corner,  
 Land 3<sup>rd</sup> rate barrens interspersed  
 with flag & bull rush swamps & the  
 timber is B. Oak & W. Oak &c

North Between sections 3 & 4  
 24.14 To a W. Oak 30 in. dia. in the line  
 40.00 set the gr. sec. cor. post from wh.  
 no bearings, no mound, being in  
 a flag marsh knee deep in water.  
 81.00 To the N. boundy. of Town. 107 Mts. West  
 of post where set post cor. sec. 3 & 4  
 a W. Oak 20 in. dia. bears N 69° E 281 Mts.  
 & a B. Oak 22 " " " N 89° W 54 "  
 Land chiefly wet barrens almost  
 destitute of timber or mud bush,

North Between sections 32 & 33,  
 40.00 set a gr. sec. cor. post in mound  
 70.32 To a B. Oak 18 in. dia. in the line,  
 80.00 set a post cor. sec. 28, 29, 32 & 33,  
 where raise a mound —  
 Land level dry prairie & some groves  
 of W. & B. Oak &c. &c.,

East On Random between sec. 28 & 33  
 80.00 To the E. line of sec. 4 Mts. E. of post,

West Correct the line between sec. 28 & 33  
 40.00 set the cor. sec. cor. post in a mound,

T. 30 N. R. 4 W. 2<sup>nd</sup>. New Ind.

C. S. 80.00	Set a post cor. to sec. 28, 29, 32 & 33, in prairie where raise a mound Land level & wet prairie
North 40.00 80.00	Between sections 28 & 29 Set the gr. sec. cor. post in prairie where raise a mound, Set a post cor. to sec. 20, 21, 28 & 29 a B. Oak 10 in dia., bearing S 65° E 70 Mts, & a Do. 24 " " " N 31° W 254 " Land principally dry prairie & small groves of B. Oak & W. Oak &c
East 80.21	On Random between sec. 21 & 28, to the E. line of sec. 13 Mts. N. of post,
West 40.10 80.21	Correct the line between sec. 21 & 28 set the gr. sec. cor. post in mound to the sections corner, Land level dry prairie,
North 40.07 80.00	Between sections 20 & 21, Set the Dr. sec. cor. post from which a W. Oak 20 in dia., bearing S 50° E 242 Mts, & a B. Oak 22 " " " N 76° E 326 " Set a post cor. to sec. 16, 17, 20 & 21, where set post & raised a mound Land level & red. rate & the timber is scattering W. & B. Oak &c
East 78.27	On Random between sec. 16 & 21 to the E. line of sec. 23 Mts. S. of post
West	Correct the line between sec. 16 & 21

284

T. 30 N. R. 4 W. 2<sup>nd</sup> Sec. Now. Ind.

Co. E  
39.13 $\frac{1}{2}$  Set the 2<sup>nd</sup> sec. cor. post from which  
a Bur. Oak 30 in dia. bears S 62 $^{\circ}$  W 530 $^{\circ}$  M.  
La. Ho. 25 " " " S 72 $^{\circ}$  W 612 "

78.27 To cor. sec. 16, 17, 20 & 21,  
West  $\frac{1}{2}$  mile is wet & the E  $\frac{1}{2}$  is dry  
prairie & 2<sup>nd</sup> rate Land

North Between sections 16 & 17

23.90 To a W. Oak 8 in dia. in the line,  
34.32 To a B. Oak 20 " " " " "  
40.00 To a W. Oak 18 " " in place of cor. post,  
48.67 To a W. Oak 20 " " in line,  
80.00 Set a post cor. to sec. 8, 9, 16 & 17  
a W. Oak 35 in dia. bears S 36 $^{\circ}$  W 317 $^{\circ}$  M.  
La. Ho. 30 " " " S 71 $^{\circ}$  W 363 "  
Land level dry barrens & scattering  
W. & B. Oak

East On Random between sections 9 & 16  
80.15 To the E. line of sec. 18 N. of post

West Correct the line between sec. 9 & 16  
40.07 $\frac{1}{2}$  Set the gr. sec. cor. post in mound  
80.15 To the section corner,  
E  $\frac{1}{2}$  mile is 2<sup>nd</sup> rate prairie, & West  
 $\frac{1}{2}$  mile is wet barrens almost destitute  
of timber —

North Between sections 8 & 9  
40.00 Set the gr. sec. cor. post in mound  
80.00 Set post cor. to sec. 4, 5, 8 & 9  
where raise a mound in prairie  
Land wet & greater part level prairie

T. 30 N. R. 4 W. 2<sup>nd</sup> New. Ind. a.

East 79.69	On Random between Secs. 4 & 9 To the E. line of sec. 94 1/2 Ch. of post
West 39.84 79.69	Correct the line between sec. 4 & 9 Set the gr. sec. cor. post. in prairie where rain a mound, To the sections corner, Land low past wet & part dry prairie
North 40.00 81.00	Between sections 4 & 5 Set the Dr. sec. cor. post. from wh, a B. Oak 25 in. dia. bears N 12 1/2 W 47.5 Ch., & a Do. 20 " " " N 58.904 " Set post in water, not being able to find post nor N. boundary, now bearing Land low wet prairie & scattering B & W Oak timbered -
North 40.00 80.00	Between sections 31 & 32 Set the Dr. sec. cor. post. in <u>mound</u> Set a post cor. to sec. 29, 31, 31 & 32 in a flag swamp where rain a <u>mound</u> . Land dry prairie tract
East 79.88	On Random between sec. 29 & 32 To the E. line of sec. 162 Ch. of post
West 39.94 79.88	Correct the line between sec. 29 & 32 Set the Dr. sec. cor. post. in <u>mound</u> To the sections corner, Land is mostly wet prairie
West 81.41	Between sections 30 & 31 To the W. boundary, 24 Ch. of post,

T. 30 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup> 286

Co. S. East 41.41 81.41	Correct the line between sec. 30 & 31 Set the 2 <sup>nd</sup> sec. cor. post from which a B Oak 24 in. dia. bears S 75° W 750 lks. & a Do. 20 " " " S 83° W 760 " To the section corner, Land is level wet prairie
North 40.00 78.50 80.00	Between sections 29 & 30 Set the 2 <sup>nd</sup> sec. cor. post in mound To a W. Oak 24 in. dia. in the line Set a post cor. to sec. 19, 20, 29 & 30 a W Oak 20 in. dia. bears S 50° E 61 lks. & a Do. 24 " " " N 20° E 150 " Land greater part prairie & 2 <sup>nd</sup> into & some groves of B & W Oak
East 79.86	On Random between sec. 29 & 20 To the E. line of sec. 62 lks. N. of post
West 39.93 79.86	Correct the line between sec. 20 & 29 Set the 2 <sup>nd</sup> sec. cor. post in mound, To the section corner, Land generally dry prairie 2 <sup>nd</sup> into
West 82.12	On Random between sec. 19 & 30 To the W. boundy. 26 lks. N. of post
East 42.12 82.12	Correct the line between sec. 30 & 19 Set the 2 <sup>nd</sup> sec. cor. post from wh., a B Oak 24 in. dia. bears S 3° W 156 lks. & a Do. 6 " " " N 64° E 61 " To the section corner, Land level wet prairie & the timber is scarce of B & W Oak &



T. 30 N. R. 4 W. 3<sup>rd</sup> Mer. Ind.<sup>a</sup>

61.21 North	Between sections 19 & 20 Set the q. res. cor. post from which a W. Oak 18 in. dia. bears S 25° W 283 lks. dist. & a Do. 21 " " " " S 13° W 292 " "
40.00 80.00	Set a post cor. to sec. 19, 18, 19 & 20 - a B. Oak 20 in. dia. bears S 7° W 410 lks. dist. & a Do. 24 " " " " S 77° W 450 " "
	Land level & wet prairie with groves of white & B. Oak &c
East 80.71	On Random between sections 19 & 20 To the E. line of sec. 7 lks. S. of post.
West 40.35 $\frac{1}{2}$	Correct the line between sec. 19 & 20 Set the q. res. cor. post from which a W. Oak 36 in. dia. bears S 53° W 26 lks. & a B. Oak 12 " " " " S 60° E 58 "
56.50 80.71	To a W. Oak 18 " " in the line, To the sections corner, To $\frac{1}{2}$ mile is wet prairie W $\frac{1}{2}$ mile is dry barrens & the timber is B. & W. Oak &c
West 81.69	Between sections 18 & 19 To the W. boundary, 27 lks. S. of post.
East 44.69	Correct the line between sec. 18 & 19. Set the q. res. cor. post from which a W. Oak 18 in. dia. bears S 67° E 109 lks. & a Do. 20 " " " " N 1° E 108 " dist.
81.69	To the sections corner, Land level open barrens, part dry & part flag & ball creek swamps & the timber is B. & W. Oak &c, sec. 18,

T. 30 N. R. 4 W. 2<sup>nd</sup>. Mev. Ind<sup>h</sup>.

Cid. North  
 Between sections 17 & 18,  
 27.85 To a B. Oak 20 in. dia. in the line  
 40.00 set the 2<sup>nd</sup> sur. cor. post from which  
 a W. Oak 18 in. dia. bears S 46° W 37 1/2 Mts  
 & a Do. 20 " " " S 82° E 16 " "  
 46.73 To a B. Oak 20 in. dia. in the line,  
 65.04 To a W. Oak 30 " " " " "  
 78.33 " " Do. 20 " " " " "  
 80.00 set a post cor. to sec. 7, 8, 17, & 18,  
 a W. Oak 20 in. dia. bears S 35° W 135 Mts,  
 & a Do. 18 " " " S 74 1/2° E 133 "  
 Land level hazy part wet & springy

East On Random between sec. 8 & 17  
 79.24 To the E. line of sec. 50 Mts. S. of post

West Correct the line between sec. 8 & 17  
 39.62 set the gr. sur. cor. post from which  
 a B. Oak 8 in. dia. bears N 15° E 106 Mts,  
 & a Willow 3 " " " N 14° W 100 " "ish  
 79.24 To the sections corner,  
 Land level wet hazy full run by  
 & flag swamps & a few groves of timber  
 of White & Black Oak &c

West On Random between sections 7 & 18,  
 81.60 To the W. boundary. 41 Mts. N. of post,

East Correct the line between sec. 7 & 18,  
 41.60 set the gr. sur. cor. post from which  
 a B. Oak 8 in. dia. bears N 64° E 30 Mts. orb,  
 & a Do. 8 " " " S 59° E 376 " "  
 81.60 To the sections corner,  
 Land level open hazy some Oak,

T. 30 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

61.21 North	Between sections 7 & 8 To a B. Oak 20 in dia. in the line, 24.47 " " B. Oak 18 " " " " " 40.00 Set the gr. sec. cor. post from which - no bearings. - but raise a mound 80.00 set a post cor. to sec. 5. 6. 7 & 8. in prairie where raise a mound, Land 2 <sup>nd</sup> rate prairie,
East 78.21	On Random between sec. 5 & 8, To the E. line of sec. 35 1/4 N. of post
West 16.86 39.10 1/2 79.21	Correct the line between sec. 5 & 8 To a W. Oak 25 in dia. in the line, Set the gr. sec. cor. post from which a W. Oak 15 in dia. bears S 69 E 163 1/2 N. dist. & a D. 18 " " " " N 50 E 107 " " To the sec. cor. E 1/2 mile is best bearing of W & B Oak W 1/2 mile is wet prairie,
West 80.74	On Random between sections 6 & 7 To the E. line of sec. 65 1/4 N. of post
East 40.74 80.74	Correct the line between sec. 6 & 7 Set the gr. sec. cor. post from which a W. Oak 18 in dia. bears S 31 W 41 9 N. dist. & a D. 22 " " " " S 21 W 350 " " To the section corner, The E 1/2 mile is 2 <sup>nd</sup> rate prairie & the W 1/2 is best bearing B & W Oak
North 40.00	Between sections 5 & 6 Set the gr. sec. cor. post from which

T. 30 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

66. 2. 1 a B. Oak 10 in dia. bears N 50 E 151 Ch. dist,  
 & a Do. 18 " " " N 19 E 127 " "  
 41. 93 No a B. Oak 20 in dia. with the line,  
 79. 19 To the N. line of sec. N. boundary,  
 65 Ch. West of post. feet post ev. 586  
 a W Oak 20 in dia. bears S 7 E 583 Ch. dist,  
 & a Do. 18 " " " S 1 E 519 " "  
 Land 2<sup>nd</sup> rate level bearing,

A true copy from the original  
 field notes of this township, except  
 the last certificate.

Robert Hanna,  
 Deputy Surveyor.

I certify that the foregoing transcript  
 of field notes of Township 30 North  
 Range 4 West 2<sup>nd</sup> principal meridian  
 in the state of Indiana, has been  
 compared with the original in this  
 office & found to be correct.

Q. P. Wainwright  
 Sur. Genl.

Surveyor General's office,  
 Cincinnati. May 14<sup>th</sup> 1842.